



CLIMATOGRAPHY OF THE UNITED STATES NO. 81



**Monthly Station Normals
of Temperature, Precipitation,
and Heating and Cooling
Degree Days
1971 - 2000**



NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION
NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE
NATIONAL CLIMATIC DATA CENTER
ASHEVILLE, NC




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 2

(This Page Intentionally Left Blank)



CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEW MEXICO

Page 3

NOTES

Product Description:

This Climatography includes 1971-2000 normals of monthly and annual maximum, minimum, and mean temperature (degrees F), monthly and annual total precipitation (inches), and heating and cooling degree days (base 65 degrees F). Normals stations include both National Weather Service Cooperative Network and Principal Observation (First-Order) locations in the 50 states, Puerto Rico, the Virgin Islands, and Pacific Islands.

Abbreviations:

No. = Station Number in State Map

COOP ID = Cooperative Network ID (1:2=State ID, 3:6=Station Index)

WBAN ID = Weather Bureau Army Navy ID, if assigned

Elements = Input Elements (X=Maximum Temperature,
N=Minimum Temperature, P=Precipitation)

Call = 3-Letter Station Call Sign, if assigned

MAX = Normal Maximum Temperature (degrees Fahrenheit)

MEAN = Average of MAX and MIN (degrees Fahrenheit)

MIN = Normal Minimum Temperature (degrees Fahrenheit)

HDD = Total Heating Degree Days (base 65 degrees Fahrenheit)

CDD = Total Cooling Degree Days (base 65 degrees Fahrenheit)

Latitude = Latitude in degrees, minutes, and hemisphere (N=North, S=South)

Longitude = Longitude in degrees, minutes, and hemisphere (W=West, E=East)

Elev = Elevation in feet above mean sea level

Flag 1 = * if a published *Local Climatological Data* station

Flag 2 = + if WMO Fully Qualified (see Note below)

HIGHEST MEAN/YEAR = Maximum Mean Monthly Value/Year, 1971-2000

MEDIAN = Median Mean Monthly Value/Year, 1971-2000

LOWEST MEAN/YEAR = Minimum Mean Monthly Value/Year, 1971-2000

MAX OBS TIME ADJUSTMENT = Add to MAX to Get Midnight Obs. Schedule

MIN OBS TIME ADJUSTMENT = Add to MIN to Get Midnight Obs. Schedule

Note: In 1989, the World Meteorological Organization (WMO) prescribed standards of data completeness for the 1961-1990 WMO Standard Normals. For full qualification, no more than three consecutive year-month values can be missing for a given month or no more than five overall values can be missing for a given month (out of 30 values). Stations meeting these standards are indicated with a '+' sign in Flag 2. Otherwise, stations are included in the normals if they have at least 10 year-month values for each month and have been active since January 1999 or were a previous normals station.

Map Legend: Numbers correspond to 'No.' in Station Inventory; Shaded Circles indicate Temperature and Precipitation Stations, Triangles (Point Up) indicate Precipitation-Only Stations, Triangles (Point Down) indicate Temperature-Only Stations, and Hexagons indicate stations with Flag 1 = *.

Computational Procedures:

A climate normal is defined, by convention, as the arithmetic mean of a climatological element computed over three consecutive decades (WMO, 1989). Ideally, the data record for such a 30-year period should be free of any inconsistencies in observational practices (e.g., changes in station location, instrumentation, time of observation, etc.) and be serially complete (i.e., no missing values). When present, inconsistencies can lead to a non-climatic bias in one period of a station's record relative to another, yielding an "inhomogeneous" data record. Adjustments and estimations can make a climate record "homogeneous" and serially complete, and allow a climate normal to be calculated simply as the average of the 30 monthly values.

The methodology employed to generate the 1971-2000 normals is not the same as in previous normals, as it addresses inhomogeneity and missing data value problems using several steps. The technique developed by Karl *et al.* (1986) is used to adjust monthly maximum and minimum temperature observations of conterminous U.S. stations to a consistent midnight-to-midnight schedule. All monthly temperature averages and precipitation totals are cross-checked against archived daily observations to ensure internal consistency. Each monthly observation is evaluated using a modified quality control procedure (Peterson *et al.*, 1998), where station observation departures are computed, compared with neighboring stations, and then flagged and estimated where large differences with neighboring values exist. Missing or discarded temperature and precipitation observations are replaced using a weighting function derived from the observed relationship between a candidate's monthly observations and those of up to 20 neighboring stations whose observations are most strongly correlated with the candidate site. For temperature estimates, neighboring stations were selected from the U.S. Historical Climatology Network (USHCN; Karl *et al.* 1990). For precipitation estimates, all available stations were potential neighbors, maximizing station density for estimating the more spatially variable precipitation values.

Peterson and Easterling (1994) and Easterling and Peterson (1995) outline the method for adjusting temperature inhomogeneities. This technique involves comparing the record of the candidate station with a reference series generated from neighboring data. The reference series is reconstructed using a weighted average of first difference observations (the difference from one year to the next) for neighboring stations with the highest correlation with the candidate. The underlying assumption behind this methodology is that temperatures over a region have similar tendencies in variation. If this assumption is violated, the potential discontinuity is evaluated for statistical significance. Where significant discontinuities are detected, the difference in average annual temperatures before and after the inhomogeneity is applied to adjust the mean of the earlier block with the mean of the latter block of data. Such an evaluation requires a minimum of five years between discontinuities. Consequently, if multiple changes occur within five years or if a change occurs very near the end of the normals period (e.g., after 1995), the discontinuity may not be detectable using this methodology.

The monthly normals for maximum and minimum temperature and precipitation are computed simply by averaging the appropriate 30 values from the 1971-2000 record. The monthly average temperature normals are computed by averaging the corresponding monthly maximum and minimum normals. The annual temperature normals are calculated by taking the average of the 12 monthly normals. The annual precipitation and degree day normals are the sum of the 12 monthly normals. Trace precipitation totals are shown as zero. Precipitation totals include rain and the liquid equivalent of frozen and freezing precipitation (e.g., snow, sleet, freezing rain, and hail). For many NWS locations, indicated with an '*' next to 'HDD' and 'CDD' in the degree day table, degree day normals are computed directly from daily values for the 1971-2000 period. For all other stations, estimated degree day totals are based on a modification of the rational conversion formula developed by Thom (1966), using daily spline-fit means and standard deviations of average temperature as inputs.

References:

Easterling, D.R. and T.C. Peterson, 1995: A new method for detecting and adjusting for undocumented discontinuities in climatological time series. *Int'l. J. Clim.*, **15**, 369-377.

Karl, T.R., C.N. Williams, Jr., P.J. Young, and W.M. Wendland, 1986: A model to estimate the time of observation bias associated with monthly mean maximum, minimum, and mean temperatures for the United States. *J. Clim. Appl. Met.*, **25**, 145-160.


Peterson, T.C., and D.R. Easterling, 1994: Creation of homogeneous composite climatological reference series. *Int'l. J. Clim.*, **14**, 671-679.


Peterson, T.C., R. Vose, R. Schmoyer, and V. Razuvaev, 1998: Global Historical Climatology Network (GHCN) quality control of monthly temperature data. *Int'l. J. Clim.*, **18**, 1169-1179.

Thom, H.C.S., 1966: Normal degree days above any base by the universal truncation coefficient. *Month. Wea. Rev.*, **94**, 461-465.

World Meteorological Organization, 1989: Calculation of Monthly and Annual 30-Year Standard Normals. WCDP-No. 10, WMO-TD/No. 341, Geneva: World Meteorological Organization.

29 - NEW MEXICO






CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEW MEXICO

Page 5

No.	COOP ID	WBAN ID	Elements	Station Name	STATION INVENTORY						
					Call	Latitude	Longitude	Elev	Flag 1	Flag 2	
1	290022		P	ABBOTT 1 SE		36 18 N	104 15 W	6150			
2	290041		XNP	ABIQUIU DAM		36 14 N	106 26 W	6380	+		
3	290125		P	AFTON 6 NE		32 07 N	106 52 W	4189	+		
4	290199		XNP	ALAMOGORDO		32 54 N	105 57 W	4350	+		
5	290234	23050	XNP	ALBUQUERQUE INTL AP	ABQ	35 03 N	106 36 W	5310	*	+	
6	290268		XNP	ALEMAN RANCH		32 55 N	106 56 W	4521	+		
7	290377		XNP	AMISTAD 5 SSW		35 52 N	103 10 W	4445	+		
8	290417		XNP	ANIMAS 3 ESE		31 56 N	108 46 W	4437	+		
9	290525		XNP	ARCH		34 06 N	103 09 W	3999			
10	290600		XNP	ARTESIA 6 S		32 46 N	104 23 W	3320	+		
11	290640		XNP	AUGUSTINE 2 E		34 05 N	107 37 W	7000			
12	290692		XNP	AZTEC RUINS NATL MNMNT		36 50 N	108 00 W	5643	+		
13	290818		XNP	BEAVERHEAD R S		33 25 N	108 07 W	6670			
14	290858		XNP	BELL RANCH		35 32 N	104 06 W	4500	+		
15	290983		XNP	BINGHAM 2 NE		33 55 N	106 21 W	5551			
16	290992		XNP	BITTER LAKES WL REFUGE		33 28 N	104 24 W	3664	+		
17	291000		P	BLACK LAKE		36 18 N	105 17 W	8356	+		
18	291138		XNP	BOSQUE DEL APACHE		33 46 N	106 54 W	4512	+		
19	291180		P	BRAZOS LODGE		36 45 N	106 27 W	8005	+		
20	291252		P	BUCKHORN		33 02 N	108 43 W	4800	+		
21	291332		XNP	CAMERON		34 54 N	103 27 W	4580	+		
22	291389		P	CANJILON R S		36 29 N	106 27 W	7828	+		
23	291423		P	CANTON		34 17 N	104 10 W	4055	+		
24	291440		XNP	CAPITAN		33 32 N	105 36 W	6465			
25	291469		XNP	CARLSBAD		32 26 N	104 15 W	3120	+		
26	291475	93033	XNP	CARLSBAD AP	CNM	32 20 N	104 16 W	3232	+		
27	291480		XNP	CARLSBAD CAVERNS		32 32 N	103 56 W	4405	+		
28	291515	23087	XNP	CARRIZOZO 1 SW		33 38 N	105 54 W	5405	+		
29	291630		XNP	CERRO		36 44 N	105 36 W	7650	+		
30	291647		XNP	CHACO CANYON NATL MON		36 02 N	107 55 W	6174	+		
31	291656		P	CHACON 2 S		36 08 N	105 23 W	8053			
32	291664		XNP	CHAMA		36 55 N	106 35 W	7850	+		
33	291813		XNP	CIMARRON 4 SW		36 28 N	104 57 W	6540	+		
34	291840		XNP	CIRCLE F RANCH		33 54 N	105 00 W	5400			
35	291887	23051	XNP	CLAYTON MUNICIPAL AP	CAO	36 27 N	103 09 W	4960	*		
36	291910		XNP	CLIFF 11 SE		32 50 N	108 31 W	4776	+		
37	291918		XNP	CLINES CORNERS 7 SE		34 56 N	105 35 W	6924	+		
38	291931		XNP	CLOUDCROFT		32 57 N	105 44 W	8660			
39	291939		XNP	CLOVIS		34 25 N	103 12 W	4290	+		
40	291963		XNP	CLOVIS 13 N		34 36 N	103 13 W	4435	+		
41	292024	23058	XNP	COLUMBUS		31 50 N	107 38 W	4065	+		
42	292030		XNP	CONCHAS DAM		35 24 N	104 11 W	4244	+		
43	292100		XNP	CORRALES		35 14 N	106 36 W	5015			
44	292207		XNP	CROSSROADS 2		33 31 N	103 21 W	4150	+		
45	292241		XNP	CUBA		36 01 N	106 58 W	7045	+		
46	292250		XNP	CUBERO		35 05 N	107 31 W	6195			
47	292453		XNP	DES MOINES		36 45 N	103 50 W	6620			
48	292510		XNP	DILIA		35 11 N	105 03 W	5150	+		
49	292608		XNP	DULCE		36 56 N	107 00 W	6793	+		
50	292700		XNP	EAGLE NEST		36 23 N	105 16 W	8280	+		
51	292785		XNP	EL MORRO NATL MONUMENT		35 03 N	108 21 W	7227	+		
52	292820		XNP	EL RITO		36 20 N	106 11 W	6870	+		
53	292837		XNP	EL VADO DAM		36 36 N	106 44 W	6740	+		
54	292848		XNP	ELEPHANT BUTTE DAM		33 09 N	107 11 W	4576	+		
55	292854		XNP	ELIDA		33 57 N	103 39 W	4354	+		
56	292865		XNP	ELK 2 E		32 57 N	105 20 W	5750			
57	293060		XNP	ESTANCIA 7 NE		34 51 N	105 58 W	6120	+		
58	293142		XNP	FARMINGTON AG SCI CTR		36 42 N	108 15 W	5625			
59	293157		XNP	FAYWOOD		32 38 N	107 52 W	5191	+		
60	293180		XNP	FENCE LAKE		34 39 N	108 40 W	7055	+		
61	293225		XNP	FLORIDA		32 26 N	107 29 W	4450			
62	293265		XNP	FORT BAYARD		32 48 N	108 09 W	6142	+		
63	293296		P	FORT SUMNER 5 S		34 24 N	104 15 W	4050	+		
64	293340		XNP	FRUITLAND 3 E		36 44 N	108 21 W	5220	+		
65	293368		XNP	GAGE 4 ESE		32 13 N	108 01 W	4410			
66	293422	23081	XNP	GALLUP MUNICIPAL AP	GUP	35 31 N	108 48 W	6466	+		
67	293488		XNP	GASCON		35 54 N	105 27 W	8250	+		
68	293511		P	GHOST RANCH		36 20 N	106 28 W	6460	+		
69	293530		XNP	GILA HOT SPRINGS		33 12 N	108 13 W	5600	+		
70	293586		P	GLORIETA		35 35 N	105 46 W	7518	+		




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEW MEXICO

Page 6

No.	COOP ID	WBAN ID	Elements	Station Name	STATION INVENTORY						
					Call	Latitude	Longitude	Elev	Flag 1	Flag 2	
71	293592		P	GOLDEN		35 16 N	106 13 W	6700	+		
72	293649		XNP	GRAN QUIVIRA NATL MON		34 16 N	106 06 W	6600	+		
73	293682	93057	XNP	GRANTS MILAN AP	GNT	35 10 N	107 54 W	6520	+		
74	293775		XNP	HACHITA		31 55 N	108 19 W	4507	+		
75	293969		XNP	HICKMAN		34 31 N	107 56 W	7805			
76	294026		XNP	HOBBS		32 43 N	103 08 W	3615	+		
77	294346		XNP	JAL		32 07 N	103 11 W	3060	+		
78	294398		P	JOHNSON RANCH		35 57 N	107 05 W	7203	+		
79	294426		XNP	JORNADA EXP RANGE		32 37 N	106 44 W	4266	+		
80	294461		P	KELLY RANCH		34 02 N	107 08 W	6699	+		
81	294742		XNP	LAKE MALOYA		36 59 N	104 22 W	7400	+		
82	294856	23054	XNP	LAS VEGAS MUNICIPAL AP	LVS	35 39 N	105 09 W	6866	+		
83	294862		XNP	LAS VEGAS SEWAGE PLANT		35 32 N	105 12 W	6349			
84	294960		XNP	LINDRITH 1 WSW		36 18 N	107 03 W	7220	+		
85	295079		XNP	LORDSBURG 4 SE		32 18 N	108 39 W	4250	+		
86	295084		XNP	LOS ALAMOS		35 52 N	106 19 W	7424	+		
87	295150		XNP	LOS LUNAS 3 SSW		34 46 N	106 45 W	4840	+		
88	295273		XNP	LUNA R S		33 49 N	108 57 W	7050	+		
89	295290		XNP	LYBROOK		36 14 N	107 34 W	7150			
90	295353		XNP	MAGDALENA		34 07 N	107 14 W	6540			
91	295370		XNP	MALJAMAR 4 SE		32 49 N	103 42 W	4000	+		
92	295490		XNP	MAXWELL 3 NW (RATON)	RTN	36 34 N	104 34 W	6019	+		
93	295516		XNP	MC CARTY RANCH		35 36 N	103 22 W	4411			
94	295560		XNP	MCGAFFEY 5 SE		35 20 N	108 27 W	8000	+		
95	295937		XNP	MOSQUERO 1 NE		35 48 N	103 56 W	5465	+		
96	296115		XNP	NEWKIRK		35 04 N	104 15 W	4563	+		
97	296275		XNP	OCATE 2 NW		36 12 N	105 04 W	7655	+		
98	296281		P	OCHOA		32 10 N	103 26 W	3460	+		
99	296465		XNP	OTIS		36 19 N	107 52 W	6880	+		
100	296659		XNP	PEARL		32 39 N	103 23 W	3800			
101	296676		XNP	PECOS NATIONAL MONUMENT		35 33 N	105 41 W	6878	+		
102	296687		XNP	PEDERNAL 9 E		34 37 N	105 28 W	6150	+		
103	296812		XNP	PIETOWN 19 NE		34 30 N	107 54 W	7961			
104	297008		XNP	PORTALES		34 10 N	103 21 W	4010	+		
105	297094		P	PROGRESSO		34 25 N	105 53 W	6297	+		
106	297180		XNP	QUEMADO		34 21 N	108 30 W	6878			
107	297226		XNP	RAGLAND 3 SSW		34 47 N	103 45 W	5060	+		
108	297254		XNP	RAMON 8 SW		34 09 N	105 00 W	5327	+		
109	297279		XNP	RATON FILTER PLANT		36 55 N	104 26 W	6932			
110	297280		XNP	RATON KRTN RADIO		36 53 N	104 27 W	6640			
111	297323		XNP	RED RIVER		36 42 N	105 24 W	8676	+		
112	297340		XNP	REDROCK 1 NNE		32 42 N	108 44 W	4050	+		
113	297423		P	RIENHARDT RANCH		33 45 N	107 13 W	5450	+		
114	297610	23009	XNP	ROSWELL AP	ROW	33 18 N	104 32 W	3649	*	+	
115	297638		XNP	ROY		35 57 N	104 12 W	5878	+		
116	297649	93083	XNP	RUIDOSO	RUI	33 20 N	105 41 W	6760			
117	297867		XNP	SAN JON		35 07 N	103 20 W	4230	+		
118	298085		XNP	SANTA FE 2		35 37 N	105 59 W	6718	+		
119	298107		XNP	SANTA ROSA		34 56 N	104 41 W	4600	+		
120	298284		XNP	SHIPROCK		36 48 N	108 41 W	4972			
121	298387		XNP	SOCORRO		34 05 N	106 53 W	4585	+		
122	298501		XNP	SPRINGER		36 22 N	104 36 W	5922	+		
123	298518		XNP	STANLEY 1 NNE		35 10 N	105 58 W	6380	+		
124	298524		XNP	STAR LAKE		35 56 N	107 28 W	6635	+		
125	298596		XNP	SUMNER LAKE		34 36 N	104 23 W	4306	+		
126	298668	93077	XNP	TAOS	E23	36 23 N	105 35 W	6965	+		
127	298713		XNP	TATUM		33 16 N	103 19 W	4100	+		
128	298845		XNP	TIERRA AMARILLA 4 N		36 46 N	106 33 W	7464			
129	299085		XNP	TRES PIEDRAS		36 40 N	105 59 W	8139			
130	299128		XNP	TRUTH OR CONSEQUENCES		33 09 N	107 13 W	4382			
131	299156		XNP	TUCUMCARI 4 NE	TCC	35 12 N	103 41 W	4086	+		
132	299165		XNP	TULAROSA		33 04 N	106 02 W	4430			
133	299193		P	TURQUOISE BONANZA CREEK		35 33 N	106 06 W	6124			
134	299330		XNP	VALMORA		35 49 N	104 56 W	6312	+		
135	299496		P	VILLANUEVA		35 16 N	105 21 W	5765			
136	299569		XNP	WASTE ISOLTN PILOT PLT		32 23 N	103 48 W	3418			
137	299686		XNP	WHITE SANDS NATL MON		32 47 N	106 11 W	3995	+		
138	299691		XNP	WHITE SIGNAL		32 33 N	108 22 W	6068	+		
139	299806		XNP	WINSTON		33 21 N	107 39 W	6196	+		
140	299820		XNP	WOLF CANYON		35 57 N	106 45 W	8220	+		




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 7

STATION INVENTORY

No.	COOP ID	WBAN ID	Elements	Station Name	Call	Latitude	Longitude	Elev	Flag 1	Flag 2
141	299851		XNP	YESO 2 S		34 24 N	104 37 W	4850		
142	299897	93044	XNP	ZUNI		35 04 N	108 50 W	6310		




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 8

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
002	ABIQUIU DAM	MAX	42.9	48.7	56.4	63.9	73.8	84.9	88.7	86.6	79.9	69.0	54.6	45.0	66.2
		MEAN	29.5	34.8	42.3	49.1	58.7	68.7	73.3	71.6	64.5	53.4	40.6	31.4	51.5
		MIN	16.0	20.9	28.2	34.3	43.5	52.5	57.8	56.5	49.1	37.7	26.5	17.8	36.7
004	ALAMOGORDO	MAX	55.4	60.6	67.5	75.1	84.4	93.6	93.0	90.3	85.2	76.2	64.1	55.6	75.1
		MEAN	42.2	46.9	53.3	60.3	69.5	78.3	79.7	77.4	71.9	62.1	50.0	42.1	61.1
		MIN	28.9	33.1	39.0	45.5	54.6	63.0	66.4	64.4	58.5	47.9	35.8	28.6	47.1
005	ALBUQUERQUE INTL AP	MAX	47.6	54.6	62.4	70.6	79.7	90.2	92.3	89.0	82.2	70.7	57.1	47.9	70.4
		MEAN	35.7	41.4	48.1	55.6	64.7	74.8	78.5	76.1	69.1	57.3	44.4	36.1	56.8
		MIN	23.8	28.2	33.7	40.5	49.7	59.4	64.7	63.2	56.0	43.8	31.6	24.2	43.2
006	ALEMAN RANCH	MAX	54.9	60.8	67.6	75.2	83.6	92.7	92.6	89.6	84.3	74.5	62.6	54.2	74.4
		MEAN	39.3	43.9	49.7	56.7	65.4	74.6	77.6	75.4	69.2	58.3	46.5	39.1	58.0
		MIN	23.7	26.9	31.8	38.2	47.2	56.5	62.5	61.1	54.0	42.1	30.4	24.0	41.5
007	AMISTAD 5 SSW	MAX	48.0	53.0	60.6	68.5	76.9	86.6	90.3	87.9	80.7	71.2	58.0	48.6	69.2
		MEAN	32.6	36.9	44.2	52.4	61.6	71.3	75.7	73.9	65.8	55.0	42.4	33.6	53.8
		MIN	17.2	20.7	27.7	36.3	46.3	56.0	61.0	59.8	50.8	38.8	26.8	18.5	38.3
008	ANIMAS 3 ESE	MAX	58.1	63.4	69.9	77.7	86.4	95.4	94.4	91.3	87.3	78.0	65.9	57.7	77.1
		MEAN	42.5	46.6	52.0	58.5	67.3	76.3	78.9	76.6	71.8	61.3	49.3	42.4	60.3
		MIN	26.8	29.8	34.0	39.3	48.2	57.2	63.4	61.9	56.2	44.5	32.7	27.0	43.4
009	ARCH	MAX	52.3	57.8	66.3	73.3	81.3	90.0	91.4	89.6	82.8	74.1	61.5	53.5	72.8
		MEAN	36.0	40.0	47.7	55.0	64.8	74.1	76.6	74.9	67.6	57.2	44.7	37.0	56.3
		MIN	19.6	22.1	29.0	36.6	48.3	58.1	61.7	60.1	52.3	40.3	27.8	20.5	39.7
010	ARTESIA 6 S	MAX	56.4	62.4	70.0	77.7	85.8	93.3	93.8	91.8	85.4	76.9	65.3	57.1	76.3
		MEAN	38.9	43.9	51.0	59.0	68.4	76.6	78.8	76.9	69.8	59.3	47.5	39.4	59.1
		MIN	21.3	25.4	32.0	40.2	51.0	59.8	63.7	61.9	54.1	41.6	29.6	21.7	41.9
011	AUGUSTINE 2 E	MAX	46.1	50.4	56.4	63.7	72.6	82.5	83.0	79.9	75.3	66.4	55.4	47.2	64.9
		MEAN	31.0	34.8	39.3	45.6	54.7	64.2	68.4	66.1	59.9	49.2	38.6	30.7	48.5
		MIN	15.8	19.1	22.2	27.5	36.7	45.9	53.8	52.3	44.5	32.0	21.7	14.2	32.1
012	AZTEC RUINS NATL MNMNT	MAX	43.3	50.6	59.5	68.0	77.3	87.9	92.0	89.3	82.1	70.0	54.6	44.7	68.3
		MEAN	30.5	36.6	43.6	50.8	59.8	69.7	75.9	74.3	66.3	54.5	41.0	32.0	52.9
		MIN	17.6	22.6	27.7	33.6	42.3	51.5	59.8	59.3	50.5	39.0	27.4	19.2	37.5
013	BEAVERHEAD R S	MAX	48.6	52.8	59.3	67.0	75.3	84.6	85.2	82.3	78.2	69.3	57.8	49.8	67.5
		MEAN	30.3	34.1	39.4	45.2	53.3	61.9	66.5	64.7	58.8	48.6	37.6	30.9	47.6
		MIN	11.9	15.4	19.5	23.3	31.2	39.1	47.7	47.1	39.4	27.9	17.3	11.9	27.6
014	BELL RANCH	MAX	53.5	58.6	65.7	73.2	81.1	90.1	92.4	90.2	84.1	74.7	62.3	53.8	73.3
		MEAN	36.1	40.7	47.3	55.5	64.5	73.8	77.7	76.0	68.8	57.6	45.0	36.5	56.6
		MIN	18.7	22.7	28.9	37.7	47.9	57.4	63.0	61.7	53.4	40.4	27.7	19.2	39.9
015	BINGHAM 2 NE	MAX	50.0	56.0	63.1	70.6	79.6	89.2	89.7	87.2	81.4	71.3	58.6	50.1	70.6
		MEAN	35.3	40.4	46.4	52.9	62.1	71.3	74.1	72.4	66.0	55.2	42.9	35.2	54.5
		MIN	20.5	24.7	29.7	35.2	44.6	53.4	58.4	57.6	50.6	39.0	27.2	20.3	38.4
016	BITTER LAKES WL REFUGE	MAX	55.4	61.4	69.6	77.4	85.8	93.6	94.9	92.9	86.1	77.0	65.1	56.2	76.3
		MEAN	38.1	43.3	50.9	58.8	68.0	76.4	79.3	77.4	70.2	59.1	47.0	38.5	58.9
		MIN	20.8	25.2	32.1	40.2	50.2	59.2	63.7	61.9	54.2	41.1	28.9	20.7	41.5
018	BOSQUE DEL APACHE	MAX	55.2	62.1	69.4	76.8	85.6	94.4	95.5	92.8	87.2	77.7	65.3	55.2	76.4
		MEAN	37.4	42.9	49.6	56.5	65.6	73.7	77.5	75.8	68.9	58.0	45.8	37.2	57.4
		MIN	19.6	23.6	29.8	36.2	45.5	53.0	59.5	58.8	50.6	38.3	26.2	19.2	38.4
021	CAMERON	MAX	48.8	54.4	62.4	70.5	79.1	88.0	90.0	87.2	80.8	70.8	57.8	49.1	69.9
		MEAN	36.0	40.5	47.2	54.7	63.7	72.7	75.4	73.5	66.9	56.7	44.6	36.7	55.7
		MIN	23.2	26.6	32.0	38.8	48.2	57.3	60.8	59.7	53.0	42.5	31.3	24.2	41.5
024	CAPITAN	MAX	48.7	53.0	59.5	67.0	75.2	83.6	82.9	79.8	75.6	67.7	56.5	49.6	66.6
		MEAN	35.2	38.6	43.5	50.1	58.4	66.5	67.9	65.9	60.7	51.8	41.7	35.8	51.3
		MIN	21.7	24.1	27.5	33.1	41.5	49.3	52.8	51.9	45.8	35.8	26.9	22.0	36.0
025	CARLSBAD	MAX	57.9	64.1	72.0	79.3	87.1	94.9	95.8	93.8	87.7	79.4	67.9	59.2	78.3
		MEAN	42.7	48.0	55.0	62.8	71.5	79.5	81.7	80.1	73.3	63.1	51.6	43.9	62.8
		MIN	27.5	31.9	37.9	46.2	55.9	64.1	67.6	66.3	58.9	46.8	35.3	28.5	47.2
026	CARLSBAD AP	MAX	56.7	62.8	70.6	78.7	87.2	94.8	94.9	92.8	85.9	77.1	65.4	57.6	77.0
		MEAN	42.4	47.7	54.7	62.7	71.9	79.6	81.5	79.7	72.8	62.6	50.7	43.2	62.5
		MIN	28.1	32.5	38.8	46.7	56.6	64.4	68.0	66.5	59.7	48.1	35.9	28.7	47.8
027	CARLSBAD CAVERNS	MAX	55.3	59.8	66.9	74.5	82.5	90.0	90.3	88.2	82.1	74.0	63.5	56.3	73.6
		MEAN	44.1	48.1	54.5	61.6	70.0	76.9	77.9	76.5	70.8	62.6	52.2	45.2	61.7
		MIN	32.8	36.4	42.0	48.6	57.4	63.7	65.5	64.7	59.4	51.1	40.9	34.1	49.7
028	CARRIZOZO 1 SW	MAX	52.3	57.7	64.8	73.2	81.6	90.8	91.0	88.1	82.8	73.4	60.9	52.5	72.4
		MEAN	37.4	41.7	47.9	55.0	63.7	72.6	75.0	72.6	66.6	56.0	44.4	37.1	55.8
		MIN	22.4	25.7	30.9	36.8	45.8	54.4	59.0	57.0	50.4	38.6	27.9	21.6	39.2
029	CERRO	MAX	36.2	41.7	50.3	59.8	68.2	78.3	81.9	79.4	74.1	63.5	48.3	38.3	60.0
		MEAN	21.7	27.4	35.8	43.4	51.5	60.6	65.2	63.6	57.8	47.0	33.6	23.5	44.3
		MIN	7.2	13.1	21.3	26.9	34.8	42.9	48.5	47.8	41.4	30.4	18.8	8.7	28.5
030	CHACO CANYON NATL MON	MAX	42.9	49.3	57.9	66.5	75.8	86.4	89.9	87.2	80.3	68.7	53.8	44.2	66.9
		MEAN	28.1	34.3	40.9	48.0	57.2	66.9	72.7	70.6	62.6	50.4	37.7	29.1	49.9
		MIN	13.2	19.3	23.8	29.4	38.5	47.4	55.4	53.9	44.9	32.1	21.5	13.9	32.8




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 9

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
032	CHAMA	MAX	37.1	41.7	48.3	56.8	65.6	76.4	80.8	78.2	72.0	61.3	46.2	38.2	58.6
		MEAN	21.0	25.6	32.5	40.0	48.1	56.9	62.6	61.3	54.5	44.0	31.0	22.9	41.7
		MIN	4.8	9.4	16.6	23.2	30.6	37.4	44.3	44.3	36.9	26.6	15.7	7.6	24.8
033	CIMARRON 4 SW	MAX	46.5	50.6	56.3	63.3	71.7	81.0	83.6	80.7	76.6	68.1	54.8	47.8	65.1
		MEAN	31.4	35.0	40.5	47.0	55.5	64.3	67.7	65.7	60.3	50.8	38.9	32.5	49.1
		MIN	16.2	19.3	24.6	30.7	39.3	47.5	51.7	50.7	44.0	33.4	23.0	17.1	33.1
034	CIRCLE F RANCH	MAX	55.8	60.2	67.0	74.3	81.1	90.1	90.0	87.3	82.8	74.9	64.2	55.9	73.6
		MEAN	40.2	43.3	49.0	56.2	64.0	73.1	75.4	73.2	67.1	57.7	47.3	40.0	57.2
		MIN	24.5	26.3	30.9	38.0	46.9	56.0	60.7	59.0	51.4	40.4	30.3	24.1	40.7
035	CLAYTON MUNICIPAL AP	MAX	47.4	51.5	58.2	66.1	74.2	83.9	87.4	85.1	77.9	68.5	55.7	48.0	67.0
		MEAN	33.9	37.6	43.7	51.7	60.5	69.9	73.8	72.2	64.7	54.6	42.2	34.8	53.3
		MIN	20.3	23.7	29.2	37.2	46.7	55.9	60.2	59.2	51.5	40.6	28.7	21.6	39.6
036	CLIFF 11 SE	MAX	55.6	60.1	65.8	73.4	81.9	91.6	91.8	89.0	84.8	75.2	63.7	55.4	74.0
		MEAN	37.9	41.5	46.4	52.7	60.9	70.1	74.4	72.3	66.5	55.6	44.0	37.3	55.0
		MIN	20.1	22.8	27.0	31.9	39.8	48.6	56.9	55.6	48.1	35.9	24.3	19.1	35.8
037	CLINES CORNERS 7 SE	MAX	42.6	47.4	53.6	61.3	71.4	81.4	83.4	80.8	74.8	65.3	52.2	44.0	63.2
		MEAN	30.4	34.0	39.1	45.6	55.5	65.0	68.7	67.0	60.2	50.3	38.4	31.3	48.8
		MIN	18.1	20.5	24.5	29.8	39.6	48.5	53.9	53.1	45.6	35.3	24.6	18.6	34.3
038	CLOUDCROFT	MAX	40.7	43.5	48.5	56.6	64.5	72.5	70.8	69.0	66.3	59.3	49.0	42.8	57.0
		MEAN	28.8	31.4	35.5	42.3	50.1	57.3	58.3	56.7	52.9	45.1	36.1	30.2	43.7
		MIN	16.8	19.3	22.5	27.9	35.7	42.0	45.8	44.4	39.4	30.9	23.1	17.6	30.5
039	CLOVIS	MAX	50.7	56.0	63.7	71.7	80.3	88.8	91.0	88.5	82.2	72.6	60.4	51.8	71.5
		MEAN	37.9	42.3	49.0	56.8	65.9	74.4	77.5	75.6	68.7	58.4	46.8	38.9	57.7
		MIN	25.0	28.6	34.2	41.8	51.4	60.0	63.9	62.6	55.2	44.1	33.2	25.9	43.8
040	CLOVIS 13 N	MAX	52.7	58.1	65.9	73.5	81.4	90.0	91.4	88.8	83.4	74.3	61.2	53.1	72.8
		MEAN	37.3	41.6	48.2	55.8	64.8	73.6	76.5	74.7	68.5	58.4	46.1	38.2	57.0
		MIN	21.8	25.1	30.5	38.0	48.1	57.2	61.5	60.5	53.6	42.5	30.9	23.3	41.1
041	COLUMBUS	MAX	59.2	64.9	71.3	78.4	86.8	95.5	94.9	91.8	87.4	78.1	66.4	58.5	77.8
		MEAN	44.6	49.3	55.1	61.8	70.6	79.7	81.2	78.8	73.7	63.2	51.5	44.3	62.8
		MIN	29.9	33.6	38.8	45.2	54.3	63.8	67.5	65.7	59.9	48.3	36.6	30.1	47.8
042	CONCHAS DAM	MAX	51.8	56.9	63.8	71.1	80.1	89.8	92.9	90.8	83.4	73.9	61.0	52.1	72.3
		MEAN	36.8	41.6	48.9	56.7	66.0	75.4	79.3	77.5	70.0	59.3	46.5	37.8	58.0
		MIN	21.8	26.2	33.9	42.3	51.9	61.0	65.6	64.1	56.5	44.7	32.0	23.4	43.6
043	CORRALES	MAX	47.9	55.0	62.2	70.6	79.3	88.5	90.0	87.0	81.2	70.3	56.9	48.5	69.8
		MEAN	33.8	39.3	45.5	52.5	60.7	69.5	73.9	72.2	65.1	53.1	41.4	34.0	53.4
		MIN	19.7	23.5	28.8	34.4	42.1	50.4	57.8	57.4	49.0	35.8	25.8	19.5	37.0
044	CROSSROADS 2	MAX	53.9	59.2	66.7	74.5	82.6	90.1	91.5	89.2	82.8	74.5	62.7	54.8	73.5
		MEAN	38.0	42.3	49.1	57.2	66.3	74.5	76.9	75.1	68.4	58.6	46.8	38.9	57.7
		MIN	22.1	25.4	31.5	39.8	49.9	58.8	62.2	61.0	53.9	42.6	30.8	23.0	41.8
045	CUBA	MAX	42.4	46.9	54.5	63.3	72.0	82.5	86.1	83.4	77.2	66.5	53.2	44.5	64.4
		MEAN	25.8	30.9	37.7	44.4	52.6	61.4	67.2	65.7	58.3	46.7	35.3	27.4	46.1
		MIN	9.1	14.9	20.8	25.5	33.1	40.3	48.3	48.0	39.3	26.9	17.4	10.3	27.8
046	CUBERO	MAX	46.6	52.0	58.5	66.4	75.1	85.5	87.6	84.3	78.8	68.6	55.8	47.6	67.2
		MEAN	31.7	36.1	42.0	49.1	57.8	67.3	71.4	69.1	62.4	51.5	39.6	32.0	50.8
		MIN	16.8	20.2	25.4	31.7	40.4	49.1	55.2	53.9	46.0	34.3	23.4	16.3	34.4
047	DES MOINES	MAX	45.3	49.1	55.1	62.8	70.6	80.0	83.6	81.3	75.9	66.4	52.9	45.6	64.1
		MEAN	31.2	34.6	40.4	47.5	56.0	65.6	70.0	68.2	61.8	51.5	38.9	32.0	49.8
		MIN	17.1	20.1	25.6	32.2	41.4	51.1	56.3	55.1	47.7	36.6	24.9	18.3	35.5
048	DILIA	MAX	51.2	56.6	63.5	71.1	78.9	87.9	89.9	87.8	82.2	72.7	60.3	52.2	71.2
		MEAN	35.6	39.7	45.9	52.9	61.4	70.2	73.7	71.9	65.4	55.1	43.7	36.4	54.3
		MIN	19.9	22.7	28.3	34.7	43.9	52.4	57.4	56.0	48.5	37.4	27.0	20.5	37.4
049	DULCE	MAX	41.5	46.2	53.7	62.1	70.9	81.2	85.1	82.8	76.5	66.2	51.4	42.8	63.4
		MEAN	24.3	29.6	37.1	43.6	51.3	59.5	65.7	64.9	57.4	46.9	34.7	26.0	45.1
		MIN	7.0	12.9	20.4	25.1	31.7	37.8	46.3	46.9	38.3	27.5	17.9	9.2	26.8
050	EAGLE NEST	MAX	37.4	41.2	47.1	54.6	64.1	74.1	77.4	75.2	70.0	60.8	47.5	39.0	57.4
		MEAN	19.2	23.7	31.1	38.4	46.9	55.2	59.8	58.5	51.9	41.9	30.9	21.6	39.9
		MIN	0.9	6.1	15.1	22.2	29.7	36.3	42.2	41.7	33.7	23.0	14.2	4.1	22.4
051	EL MORRO NATL MONUMENT	MAX	43.6	47.9	54.3	63.0	72.3	82.7	84.8	82.0	76.6	66.3	52.8	45.1	64.3
		MEAN	28.8	33.7	39.2	45.7	53.7	62.8	68.0	66.2	59.7	49.0	37.2	30.3	47.9
		MIN	14.0	19.5	24.1	28.3	35.0	42.9	51.1	50.4	42.8	31.6	21.5	15.4	31.4
052	EL RITO	MAX	42.8	48.6	55.8	63.9	72.6	82.6	86.1	83.7	78.1	67.3	52.2	43.7	64.8
		MEAN	29.8	34.9	40.9	47.9	56.2	64.9	69.8	68.2	62.2	51.7	39.0	30.9	49.7
		MIN	16.7	21.1	26.0	31.9	39.7	47.2	53.4	52.6	46.2	36.1	25.7	18.0	34.6
053	EL VADO DAM	MAX	40.4	45.3	51.9	60.4	70.2	81.5	85.7	82.6	76.2	65.5	51.0	42.4	62.8
		MEAN	23.4	29.2	36.6	43.0	51.8	60.8	66.9	65.3	57.6	46.7	34.7	26.4	45.2
		MIN	6.4	13.0	21.2	25.6	33.3	40.1	48.1	47.9	39.0	27.8	18.3	10.4	27.6
054	ELEPHANT BUTTE DAM	MAX	53.4	59.4	66.5	74.4	83.2	92.7	93.1	90.0	84.7	74.8	62.3	53.0	74.0
		MEAN	40.1	44.9	51.6	59.3	68.5	77.9	79.9	77.3	71.5	60.8	48.7	40.2	60.1
		MIN	26.7	30.4	36.7	44.1	53.8	63.1	66.7	64.5	58.3	46.8	35.0	27.3	46.1




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 10

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
055	ELIDA	MAX	52.5	57.9	66.2	74.3	82.6	90.4	91.0	88.6	83.1	73.7	61.5	53.4	72.9
		MEAN	38.9	43.3	50.2	58.0	67.1	75.3	77.7	75.8	69.4	59.5	47.4	39.8	58.5
		MIN	25.3	28.7	34.2	41.7	51.5	60.1	64.3	63.0	55.7	45.3	33.2	26.1	44.1
056	ELK 2 E	MAX	52.5	56.5	62.4	69.1	76.4	83.4	82.6	80.6	76.1	69.4	59.9	53.4	68.5
		MEAN	37.0	40.2	45.4	51.7	59.5	67.1	69.0	67.6	62.0	53.3	43.5	37.4	52.8
		MIN	21.4	23.9	28.4	34.3	42.5	50.8	55.4	54.6	47.9	37.2	27.0	21.4	37.1
057	ESTANCIA 7 NE	MAX	46.3	52.3	59.5	66.8	76.2	86.5	88.6	85.7	79.5	69.6	56.2	47.0	67.9
		MEAN	29.8	34.6	40.6	47.2	56.8	66.0	70.2	68.4	61.2	50.2	38.2	29.7	49.4
		MIN	13.2	16.9	21.7	27.5	37.3	45.4	51.8	51.1	42.9	30.8	20.2	12.4	30.9
058	FARMINGTON AG SCI CTR	MAX	41.7	48.8	57.8	66.0	75.8	86.7	90.7	87.9	80.5	68.0	53.0	42.9	66.7
		MEAN	29.8	36.0	43.0	50.0	59.7	69.4	74.9	72.8	65.2	53.1	40.0	30.8	52.1
		MIN	17.9	23.1	28.2	34.0	43.5	52.1	59.1	57.7	49.8	38.2	27.0	18.7	37.4
059	FAYWOOD	MAX	55.6	59.6	65.8	73.5	82.0	91.0	90.8	88.3	83.5	74.1	63.0	55.5	73.6
		MEAN	41.4	44.6	49.5	55.9	64.3	73.4	76.1	74.3	69.0	58.8	47.8	41.3	58.0
		MIN	27.1	29.6	33.2	38.3	46.5	55.7	61.4	60.2	54.5	43.4	32.6	27.1	42.5
060	FENCE LAKE	MAX	45.3	50.2	56.5	65.0	74.3	84.3	85.9	82.7	77.7	67.2	54.2	46.6	65.8
		MEAN	30.4	34.7	39.8	46.3	54.6	63.8	68.6	66.5	60.5	49.5	37.8	31.1	48.6
		MIN	15.4	19.1	23.1	27.5	34.8	43.3	51.3	50.3	43.2	31.8	21.4	15.6	31.4
061	FLORIDA	MAX	57.2	62.6	69.8	76.8	85.9	95.6	95.0	92.1	87.1	78.2	66.8	57.1	77.0
		MEAN	40.1	43.7	49.8	56.2	65.2	75.0	78.0	75.9	70.0	59.9	48.0	39.9	58.5
		MIN	22.9	24.8	29.8	35.6	44.5	54.4	61.0	59.6	52.9	41.6	29.2	22.7	39.9
062	FORT BAYARD	MAX	52.6	56.3	61.8	69.8	78.1	87.8	87.3	84.5	80.5	71.2	59.9	52.5	70.2
		MEAN	39.3	42.2	46.9	53.4	61.6	71.2	73.0	71.0	66.6	56.9	45.9	39.4	55.6
		MIN	26.0	28.1	31.9	36.9	45.1	54.5	58.7	57.4	52.6	42.6	31.8	26.3	41.0
064	FRUITLAND 3 E	MAX	42.7	51.0	60.2	68.9	78.0	88.0	91.7	89.1	82.1	69.9	54.4	44.0	68.3
		MEAN	30.4	36.9	44.1	51.2	59.6	68.8	74.8	73.1	65.1	52.9	40.1	31.4	52.4
		MIN	18.1	22.7	27.9	33.5	41.2	49.5	57.9	57.1	48.1	35.9	25.7	18.7	36.4
065	GAGE 4 ESE	MAX	57.3	62.6	69.7	77.9	86.9	96.2	95.4	92.5	87.8	78.0	66.0	56.9	77.3
		MEAN	41.6	45.9	51.4	58.4	67.4	76.9	79.7	77.6	72.0	61.1	49.0	41.3	60.2
		MIN	25.9	29.2	33.1	38.8	47.8	57.5	64.0	62.6	56.1	44.2	31.9	25.7	43.1
066	GALLUP MUNICIPAL AP	MAX	45.1	50.4	57.0	65.3	74.8	85.8	88.9	86.4	79.9	68.6	54.6	46.0	66.9
		MEAN	28.0	33.1	38.5	44.8	54.0	63.9	69.8	68.2	60.8	48.6	36.3	28.4	47.9
		MIN	10.9	15.8	19.9	24.3	33.2	42.0	50.7	50.0	41.6	28.6	17.9	10.7	28.8
067	GASCON	MAX	43.3	45.1	49.1	55.2	63.5	73.1	75.2	73.0	68.4	60.5	50.3	44.2	58.4
		MEAN	29.8	31.6	35.7	40.9	48.6	57.1	60.1	58.5	53.8	45.3	36.0	30.4	44.0
		MIN	16.2	18.1	22.2	26.5	33.7	41.1	45.0	44.0	39.1	30.1	21.7	16.6	29.5
069	GILA HOT SPRINGS	MAX	53.4	57.6	62.9	70.3	77.9	86.8	86.5	83.8	80.2	72.0	61.5	53.6	70.5
		MEAN	36.3	39.8	44.3	50.1	57.4	65.6	70.0	68.5	63.0	53.2	42.6	36.4	52.3
		MIN	19.2	21.9	25.6	29.9	36.9	44.3	53.5	53.2	45.7	34.3	23.7	19.1	33.9
072	GRAN QUIVIRA NATL MON	MAX	48.2	53.8	60.8	68.7	77.4	86.7	88.0	85.3	80.1	70.6	57.2	49.2	68.8
		MEAN	34.9	39.4	45.1	51.8	60.6	69.5	72.0	70.1	64.5	54.8	42.8	35.6	53.4
		MIN	21.6	25.0	29.3	34.9	43.7	52.2	55.9	54.8	48.8	38.9	28.4	21.9	38.0
073	GRANTS MILAN AP	MAX	48.1	53.6	60.2	68.2	77.0	87.4	89.2	86.4	81.4	71.4	58.0	49.4	69.2
		MEAN	30.9	35.7	42.2	48.8	57.9	67.1	71.8	69.6	62.9	51.8	39.6	31.7	50.8
		MIN	13.6	17.8	24.2	29.3	38.7	46.8	54.4	52.7	44.3	32.2	21.1	14.0	32.4
074	HACHITA	MAX	58.4	63.4	69.8	77.5	85.7	94.8	94.0	91.3	87.4	77.7	66.0	57.9	77.0
		MEAN	42.6	46.5	51.9	58.5	67.0	76.3	78.9	76.8	71.8	61.2	49.5	42.6	60.3
		MIN	26.8	29.6	34.0	39.5	48.3	57.7	63.8	62.3	56.2	44.6	33.0	27.2	43.6
075	HICKMAN	MAX	43.8	47.3	53.6	61.6	71.3	81.0	82.6	79.5	74.3	64.8	52.6	44.5	63.1
		MEAN	29.6	32.7	37.9	43.8	52.4	61.5	65.6	63.7	58.2	48.0	37.2	30.1	46.7
		MIN	15.3	18.0	22.2	26.0	33.5	42.0	48.5	47.9	42.0	31.2	21.7	15.6	30.3
076	HOBBS	MAX	56.7	62.9	70.7	78.5	86.1	92.8	93.5	91.2	85.4	77.3	65.2	57.9	76.5
		MEAN	42.9	48.0	54.8	62.6	70.9	77.9	80.1	78.3	72.3	63.2	51.3	44.0	62.2
		MIN	29.1	33.1	38.9	46.6	55.6	63.0	66.6	65.4	59.2	49.1	37.3	30.1	47.8
077	JAL	MAX	59.4	66.3	73.8	81.6	88.8	94.9	95.5	93.5	87.5	79.4	67.9	61.1	79.1
		MEAN	43.9	49.8	56.6	64.5	72.9	79.9	81.9	80.3	74.0	64.5	52.5	45.2	63.8
		MIN	28.3	33.2	39.4	47.4	56.9	64.9	68.3	67.0	60.4	49.5	37.1	29.3	48.5
079	JORNADA EXP RANGE	MAX	56.8	62.0	68.9	76.5	85.2	94.1	94.9	91.7	86.7	77.5	65.3	56.5	76.3
		MEAN	39.0	43.4	49.7	56.8	65.6	74.7	78.7	76.3	70.2	58.9	46.6	39.0	58.2
		MIN	21.1	24.8	30.5	37.1	45.9	55.2	62.5	60.8	53.6	40.2	27.8	21.4	40.1
081	LAKE MALOYA	MAX	40.6	43.7	48.8	55.6	65.0	74.3	78.2	75.7	69.5	60.6	47.9	41.1	58.4
		MEAN	24.4	27.3	33.2	40.4	49.9	58.5	62.8	61.2	54.3	45.0	33.2	25.8	43.0
		MIN	8.2	10.8	17.5	25.1	34.8	42.7	47.4	46.6	39.1	29.4	18.5	10.5	27.6
082	LAS VEGAS MUNICIPAL AP	MAX	45.9	49.4	55.6	62.6	70.9	80.6	83.0	80.7	74.9	66.2	53.9	46.6	64.2
		MEAN	32.5	35.8	41.3	47.7	55.9	65.0	68.2	66.5	60.7	51.4	40.1	33.2	49.9
		MIN	19.1	22.2	26.9	32.7	40.9	49.3	53.4	52.3	46.4	36.5	26.2	19.8	35.5
083	LAS VEGAS SEWAGE PLANT	MAX	47.9	53.0	58.7	65.6	73.8	83.4	86.2	83.5	77.6	68.5	57.1	49.0	67.0
		MEAN	29.7	34.2	40.3	46.4	54.7	64.3	68.2	66.5	59.8	48.9	38.3	30.1	48.5
		MIN	11.4	15.4	21.8	27.2	35.6	45.2	50.1	49.5	41.9	29.2	19.5	11.2	29.8




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 11

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
084	LINDRITH 1 WSW	MAX	40.3	44.3	51.5	59.8	70.0	81.9	85.7	82.9	76.2	65.2	50.4	42.4	62.6
		MEAN	24.9	29.0	36.1	42.4	52.6	63.1	68.1	66.4	58.9	47.9	34.7	27.3	46.0
		MIN	9.4	13.7	20.7	25.0	35.2	44.3	50.5	49.8	41.6	30.5	18.9	12.2	29.3
085	LORDSBURG 4 SE	MAX	59.3	64.5	70.9	79.6	88.8	98.1	97.9	95.1	90.5	80.5	67.7	59.1	79.3
		MEAN	42.2	46.1	51.5	58.6	67.9	77.6	80.9	78.7	72.9	61.6	48.9	42.2	60.8
		MIN	25.1	27.6	32.1	37.6	46.9	57.0	63.9	62.3	55.3	42.7	30.1	25.2	42.2
086	LOS ALAMOS	MAX	38.4	42.9	49.7	57.9	67.2	77.7	80.0	77.2	71.4	60.8	47.6	39.6	59.2
		MEAN	28.1	32.4	38.4	45.5	54.5	64.4	67.3	65.2	59.2	48.8	36.8	29.3	47.5
		MIN	17.7	21.8	27.0	33.1	41.7	51.1	54.6	53.1	47.0	36.8	25.9	19.0	35.7
087	LOS LUNAS 3 SSW	MAX	50.6	57.6	64.7	71.8	80.3	90.0	91.9	89.7	83.6	73.7	60.0	50.7	72.1
		MEAN	34.1	39.8	46.6	53.2	62.3	71.5	75.9	74.3	66.8	55.5	42.5	34.3	54.7
		MIN	17.5	22.0	28.4	34.5	44.3	53.0	59.9	58.9	50.0	37.3	25.0	17.9	37.4
088	LUNA R S	MAX	49.2	52.4	56.9	65.0	72.7	82.3	83.2	80.2	76.3	67.9	56.9	49.9	66.1
		MEAN	30.8	34.0	38.0	43.6	51.0	59.3	64.8	63.1	57.3	47.4	37.0	30.8	46.4
		MIN	12.4	15.5	19.0	22.2	29.3	36.2	46.3	45.9	38.2	26.8	17.0	11.6	26.7
089	LYBROOK	MAX	37.5	42.6	50.7	58.6	68.6	79.1	82.6	79.8	72.9	61.6	47.4	39.1	60.0
		MEAN	26.5	31.7	38.9	45.9	55.0	65.3	69.4	67.0	60.4	49.1	36.1	28.0	47.8
		MIN	15.5	20.8	27.0	33.2	41.3	51.4	56.1	54.2	47.8	36.6	24.8	16.8	35.5
090	MAGDALENA	MAX	49.3	54.6	61.0	67.8	77.2	86.8	87.1	84.3	79.2	69.8	57.8	50.6	68.8
		MEAN	35.1	39.9	45.3	51.6	60.8	69.6	72.2	69.8	64.6	54.5	43.2	36.5	53.6
		MIN	20.9	25.1	29.5	35.3	44.3	52.3	57.2	55.3	50.0	39.2	28.6	22.3	38.3
091	MALJAMAR 4 SE	MAX	56.0	62.1	70.0	78.3	86.4	94.2	95.5	93.0	86.6	77.2	64.9	56.9	76.8
		MEAN	40.5	45.5	52.6	60.6	69.3	77.2	79.5	77.8	71.5	61.4	49.4	41.6	60.6
		MIN	25.0	28.8	35.2	42.9	52.1	60.2	63.5	62.6	56.4	45.6	33.8	26.2	44.4
092	MAXWELL 3 NW (RATON)	MAX	45.9	51.5	57.8	64.7	72.8	81.6	85.5	83.4	77.4	68.0	55.0	46.7	65.9
		MEAN	28.9	33.5	40.3	47.0	55.8	64.3	69.0	67.4	60.9	50.2	38.1	30.1	48.8
		MIN	11.9	15.4	22.7	29.3	38.7	46.9	52.4	51.3	44.3	32.4	21.2	13.4	31.7
093	MC CARTY RANCH	MAX	48.8	53.6	61.4	69.2	77.5	86.4	90.0	87.8	81.3	71.0	58.6	49.7	69.6
		MEAN	35.0	39.4	46.2	54.1	62.8	71.9	75.9	74.2	67.1	56.1	44.3	36.1	55.3
		MIN	21.1	25.1	31.0	38.9	48.1	57.3	61.7	60.5	52.8	41.1	29.9	22.4	40.8
094	MCGAFFEY 5 SE	MAX	39.3	42.3	47.9	55.6	65.6	76.8	80.0	77.1	72.0	62.2	48.7	40.9	59.0
		MEAN	23.8	27.2	33.2	39.8	48.5	57.9	63.0	61.4	55.2	44.9	32.6	25.3	42.7
		MIN	8.2	12.1	18.4	23.9	31.3	39.0	46.0	45.6	38.4	27.6	16.5	9.7	26.4
095	MOSQUERO 1 NE	MAX	48.1	53.4	61.1	69.4	77.9	86.8	88.9	85.6	79.7	70.1	56.6	48.1	68.8
		MEAN	33.6	38.1	44.6	52.1	61.2	70.4	73.9	71.6	65.1	54.5	41.9	34.1	53.4
		MIN	19.1	22.7	28.1	34.8	44.4	54.0	58.9	57.5	50.5	38.8	27.2	20.0	38.0
096	NEWKIRK	MAX	52.6	57.8	64.9	72.4	81.1	90.4	92.2	89.6	83.6	74.0	61.0	52.8	72.7
		MEAN	37.6	42.0	48.6	56.0	65.0	74.5	77.8	75.8	69.0	58.4	46.2	38.2	57.4
		MIN	22.6	26.2	32.2	39.6	48.9	58.5	63.3	61.9	54.4	42.7	31.4	23.5	42.1
097	OCATE 2 NW	MAX	45.1	48.3	53.5	60.8	69.2	78.3	80.7	78.2	73.0	64.1	52.5	45.9	62.5
		MEAN	29.7	33.0	37.5	43.9	52.6	60.8	64.5	62.8	57.0	47.1	36.6	30.2	46.3
		MIN	14.3	17.6	21.4	27.0	35.9	43.3	48.2	47.4	40.9	30.0	20.6	14.4	30.1
099	OTIS	MAX	38.4	44.6	53.3	61.7	71.4	82.2	86.2	83.0	76.0	64.1	48.9	40.1	62.5
		MEAN	28.6	34.0	40.8	47.6	56.8	67.2	71.7	69.3	62.7	51.8	38.2	30.3	49.9
		MIN	18.8	23.3	28.3	33.5	42.2	52.1	57.1	55.5	49.3	39.4	27.4	20.5	37.3
100	PEARL	MAX	55.1	60.6	68.1	76.2	83.7	90.5	92.0	89.9	83.5	75.3	64.1	56.7	74.6
		MEAN	40.7	45.1	51.6	59.7	68.6	75.9	78.5	76.5	70.3	60.9	49.3	42.1	59.9
		MIN	26.2	29.6	35.0	43.2	53.5	61.3	64.9	63.1	57.0	46.4	34.4	27.4	45.2
101	PECOS NATIONAL MONUMENT	MAX	47.0	50.0	55.5	62.9	72.0	82.8	84.5	81.7	76.1	66.7	54.3	48.2	65.1
		MEAN	31.4	35.1	40.2	46.8	55.3	65.2	68.7	66.5	60.4	50.4	39.1	32.7	49.3
		MIN	15.8	20.2	24.8	30.6	38.6	47.5	52.8	51.3	44.6	34.1	23.8	17.2	33.4
102	PEDERNAL 9 E	MAX	44.1	50.2	57.9	65.6	75.1	85.3	87.8	84.9	78.6	68.4	55.4	45.7	66.6
		MEAN	31.6	36.1	41.9	48.7	58.4	68.2	71.9	69.9	63.3	52.8	41.1	32.7	51.4
		MIN	19.1	22.0	25.8	31.8	41.7	51.0	55.9	54.9	48.0	37.1	26.7	19.6	36.1
103	PIETOWN 19 NE	MAX	41.3	46.0	53.2	61.5	70.2	80.2	80.7	78.0	72.6	62.7	49.8	42.3	61.5
		MEAN	31.0	34.2	39.8	46.7	55.1	65.3	66.8	64.9	59.6	50.0	38.0	31.1	48.5
		MIN	20.6	22.3	26.4	31.8	40.0	50.4	52.9	51.8	46.6	37.2	26.2	19.9	35.5
104	PORTALES	MAX	54.1	59.7	67.7	75.3	83.2	90.6	91.5	89.2	84.2	75.0	62.3	54.2	73.9
		MEAN	38.6	43.1	50.2	57.9	66.9	75.3	77.7	75.9	69.8	59.2	46.8	38.9	58.4
		MIN	23.0	26.5	32.7	40.5	50.6	60.0	63.9	62.6	55.3	43.4	31.3	23.6	42.8
106	QUEMADO	MAX	46.6	51.6	57.7	65.5	74.6	84.1	85.3	82.5	77.8	68.2	55.7	48.5	66.5
		MEAN	30.3	34.5	39.7	45.6	53.9	62.6	67.5	65.7	59.5	48.8	37.6	31.1	48.1
		MIN	13.9	17.4	21.6	25.7	33.2	41.0	49.7	48.8	41.2	29.4	19.4	13.7	29.6
107	RAGLAND 3 SSW	MAX	49.3	55.0	63.2	71.4	80.0	88.8	90.3	87.6	81.1	71.8	58.7	49.9	70.6
		MEAN	35.4	40.0	46.8	54.5	63.5	72.3	75.2	73.4	66.6	56.5	44.4	36.2	55.4
		MIN	21.4	25.0	30.3	37.5	46.9	55.8	60.1	59.1	52.1	41.2	30.1	22.4	40.2
108	RAMON 8 SW	MAX	51.2	56.4	63.2	70.3	79.1	87.8	89.2	87.0	80.4	71.3	59.3	51.4	70.6
		MEAN	36.5	40.3	46.2	53.1	62.4	70.9	74.0	72.3	65.5	55.6	43.8	36.7	54.8
		MIN	21.7	24.1	29.1	35.9	45.6	54.0	58.7	57.6	50.5	39.8	28.3	22.0	38.9




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 12

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
109	RATON FILTER PLANT	MAX	45.1	48.3	53.7	60.4	69.0	78.6	82.9	80.2	74.3	65.3	53.0	45.9	63.1
		MEAN	31.5	34.5	39.6	46.4	55.5	64.9	69.1	67.1	60.7	51.2	40.0	32.9	49.5
		MIN	17.8	20.7	25.5	32.3	41.9	51.2	55.2	54.0	47.1	37.0	27.0	19.8	35.8
110	RATON KRTN RADIO	MAX	46.3	50.2	56.5	63.7	71.0	79.9	83.3	81.2	75.8	67.2	54.1	46.8	64.7
		MEAN	29.7	33.4	39.5	46.4	54.9	63.1	67.2	65.8	59.3	49.6	37.7	30.8	48.1
		MIN	13.0	16.5	22.5	29.0	38.7	46.3	51.1	50.4	42.8	31.9	21.2	14.7	31.5
111	RED RIVER	MAX	36.1	39.4	45.0	52.8	62.0	72.3	75.4	73.0	67.6	57.4	43.7	37.1	55.2
		MEAN	21.3	25.0	31.2	37.8	46.0	54.4	58.6	57.1	51.2	41.5	29.6	22.7	39.7
		MIN	6.4	10.5	17.4	22.8	30.0	36.5	41.7	41.1	34.8	25.6	15.5	8.3	24.2
112	REDROCK 1 NNE	MAX	58.1	62.9	69.0	76.9	85.0	94.4	94.5	91.5	87.3	77.3	65.9	58.0	76.7
		MEAN	41.7	45.7	50.6	56.8	64.7	73.8	78.6	76.9	71.2	59.9	48.1	41.5	59.1
		MIN	25.3	28.4	32.1	36.7	44.3	53.2	62.6	62.2	55.0	42.5	30.2	24.9	41.5
114	ROSWELL AP	MAX	55.6	62.0	70.0	77.7	86.0	94.0	94.8	92.3	85.7	76.5	64.5	56.3	76.3
		MEAN	40.0	45.7	52.9	60.5	69.6	78.0	80.8	78.9	72.0	61.4	48.9	40.7	60.8
		MIN	24.4	29.3	35.7	43.3	53.2	62.0	66.7	65.5	58.3	46.3	33.3	25.1	45.3
115	ROY	MAX	46.5	51.2	57.5	65.3	73.6	82.8	85.6	83.5	77.0	67.6	55.4	46.7	66.1
		MEAN	32.9	37.4	43.4	50.4	59.3	68.2	72.1	70.5	63.8	53.1	41.6	33.6	52.2
		MIN	19.2	23.6	29.3	35.5	45.0	53.5	58.5	57.4	50.5	38.5	27.8	20.5	38.3
116	RUIDOSO	MAX	49.5	52.4	58.0	65.1	73.1	81.5	80.4	78.6	74.6	66.5	56.6	50.2	65.5
		MEAN	34.7	37.1	41.7	47.6	54.8	62.6	64.5	63.6	58.8	50.0	40.6	34.9	49.2
		MIN	19.8	21.8	25.4	30.0	36.5	43.7	48.6	48.5	43.0	33.4	24.5	19.6	32.9
117	SAN JON	MAX	51.5	56.9	64.6	72.5	81.2	90.3	92.6	90.2	83.8	73.9	60.8	52.1	72.5
		MEAN	37.6	42.3	49.5	57.3	66.4	75.7	79.1	77.2	70.2	59.5	46.8	38.5	58.3
		MIN	23.6	27.7	34.3	42.0	51.6	61.1	65.6	64.1	56.5	45.0	32.8	24.9	44.1
118	SANTA FE 2	MAX	43.0	48.8	56.2	64.2	73.1	83.0	85.6	82.9	76.8	66.3	52.4	43.7	64.7
		MEAN	29.3	34.8	41.0	47.9	56.6	66.0	69.8	67.8	61.5	50.8	38.0	29.8	49.4
		MIN	15.5	20.8	25.8	31.6	40.1	48.9	53.9	52.7	46.1	35.2	23.6	15.9	34.2
119	SANTA ROSA	MAX	53.6	59.0	66.1	73.5	81.6	89.9	91.6	89.5	84.1	74.9	62.1	53.6	73.3
		MEAN	37.5	41.8	47.9	54.9	63.3	71.9	74.8	73.0	66.7	56.4	45.0	37.6	55.9
		MIN	21.4	24.6	29.7	36.2	44.9	53.8	58.0	56.4	49.2	37.8	27.9	21.5	38.5
120	SHIPROCK	MAX	44.4	52.3	62.5	70.6	80.5	90.9	95.0	92.2	85.3	72.7	56.4	45.4	70.7
		MEAN	30.7	37.1	45.4	52.3	61.7	71.0	76.5	74.7	66.6	54.2	41.0	31.5	53.6
		MIN	17.0	21.9	28.2	33.9	42.9	51.1	58.0	57.1	47.9	35.7	25.5	17.6	36.4
121	SOCORRO	MAX	53.3	60.7	68.3	76.0	83.9	92.4	93.6	90.7	85.3	75.3	62.6	53.0	74.6
		MEAN	37.3	43.2	49.9	56.8	65.0	73.2	76.9	74.7	68.1	57.2	45.3	37.5	57.1
		MIN	21.3	25.7	31.4	37.5	46.1	54.0	60.1	58.6	50.9	39.0	27.9	21.9	39.5
122	SPRINGER	MAX	47.7	53.2	60.0	66.8	75.3	84.5	87.5	85.2	79.7	70.6	56.9	47.5	67.9
		MEAN	30.7	35.4	42.1	48.9	57.9	66.8	70.6	69.0	62.5	51.9	39.5	30.8	50.5
		MIN	13.6	17.6	24.2	30.9	40.5	49.0	53.7	52.8	45.2	33.1	22.0	14.1	33.1
123	STANLEY 1 NNE	MAX	42.9	49.3	57.0	64.7	74.1	83.9	86.7	83.9	77.9	67.6	53.7	44.3	65.5
		MEAN	29.4	34.7	41.0	47.7	56.9	66.1	70.2	68.2	61.5	50.5	38.7	30.2	49.6
		MIN	15.9	20.0	24.9	30.7	39.6	48.2	53.6	52.4	45.1	33.4	23.6	16.0	33.6
124	STAR LAKE	MAX	40.2	46.4	55.4	64.0	73.3	83.9	87.0	84.2	77.8	66.3	51.8	42.3	64.4
		MEAN	25.7	32.5	39.4	45.8	54.8	64.5	69.8	67.8	60.4	48.5	36.0	27.1	47.7
		MIN	11.1	18.5	23.4	27.6	36.2	45.1	52.6	51.4	43.0	30.7	20.2	11.9	31.0
125	SUMNER LAKE	MAX	51.3	56.1	63.8	71.5	80.5	89.7	91.8	89.5	82.6	72.7	60.6	52.1	71.9
		MEAN	37.1	41.6	48.6	56.1	65.5	74.5	78.0	76.1	68.9	58.1	46.3	38.1	57.4
		MIN	22.9	27.1	33.3	40.7	50.4	59.3	64.2	62.6	55.2	43.4	31.9	24.1	42.9
126	TAOS	MAX	39.6	44.2	52.1	60.5	69.9	80.7	84.5	81.9	75.7	65.0	50.7	41.6	62.2
		MEAN	25.2	31.1	38.5	45.3	54.1	63.6	68.3	66.7	60.0	49.2	36.2	27.2	47.1
		MIN	10.7	17.9	24.9	30.1	38.2	46.4	52.0	51.4	44.3	33.3	21.7	12.8	32.0
127	TATUM	MAX	53.8	59.1	66.8	74.3	82.4	90.3	91.3	89.5	82.8	74.7	62.8	54.7	73.5
		MEAN	38.7	42.9	49.3	57.1	66.2	74.5	77.0	75.4	68.5	58.8	47.0	39.5	57.9
		MIN	23.5	26.6	31.8	39.9	49.9	58.6	62.7	61.2	54.2	42.8	31.1	24.3	42.2
128	TIERRA AMARILLA 4 N	MAX	37.8	42.0	48.2	56.1	65.5	76.6	80.9	78.9	72.4	62.2	47.5	39.3	59.0
		MEAN	20.7	25.3	33.0	40.0	48.5	57.2	63.1	62.0	54.6	44.6	31.6	23.1	42.0
		MIN	3.5	8.5	17.7	23.9	31.4	37.8	45.2	45.0	36.7	26.9	15.7	6.8	24.9
129	TRES PIEDRAS	MAX	37.5	41.3	48.4	57.2	66.2	76.7	80.3	77.2	71.8	61.8	47.2	38.7	58.7
		MEAN	21.4	25.5	33.3	40.5	49.2	58.7	63.5	61.5	55.0	44.9	32.1	23.5	42.4
		MIN	5.2	9.6	18.1	23.7	32.1	40.6	46.6	45.7	38.1	27.9	17.0	8.3	26.1
130	TRUTH OR CONSEQUENCES	MAX	55.9	62.6	68.6	76.2	85.2	94.8	94.7	91.7	86.9	76.9	64.6	55.1	76.1
		MEAN	41.6	46.9	52.7	59.7	68.8	78.4	80.2	77.7	72.1	61.4	49.3	41.3	60.8
		MIN	27.3	31.1	36.7	43.1	52.3	61.9	65.7	63.6	57.2	45.9	33.9	27.4	45.5
131	TUCUMCARI 4 NE	MAX	52.7	57.6	65.0	72.4	80.9	89.9	93.0	90.7	83.9	74.3	61.5	53.0	72.9
		MEAN	37.8	42.4	49.5	57.0	66.1	75.1	78.7	76.7	69.6	59.2	47.0	38.6	58.1
		MIN	22.9	27.1	33.9	41.5	51.2	60.2	64.3	62.7	55.2	44.0	32.4	24.2	43.3
132	TULAROSA	MAX	56.0	61.4	68.4	76.0	83.9	93.0	92.9	90.5	85.3	75.8	63.4	55.8	75.2
		MEAN	42.2	46.9	52.8	59.7	68.0	76.6	78.3	76.4	71.0	61.0	49.2	42.2	60.4
		MIN	28.4	32.3	37.2	43.4	52.1	60.1	63.7	62.3	56.6	46.1	34.9	28.5	45.5




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 13

No.	Station Name	Element	TEMPERATURE NORMALS (Degrees Fahrenheit)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
134	VALMORA	MAX	48.7	52.6	58.0	64.2	72.7	82.0	85.2	82.9	77.3	68.8	57.4	49.7	66.6
		MEAN	31.2	34.9	40.7	46.8	55.8	64.4	68.8	67.0	60.5	50.4	39.6	32.1	49.4
		MIN	13.7	17.2	23.4	29.3	38.8	46.7	52.3	51.0	43.6	32.0	21.8	14.4	32.0
136	WASTE ISOLTN PILOT PLT	MAX	59.0	64.6	72.6	80.1	88.7	97.7	97.2	95.1	87.9	80.0	67.8	59.9	79.2
		MEAN	43.6	48.5	55.5	63.5	72.4	81.0	82.7	81.1	74.0	64.6	52.2	44.5	63.6
		MIN	28.1	32.3	38.4	46.8	56.1	64.3	68.1	67.0	60.0	49.2	36.5	29.0	48.0
137	WHITE SANDS NATL MON	MAX	56.4	62.2	69.8	77.7	86.9	95.8	96.1	93.4	87.9	78.1	64.6	55.7	77.1
		MEAN	39.1	43.7	50.4	58.0	67.6	76.9	79.8	77.3	70.9	59.4	46.0	38.3	59.0
		MIN	21.7	25.2	30.9	38.3	48.3	57.9	63.4	61.1	53.9	40.6	27.4	20.9	40.8
138	WHITE SIGNAL	MAX	51.4	55.2	61.1	69.1	77.6	87.0	86.5	83.6	79.4	70.3	58.6	51.5	69.3
		MEAN	37.6	41.0	45.6	52.3	60.7	70.3	72.6	70.3	64.8	54.7	43.7	37.7	54.3
		MIN	23.7	26.7	30.1	35.4	43.8	53.5	58.6	57.0	50.1	39.1	28.8	23.8	39.2
139	WINSTON	MAX	52.2	55.9	61.1	68.5	76.9	86.3	86.0	82.7	78.5	70.6	59.5	52.1	69.2
		MEAN	35.0	39.0	43.3	49.7	58.0	67.4	70.1	67.4	61.8	52.3	41.4	34.7	51.7
		MIN	17.8	22.0	25.5	30.9	39.1	48.4	54.1	52.0	45.0	34.0	23.2	17.2	34.1
140	WOLF CANYON	MAX	34.8	37.9	43.3	51.8	60.9	71.5	74.2	71.5	65.9	55.7	42.2	35.7	53.8
		MEAN	21.0	24.5	30.4	37.3	44.9	53.2	57.9	56.6	50.4	40.5	28.9	22.1	39.0
		MIN	7.1	11.0	17.4	22.7	28.8	34.9	41.6	41.6	34.9	25.2	15.5	8.5	24.1
141	YESO 2 S	MAX	51.9	57.0	64.9	72.0	79.9	88.4	90.2	87.6	81.7	73.1	61.1	52.4	71.7
		MEAN	37.2	41.1	47.4	54.3	63.2	71.9	75.3	73.5	67.2	57.6	46.2	38.3	56.1
		MIN	22.5	25.1	29.9	36.6	46.5	55.4	60.4	59.3	52.6	42.1	31.2	24.1	40.5
142	ZUNI	MAX	47.4	52.6	58.8	67.4	76.3	86.8	90.0	87.1	81.6	70.7	57.1	48.9	68.7
		MEAN	32.0	36.5	41.8	48.5	56.8	66.2	71.7	70.0	63.6	52.6	40.4	33.1	51.1
		MIN	16.6	20.4	24.8	29.6	37.2	45.5	53.3	52.8	45.6	34.4	23.6	17.2	33.4



CLIMATOGRAPHY OF THE UNITED STATES NO. 81


Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days

1971-2000

NEW MEXICO

Page 14

No.	Station Name	PRECIPITATION NORMALS (Total in Inches)												
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
001	ABBOTT 1 SE	.29	.33	.77	.85	1.58	2.20	2.94	3.36	1.69	.91	.43	.31	15.66
002	ABIQUIU DAM	.36	.24	.58	.63	.98	.75	1.62	1.91	1.20	.89	.55	.30	10.01
003	AFTON 6 NE	.51	.33	.25	.22	.43	.48	1.61	2.19	1.54	1.12	.47	.82	9.97
004	ALAMOGORDO	.77	.53	.46	.31	.62	.98	2.18	2.32	1.87	1.40	.77	.99	13.20
005	ALBUQUERQUE INTL AP	.49	.44	.61	.50	.60	.65	1.27	1.73	1.07	1.00	.62	.49	9.47
006	ALEMAN RANCH	.48	.38	.34	.20	.54	.68	2.30	2.29	1.49	1.11	.66	.86	11.33
007	AMISTAD 5 SSW	.28	.31	.71	.87	2.19	1.95	2.66	2.84	1.61	1.16	.61	.40	15.59
008	ANIMAS 3 ESE	.72	.54	.48	.20	.25	.55	2.19	2.46	1.41	1.32	.76	1.12	12.00
009	ARCH	.37	.34	.38	.83	1.71	2.08	2.26	2.58	2.24	1.09	.52	.50	14.90
010	ARTESIA 6 S	.40	.44	.28	.52	1.23	1.87	1.38	2.19	2.51	1.30	.69	.56	13.37
011	AUGUSTINE 2 E	.51	.41	.47	.26	.74	.59	2.60	2.91	2.01	1.40	.60	.61	13.11
012	AZTEC RUINS NATL MNMNT	.98	.82	1.00	.73	.75	.32	1.01	1.30	1.00	1.21	.94	.72	10.78
013	BEAVERHEAD R S	.89	.91	.79	.36	.73	.74	2.84	3.50	2.20	1.65	.93	1.09	16.63
014	BELL RANCH	.30	.30	.64	.79	1.54	2.22	2.52	2.67	1.63	1.14	.76	.41	14.92
015	BINGHAM 2 NE	.41	.39	.43	.35	.54	.79	2.53	2.46	1.61	1.33	.66	.53	12.03
016	BITTER LAKES WL REFUGE	.41	.45	.35	.51	1.25	1.72	2.14	2.52	1.96	1.34	.68	.57	13.90
017	BLACK LAKE	1.02	1.18	1.72	1.77	2.29	2.05	3.74	3.71	1.90	1.66	1.27	.97	23.28
018	BOSQUE DEL APACHE	.39	.41	.36	.23	.54	.63	1.34	1.87	1.43	1.31	.61	.73	9.85
019	BRAZOS LODGE	2.14	1.85	2.69	1.76	1.76	1.15	1.99	3.10	2.03	2.20	2.12	1.79	24.58
020	BUCKHORN	1.20	.98	.77	.26	.48	.57	2.69	2.64	1.83	1.57	.91	1.27	15.17
021	CAMERON	.54	.62	.90	1.25	1.92	2.63	2.87	3.38	2.09	1.58	.87	.66	19.31
022	CANJILON R S	1.12	.77	1.16	.88	1.21	.99	2.20	2.56	1.41	1.28	1.21	.82	15.61
023	CANTON	.50	.40	.49	.76	1.48	1.86	2.41	2.79	1.84	1.52	.67	.66	15.38
024	CAPITAN	.70	.66	.50	.58	1.22	1.60	3.02	3.63	2.48	1.26	.75	.87	17.27
025	CARLSBAD	.44	.51	.25	.57	1.26	1.65	1.77	2.05	2.90	1.37	.74	.64	14.15
026	CARLSBAD AP	.41	.42	.25	.52	1.45	1.56	1.83	2.38	2.87	1.15	.65	.63	14.12
027	CARLSBAD CAVERNS	.42	.49	.26	.53	1.50	2.25	2.10	2.65	3.64	1.28	.55	.57	16.24
028	CARRIZOZO 1 SW	.71	.59	.69	.41	.74	.95	2.19	2.50	1.63	1.39	.84	.87	13.51
029	CERRO	.69	.62	1.03	.87	1.24	1.01	1.75	2.25	1.54	1.21	1.05	.77	14.03
030	CHACO CANYON NATL MON	.60	.54	.65	.52	.68	.46	1.19	1.36	1.17	1.05	.77	.53	9.52
031	CHACON 2 S	1.28	.80	1.52	1.76	2.70	1.81	3.63	4.07	1.95	1.48	1.05	.77	22.82
032	CHAMA	1.98	1.82	2.20	1.50	1.45	1.11	2.14	2.89	2.10	2.12	1.98	1.67	22.96
033	CIMARRON 4 SW	.48	.54	.96	1.26	2.13	2.18	2.68	3.47	2.01	1.05	.75	.43	17.94
034	CIRCLE F RANCH	.38	.27	.23	.64	1.12	1.14	2.34	2.55	1.96	.79	.53	.32	12.27
035	CLAYTON MUNICIPAL AP	.30	.27	.62	.99	2.08	2.21	2.81	2.69	1.56	.74	.54	.32	15.13
036	CLIFF 11 SE	1.15	1.12	.90	.36	.50	.50	2.80	2.78	1.91	1.59	.97	1.26	15.84
037	CLINES CORNERS 7 SE	.95	.81	.99	1.03	1.62	1.64	2.77	3.14	2.22	1.45	1.09	.96	18.67
038	CLOUDCROFT	1.59	1.72	1.41	.67	.96	2.39	5.35	5.35	2.90	2.15	1.71	1.99	28.19
039	CLOVIS	.48	.41	.66	1.03	1.92	2.62	2.59	3.43	2.17	1.75	.74	.70	18.50
040	CLOVIS 13 N	.33	.33	.65	.98	2.25	2.38	2.61	3.18	2.05	1.81	.61	.51	17.69
041	COLUMBUS	.56	.41	.30	.28	.26	.60	2.00	2.00	1.33	1.10	.59	.84	10.27
042	CONCHAS DAM	.41	.39	.79	.87	1.64	2.02	2.67	2.64	1.66	1.18	.77	.47	15.51
043	CORRALES	.37	.30	.71	.46	.65	.65	1.38	1.78	.97	.81	.74	.46	9.28
044	CROSSROADS 2	.34	.36	.37	.60	1.99	1.97	2.65	2.87	2.18	1.42	.61	.48	15.84
045	CUBA	.93	.57	.92	.70	.91	.79	1.91	2.23	1.41	1.16	.90	.57	13.00
046	CUBERO	.60	.35	.55	.49	.70	.54	2.04	1.77	1.41	1.17	.58	.46	10.66
047	DES MOINES	.43	.48	1.09	1.06	2.25	2.11	3.03	2.94	1.99	1.05	.85	.54	17.82
048	DILIA	.63	.49	.72	.91	1.37	1.61	2.69	2.77	1.93	1.29	.82	.79	16.02
049	DULCE	1.39	1.22	1.63	1.09	1.42	.75	1.76	2.51	1.68	1.72	1.45	1.16	17.78
050	EAGLE NEST	.69	.74	1.22	.98	1.31	1.40	2.48	2.92	1.35	1.01	.83	.67	15.60
051	EL MORRO NATL MONUMENT	1.24	.96	1.30	.80	.78	.61	1.90	2.79	1.56	1.35	1.00	1.01	15.30
052	EL RITO	.75	.55	.88	.79	.95	.90	1.68	2.23	1.30	1.20	.97	.57	12.77
053	EL VADO DAM	.90	.74	1.01	.96	1.26	.88	1.76	2.50	1.61	1.42	1.12	.78	14.94
054	ELEPHANT BUTTE DAM	.42	.30	.32	.15	.48	.72	1.68	2.29	1.58	1.25	.71	.75	10.65
055	ELIDA	.51	.37	.43	.72	1.43	2.26	3.06	2.49	2.14	1.37	.75	.54	16.07
056	ELK 2 E	.60	.47	.36	.51	1.10	2.24	2.52	3.55	3.03	1.42	.64	.79	17.23
057	ESTANCIA 7 NE	.70	.51	.71	.57	1.22	1.18	2.30	2.43	1.88	1.54	.87	.95	14.86
058	FARMINGTON AG SCI CTR	.51	.46	.72	.59	.54	.22	.97	1.16	1.03	1.00	.77	.42	8.39
059	FAYWOOD	.79	.60	.47	.19	.38	.96	2.45	2.65	1.68	1.52	.97	1.13	13.79
060	FENCE LAKE	.96	.87	1.19	.67	.53	.57	2.18	2.48	1.52	1.45	.98	.83	14.23
061	FLORIDA	.49	.51	.22	.10	.31	.68	2.26	2.34	1.55	1.23	.43	.88	11.00
062	FORT BAYARD	.94	.76	.53	.20	.59	.81	3.60	3.14	1.91	1.63	.97	1.17	16.25
063	FORT SUMNER 5 S	.41	.38	.52	.83	1.44	1.65	2.35	3.10	1.82	1.58	.68	.60	15.36
064	FRUITLAND 3 E	.71	.62	.77	.59	.49	.24	.72	1.06	.86	.95	.77	.56	8.34
065	GAGE 4 ESE	.73	.59	.36	.15	.25	.54	2.06	2.39	1.32	1.18	.76	1.27	11.60
066	GALLUP MUNICIPAL AP	.81	.65	.89	.51	.62	.45	1.56	1.99	1.12	1.19	.95	.71	11.45
067	GASCON	1.04	1.11	2.05	1.87	2.08	2.13	3.83	4.10	2.21	1.66	1.38	1.14	24.60
068	GHOST RANCH	.69	.52	.88	.79	1.03	.75	1.76	1.93	1.25	1.04	.78	.52	11.94
069	GILA HOT SPRINGS	1.07	1.04	.90	.34	.68	.68	2.76	3.32	2.00	1.76	1.12	1.30	16.97




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 15

No.	Station Name	PRECIPITATION NORMALS (Total in Inches)												
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
070	GLORIETA	.68	.62	.84	.65	1.13	1.47	3.08	2.86	1.73	1.46	1.01	.54	16.07
071	GOLDEN	.84	.71	1.16	.96	1.25	1.19	2.40	2.48	1.72	1.50	1.08	.85	16.14
072	GRAN QUIVIRA NATL MON	.77	.75	.76	.70	1.00	1.16	2.77	3.50	2.22	1.61	1.00	.99	17.23
073	GRANTS MILAN AP	.57	.43	.59	.49	.63	.51	1.69	2.10	1.43	1.11	.68	.64	10.87
074	HACHITA	.65	.50	.43	.18	.24	.58	2.68	2.20	1.22	1.11	.71	1.12	11.62
075	HICKMAN	.81	1.12	1.01	.73	.52	.50	2.53	3.13	2.02	.99	.85	.90	15.11
076	HOBBS	.51	.66	.48	.78	2.58	2.03	2.42	2.52	3.13	1.45	.87	.72	18.15
077	JAL	.41	.48	.34	.57	1.70	1.64	1.83	1.98	2.36	1.23	.63	.58	13.75
078	JOHNSON RANCH	.79	.54	.82	.65	.75	.76	1.73	2.26	1.28	1.13	.85	.63	12.19
079	JORNADA EXP RANGE	.58	.38	.26	.22	.48	.93	2.09	2.52	1.36	1.12	.61	.89	11.44
080	KELLY RANCH	.65	.41	.49	.52	.85	.97	2.77	3.39	2.53	1.51	.77	.80	15.66
081	LAKE MALOYA	.91	1.06	1.85	1.98	2.94	2.58	3.52	3.72	2.10	1.51	1.43	.77	24.37
082	LAS VEGAS MUNICIPAL AP	.38	.36	.77	1.00	1.84	2.17	3.29	3.62	2.12	1.24	.79	.52	18.10
083	LAS VEGAS SEWAGE PLANT	.55	.35	.59	.71	1.83	2.03	3.24	3.92	2.15	1.26	.49	.58	17.70
084	LINDRITH 1 WSW	1.03	.83	1.41	.82	1.00	.84	1.88	2.24	1.27	1.20	1.12	.84	14.48
085	LORDSBURG 4 SE	.92	.76	.80	.26	.38	.48	1.99	1.90	1.26	1.33	.84	1.29	12.21
086	LOS ALAMOS	.96	.75	1.28	1.05	1.43	1.44	2.97	3.32	2.08	1.54	1.19	.92	18.93
087	LOS LUNAS 3 SSW	.43	.42	.57	.50	.60	.52	1.39	1.89	1.39	1.09	.59	.54	9.93
088	LUNA R S	1.01	.92	.90	.38	.74	.63	3.12	3.69	2.12	1.97	1.06	1.03	17.57
089	LYBROOK	.77	.50	.58	.42	.67	.51	1.28	1.87	1.35	1.04	.65	.56	10.20
090	MAGDALENA	.58	.45	.38	.35	.80	.71	2.54	2.62	2.02	1.29	.45	.47	12.66
091	MALTAMAR 4 SE	.44	.49	.41	.53	1.81	1.76	2.29	2.79	3.06	1.17	.67	.66	16.08
092	MAXWELL 3 NW (RATON)	.28	.23	.58	.68	2.22	2.11	2.38	3.14	2.03	1.04	.57	.25	15.51
093	MC CARTY RANCH	.42	.45	.68	.78	2.48	2.12	2.76	2.45	1.64	1.29	.57	.38	16.02
094	MCGAFFEY 5 SE	1.90	1.61	2.04	1.19	1.04	.68	2.31	2.75	1.79	1.65	1.88	1.48	20.32
095	MOSQUERO 1 NE	.37	.35	.77	1.03	1.95	2.24	2.63	2.94	1.77	1.17	.80	.49	16.51
096	NEWKIRK	.37	.39	.69	.99	1.48	1.68	2.80	2.77	1.68	1.45	.66	.55	15.51
097	OCATE 2 NW	.38	.34	.74	1.14	2.08	2.28	3.60	3.83	2.03	1.13	.65	.47	18.67
098	OCHOA	.45	.40	.25	.47	1.56	1.53	1.30	1.80	2.28	1.02	.48	.45	11.99
099	OTIS	.64	.43	.68	.56	.65	.57	1.46	1.84	1.04	1.04	.79	.53	10.23
100	PEARL	.37	.45	.27	.54	1.89	2.44	1.89	2.26	2.99	1.12	.59	.64	15.45
101	PECOS NATIONAL MONUMENT	.71	.63	.90	.79	1.29	1.39	3.19	3.49	1.99	1.35	1.06	.61	17.40
102	PEDERNAL 9 E	.42	.38	.45	.43	.99	1.32	1.88	2.76	1.55	1.20	.58	.60	12.56
103	PIETOWN 19 NE	1.07	.93	1.35	.43	.73	.63	3.08	2.58	1.59	1.27	.76	.93	15.35
104	PORTALES	.50	.40	.52	.78	1.63	2.57	2.63	3.20	1.95	1.59	.73	.67	17.17
105	PROGRESSO	.54	.65	.59	.53	.98	1.11	2.55	2.85	1.72	1.42	.80	.77	14.51
106	QUEMADO	.49	.59	.68	.40	.46	.40	2.13	2.39	1.38	1.11	.65	.50	11.18
107	RAGLAND 3 SSW	.49	.55	.78	1.04	1.69	2.26	3.11	3.14	2.27	1.45	.80	.61	18.19
108	RAMON 8 SW	.47	.44	.60	.84	1.30	1.63	1.93	2.15	1.94	1.33	.63	.68	13.94
109	RATON FILTER PLANT	.49	.49	1.01	1.22	2.60	1.98	2.75	3.68	1.64	1.21	.68	.57	18.32
110	RATON KRTN RADIO	.33	.30	.71	.92	2.39	1.99	3.04	3.13	1.76	1.12	.46	.39	16.54
111	RED RIVER	1.10	1.20	2.08	1.88	2.00	1.52	2.74	3.06	1.79	1.87	1.72	1.18	22.14
112	REDROCK 1 NNE	.98	.89	.72	.24	.45	.50	2.40	2.63	1.67	1.46	.80	1.16	13.90
113	RIENHARDT RANCH	.35	.27	.25	.18	.68	.75	1.75	2.05	1.80	1.21	.47	.45	10.21
114	ROSWELL AP	.39	.41	.35	.58	1.30	1.62	1.99	2.31	1.98	1.29	.53	.59	13.34
115	ROY	.37	.42	.77	.88	1.84	2.02	2.87	3.28	1.71	1.15	.54	.52	16.37
116	RUIDOSO	1.32	1.16	1.03	.68	1.07	2.16	3.71	4.40	2.68	1.80	1.02	1.68	22.71
117	SAN JON	.57	.55	.94	1.15	1.98	2.33	2.81	3.38	1.81	1.52	.87	.58	18.49
118	SANTA FE 2	.60	.50	.84	.72	1.27	1.24	2.25	2.13	1.67	1.30	1.05	.65	14.22
119	SANTA ROSA	.42	.44	.67	.90	1.42	1.84	2.39	2.89	1.90	1.23	.86	.73	15.69
120	SHIPROCK	.64	.51	.54	.42	.60	.22	.75	1.13	.74	.77	.69	.61	7.62
121	SOCORRO	.34	.36	.39	.34	.52	.64	1.46	2.20	1.65	1.20	.52	.60	10.22
122	SPRINGER	.36	.33	.84	.98	2.02	1.98	2.49	3.46	2.03	1.18	.67	.36	16.70
123	STANLEY 1 NNE	.50	.35	.61	.59	1.12	1.50	2.20	2.74	1.56	1.40	.70	.51	13.78
124	STAR LAKE	.52	.36	.59	.53	.62	.64	1.40	1.75	1.25	.97	.72	.56	9.91
125	SUMNER LAKE	.36	.39	.54	.73	1.56	1.75	2.27	2.72	1.70	1.39	.61	.56	14.58
126	TAOS	.58	.55	.82	.82	1.19	.97	1.43	1.90	1.33	1.19	.89	.63	12.30
127	TATUM	.36	.37	.53	.49	2.02	2.20	2.43	2.87	2.79	1.41	.73	.51	16.71
128	TIERRA AMARILLA 4 N	1.21	1.10	1.34	1.00	1.31	.84	1.90	2.60	1.86	1.44	1.26	.89	16.75
129	TRES PIEDRAS	.66	.56	.96	.73	1.15	1.25	2.06	2.93	1.44	1.22	1.01	.64	14.61
130	TRUTH OR CONSEQUENCES	.49	.29	.29	.12	.29	.75	1.95	1.99	1.63	1.36	.60	.87	10.63
131	TUCUMCARI 4 NE	.41	.43	.81	1.12	1.84	2.19	2.64	2.73	1.68	1.44	.75	.53	16.57
132	TULAROSA	.54	.49	.40	.28	.61	.81	1.86	2.02	1.43	1.23	.73	.91	11.31
133	TURQUOISE BONANZA CREEK	.55	.56	.80	.71	1.16	1.03	2.15	2.41	1.60	1.26	.92	.69	13.84
134	VALMORA	.45	.42	.81	1.01	2.08	1.91	3.36	3.23	2.10	1.17	.76	.58	17.88
135	VILLANUEVA	.21	.16	.47	.47	.63	.97	1.79	1.95	.95	.87	.25	.37	9.09
136	WASTE ISOLTN PILOT PLT	.32	.31	.21	.55	1.14	1.67	2.23	2.34	1.96	.84	.40	.54	12.51
137	WHITE SANDS NATL MON	.59	.37	.27	.28	.48	.97	1.34	2.11	1.40	1.08	.60	.84	10.33
138	WHITE SIGNAL	1.32	1.11	.88	.32	.52	.64	3.01	2.88	1.75	1.60	1.12	1.59	16.74




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days

1971-2000

NEW MEXICO

Page 16




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEW MEXICO

Page 17

No.	Station Name	Element	DEGREE DAYS (Total)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
002	ABIQUIU DAM	HDD	1103	846	704	477	216	31	0	3	72	366	734	1042	5594
		CDD	0	0	0	0	19	141	255	206	56	4	0	0	681
004	ALAMOGORDO	HDD	709	507	366	181	38	0	0	0	13	131	453	710	3108
		CDD	0	0	3	40	177	399	455	383	218	39	1	0	1715
005	ALBUQUERQUE INTL AP	HDD*	914	670	525	294	85	4	0	0	29	248	614	898	4281
		CDD*	0	0	0	6	70	297	417	343	148	9	0	0	1290
006	ALEMAN RANCH	HDD	796	592	474	260	83	4	0	1	29	221	555	803	3818
		CDD	0	0	0	12	95	292	389	323	153	13	0	0	1277
007	AMISTAD 5 SSW	HDD	1004	788	646	385	161	24	1	5	74	313	678	975	5054
		CDD	0	0	0	7	56	212	331	280	97	3	0	0	986
008	ANIMAS 3 ESE	HDD	699	515	408	217	61	2	0	0	14	157	472	702	3247
		CDD	0	0	2	22	132	340	431	361	217	40	1	0	1546
009	ARCH	HDD	900	702	538	310	95	3	0	2	55	250	610	868	4333
		CDD	0	0	0	8	89	275	358	308	133	9	0	0	1180
010	ARTESIA 6 S	HDD	810	592	435	209	52	2	0	1	32	193	528	794	3648
		CDD	0	0	0	27	156	349	427	368	173	15	0	0	1515
011	AUGUSTINE 2 E	HDD	1056	848	796	582	327	87	15	48	175	491	793	1064	6282
		CDD	0	0	0	0	5	63	120	82	22	0	0	0	292
012	AZTEC RUINS NATL MNMNT	HDD	1071	795	663	426	180	23	0	1	54	330	719	1025	5287
		CDD	0	0	0	0	20	164	338	289	92	4	0	0	907
013	BEAVERHEAD R S	HDD	1079	864	793	595	367	135	24	52	194	510	824	1058	6495
		CDD	0	0	0	0	3	40	69	43	8	0	0	0	163
014	BELL RANCH	HDD	896	682	549	297	106	6	0	0	30	237	601	885	4289
		CDD	0	0	0	11	91	269	394	340	142	6	0	0	1253
015	BINGHAM 2 NE	HDD	922	690	577	366	147	13	0	4	61	309	663	924	4676
		CDD	0	0	0	3	57	202	281	234	91	4	0	0	872
016	BITTER LAKES WL REFUGE	HDD	834	608	439	214	63	4	0	1	32	202	541	824	3762
		CDD	0	0	0	28	155	347	444	385	186	17	0	0	1562
018	BOSQUE DEL APACHE	HDD	856	620	474	271	88	5	0	1	37	231	578	862	4023
		CDD	0	0	0	15	105	266	387	336	154	15	0	0	1278
021	CAMERON	HDD	899	687	552	321	122	13	1	2	57	264	613	878	4409
		CDD	0	0	0	11	80	242	323	264	115	5	0	0	1040
024	CAPITAN	HDD	923	741	668	449	231	49	16	40	152	411	698	905	5283
		CDD	0	0	0	1	23	92	104	65	22	0	0	0	307
025	CARLSBAD	HDD	691	477	315	130	25	0	0	0	14	108	408	655	2823
		CDD	0	0	4	62	228	435	517	466	262	49	6	0	2029
026	CARLSBAD AP	HDD	700	486	325	142	30	0	0	0	18	121	435	678	2935
		CDD	0	0	6	73	244	439	511	454	252	47	5	0	2031
027	CARLSBAD CAVERNS	HDD	650	474	331	154	49	6	0	4	34	138	394	614	2848
		CDD	0	0	4	50	202	360	399	358	205	62	10	0	1650
028	CARRIZOZO 1 SW	HDD	858	653	531	311	123	11	0	3	53	285	618	866	4312
		CDD	0	0	0	10	83	238	310	237	102	7	0	0	987
029	CERRO	HDD	1343	1053	907	650	419	158	50	73	222	560	943	1286	7664
		CDD	0	0	0	0	1	26	56	28	4	0	0	0	115
030	CHACO CANYON NATL MON	HDD	1147	860	748	512	254	53	2	5	112	454	820	1115	6082
		CDD	0	0	0	0	11	109	238	176	39	0	0	0	573
032	CHAMA	HDD	1366	1104	1009	751	525	246	94	130	317	652	1022	1305	8521
		CDD	0	0	0	0	0	3	17	14	1	0	0	0	35
033	CIMARRON 4 SW	HDD	1044	843	761	539	303	79	19	44	159	443	784	1010	6028
		CDD	0	0	0	0	9	57	100	66	17	0	0	0	249
034	CIRCLE F RANCH	HDD	771	609	498	277	111	9	0	4	50	236	533	775	3873
		CDD	0	0	0	12	79	251	321	256	113	7	0	0	1039
035	CLAYTON MUNICIPAL AP	HDD	964	767	661	407	179	27	1	7	85	325	685	937	5045
		CDD	0	0	0	6	37	173	274	228	77	2	0	0	797
036	CLIFF 11 SE	HDD	842	660	577	373	159	27	1	2	47	295	631	861	4475
		CDD	0	0	0	2	30	181	290	229	92	3	0	0	827
037	CLINES CORNERS 7 SE	HDD	1075	870	805	583	305	75	10	30	160	456	798	1044	6211
		CDD	0	0	0	0	11	73	123	90	16	0	0	0	313
038	CLOUDCROFT	HDD	1125	942	915	683	463	237	214	258	366	617	868	1079	7767
		CDD	0	0	0	0	0	4	5	0	0	0	0	0	9
039	CLOVIS	HDD	842	636	497	265	80	7	0	1	52	219	547	809	3955
		CDD	0	0	0	18	107	289	387	328	163	13	0	0	1305
040	CLOVIS 13 N	HDD	860	655	521	292	114	14	0	1	41	220	568	832	4118
		CDD	0	0	0	14	106	271	356	300	145	15	0	0	1207
041	COLUMBUS	HDD	633	441	316	156	38	0	0	0	9	119	408	643	2763
		CDD	0	0	8	60	209	440	502	426	268	64	3	0	1980
042	CONCHAS DAM	HDD	876	656	501	270	91	7	0	0	29	203	557	846	4036
		CDD	0	0	0	20	121	320	442	385	178	26	2	0	1494




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEW MEXICO

Page 18

No.	Station Name	Element	DEGREE DAYS (Total)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
043	CORRALES	HDD	968	721	605	378	169	17	0	5	76	371	710	961	4981
		CDD	0	0	0	3	34	150	276	228	80	2	0	0	773
044	CROSSROADS 2	HDD	837	637	493	254	75	4	0	2	48	211	548	810	3919
		CDD	0	0	0	17	114	287	367	315	148	11	0	0	1259
045	CUBA	HDD	1217	955	849	618	388	137	18	46	209	567	892	1166	7062
		CDD	0	0	0	0	0	29	85	67	6	0	0	0	187
046	CUBERO	HDD	1033	809	716	479	246	43	2	18	117	421	762	1025	5671
		CDD	0	0	0	1	22	112	200	144	38	1	0	0	518
047	DES MOINES	HDD	1048	851	764	525	290	76	6	21	130	419	784	1025	5939
		CDD	0	0	0	0	11	92	159	121	34	0	0	0	417
048	DILIA	HDD	913	710	592	368	159	19	1	4	62	312	642	888	4670
		CDD	0	0	0	5	47	173	268	217	73	3	0	0	786
049	DULCE	HDD	1265	992	867	641	426	186	59	76	240	563	910	1208	7433
		CDD	0	0	0	0	1	20	80	71	11	0	0	0	183
050	EAGLE NEST	HDD	1422	1158	1051	798	561	294	161	206	396	717	1026	1347	9137
		CDD	0	0	0	0	0	0	0	2	0	0	0	0	2
051	EL MORRO NATL MONUMENT	HDD	1122	877	800	580	352	110	15	32	173	498	836	1078	6473
		CDD	0	0	0	0	1	44	106	68	15	0	0	0	234
052	EL RITO	HDD	1093	844	747	513	288	75	3	15	125	415	782	1058	5958
		CDD	0	0	0	0	14	73	151	113	40	2	0	0	393
053	EL VADO DAM	HDD	1290	1004	881	660	412	149	31	55	230	569	910	1196	7387
		CDD	0	0	0	0	0	23	90	64	7	0	0	0	184
054	ELEPHANT BUTTE DAM	HDD	773	563	418	210	54	1	0	0	16	163	492	771	3461
		CDD	0	0	2	38	163	389	462	380	210	33	1	0	1678
055	ELIDA	HDD	809	609	460	237	73	7	0	1	40	198	532	783	3749
		CDD	0	0	0	27	136	314	391	336	173	28	2	0	1407
056	ELK 2 E	HDD	870	694	608	401	200	40	13	19	124	363	648	856	4836
		CDD	0	0	0	1	27	103	137	100	34	1	0	0	403
057	ESTANCIA 7 NE	HDD	1092	852	756	536	265	61	2	17	138	458	804	1094	6075
		CDD	0	0	0	0	10	89	164	123	25	0	0	0	411
058	FARMINGTON AG SCI CTR	HDD	1092	813	683	452	188	19	0	2	75	373	751	1060	5508
		CDD	0	0	0	1	20	150	307	244	79	4	0	0	805
059	FAYWOOD	HDD	734	573	482	287	99	8	0	0	19	209	516	735	3662
		CDD	0	0	1	14	76	259	344	286	139	16	0	0	1135
060	FENCE LAKE	HDD	1075	850	782	562	327	88	8	34	158	481	816	1051	6232
		CDD	0	0	0	0	4	52	119	81	21	0	0	0	277
061	FLORIDA	HDD	773	597	472	280	91	6	0	0	20	183	511	778	3711
		CDD	0	0	1	15	96	305	402	337	170	26	0	0	1352
062	FORT BAYARD	HDD	797	634	563	356	151	16	1	5	51	261	576	793	4204
		CDD	0	0	0	6	45	200	249	190	97	10	0	0	797
064	FRUITLAND 3 E	HDD	1072	789	651	415	202	35	1	6	76	377	748	1042	5414
		CDD	0	0	0	2	36	148	304	252	79	2	0	0	823
065	GAGE 4 ESE	HDD	725	535	423	230	70	3	0	1	15	157	482	735	3376
		CDD	0	0	2	30	142	358	456	391	223	36	1	0	1639
066	GALLUP MUNICIPAL AP	HDD	1148	893	825	606	344	93	6	15	150	509	863	1136	6588
		CDD	0	0	0	0	4	60	156	114	23	0	0	0	357
067	GASCON	HDD	1093	936	909	724	510	251	170	212	340	611	871	1072	7699
		CDD	0	0	0	0	1	13	19	11	3	0	0	0	47
069	GILA HOT SPRINGS	HDD	889	708	643	447	241	60	2	13	96	368	672	889	5028
		CDD	0	0	0	0	6	76	157	121	35	0	0	0	395
072	GRAN QUIVIRA NATL MON	HDD	934	718	620	401	182	31	2	6	78	324	666	913	4875
		CDD	0	0	0	6	44	165	218	163	63	5	0	0	664
073	GRANTS MILAN AP	HDD	1058	821	707	488	237	43	1	8	107	411	764	1033	5678
		CDD	0	0	0	0	15	106	211	149	43	1	0	0	525
074	HACHITA	HDD	694	518	407	222	72	3	0	0	11	155	465	696	3243
		CDD	0	0	1	27	133	342	431	365	215	36	0	0	1550
075	HICKMAN	HDD	1099	905	841	636	392	133	36	68	209	528	837	1083	6767
		CDD	0	0	0	0	1	28	52	27	3	0	0	0	111
076	HOBBS	HDD	686	476	323	131	37	1	0	0	18	110	416	651	2849
		CDD	0	0	6	57	218	389	466	413	237	53	3	0	1842
077	JAL	HDD	657	428	270	95	13	0	0	0	9	82	380	615	2549
		CDD	0	0	8	82	256	447	524	472	278	65	6	0	2138
079	JORNADA EXP RANGE	HDD	808	605	474	259	77	6	0	1	21	205	554	808	3818
		CDD	0	0	0	13	94	296	424	349	175	13	0	0	1364
081	LAKE MALOYA	HDD	1259	1057	987	739	469	203	81	131	321	621	954	1215	8037
		CDD	0	0	0	0	0	8	13	11	1	0	0	0	33
082	LAS VEGAS MUNICIPAL AP	HDD	1008	817	737	521	296	74	15	42	159	425	748	986	5828
		CDD	0	0	0	1	15	72	114	90	29	1	0	0	322




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days 1971-2000

NEW MEXICO

Page 19

No.	Station Name	Element	DEGREE DAYS (Total)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
083	LAS VEGAS SEWAGE PLANT	HDD	1097	863	766	558	321	72	7	30	169	502	801	1081	6267
		CDD	0	0	0	0	3	50	106	76	10	0	0	0	245
084	LINDRITH 1 WSW	HDD	1244	1008	897	678	392	127	19	38	200	533	911	1168	7215
		CDD	0	0	0	0	7	70	116	80	17	0	0	0	290
085	LORDSBURG 4 SE	HDD	706	531	419	222	62	2	0	0	7	141	482	708	3280
		CDD	0	0	1	30	149	378	494	425	243	36	0	0	1756
086	LOS ALAMOS	HDD	1145	914	826	585	340	88	16	51	191	502	848	1107	6613
		CDD	0	0	0	0	13	71	86	55	15	0	0	0	240
087	LOS LUNAS 3 SSW	HDD	960	706	573	360	138	13	0	1	51	298	676	952	4728
		CDD	0	0	0	4	54	207	338	291	106	3	0	0	1003
088	LUNA R S	HDD	1062	870	838	642	434	187	50	84	236	548	842	1062	6855
		CDD	0	0	0	0	0	14	43	24	3	0	0	0	84
089	LYBROOK	HDD	1194	933	812	572	321	79	6	29	165	494	867	1148	6620
		CDD	0	0	0	0	10	87	141	91	26	0	0	0	355
090	MAGDALENA	HDD	928	704	613	406	179	28	1	11	83	332	655	886	4826
		CDD	0	0	0	4	47	166	223	160	71	6	0	0	677
091	MALJAMAR 4 SE	HDD	760	548	387	176	51	3	0	1	28	147	473	726	3300
		CDD	0	0	2	43	182	369	449	399	223	36	3	0	1706
092	MAXWELL 3 NW (RATON)	HDD	1120	883	768	541	294	84	10	36	152	459	807	1084	6238
		CDD	0	0	0	0	6	61	133	108	28	0	0	0	336
093	MC CARTY RANCH	HDD	932	718	582	340	125	17	0	3	58	282	622	897	4576
		CDD	0	0	0	10	58	223	336	286	119	5	0	0	1037
094	MCGAFFEY 5 SE	HDD	1278	1059	987	758	514	222	80	122	296	624	972	1231	8143
		CDD	0	0	0	0	9	18	9	2	0	0	0	0	38
095	MOSQUERO 1 NE	HDD	973	756	633	392	164	26	1	7	77	330	693	959	5011
		CDD	0	0	0	5	45	187	276	210	78	2	0	0	803
096	NEWKIRK	HDD	849	645	510	286	101	6	0	1	29	219	563	833	4042
		CDD	0	0	0	16	101	290	395	334	149	12	0	0	1297
097	OCATE 2 NW	HDD	1096	897	854	632	387	145	52	92	244	557	853	1080	6889
		CDD	0	0	0	0	2	18	36	22	3	0	0	0	81
099	OTIS	HDD	1129	870	750	521	270	45	2	9	115	413	805	1075	6004
		CDD	0	0	0	0	15	110	208	140	45	2	0	0	520
100	PEARL	HDD	756	558	418	193	59	5	0	1	32	155	473	711	3361
		CDD	0	0	0	33	170	333	417	357	189	26	1	0	1526
101	PECOS NATIONAL MONUMENT	HDD	1042	837	769	548	318	70	26	44	168	453	779	1002	6056
		CDD	0	0	0	0	17	74	138	91	28	1	0	0	349
102	PEDERNAL 9 E	HDD	1036	809	719	489	226	40	3	10	99	380	719	1004	5534
		CDD	0	0	0	0	22	134	215	162	47	1	0	0	581
103	PIETOWN 19 NE	HDD	1056	864	782	551	317	62	24	44	170	467	810	1050	6197
		CDD	0	0	0	0	10	71	80	41	8	0	0	0	210
104	PORTALES	HDD	821	613	459	236	68	5	0	1	28	192	547	810	3780
		CDD	0	0	0	23	127	313	394	339	170	12	0	0	1378
106	QUEMADO	HDD	1077	854	786	581	346	114	20	41	171	503	825	1050	6368
		CDD	0	0	0	0	1	40	97	62	6	0	0	0	206
107	RAGLAND 3 SSW	HDD	920	699	567	324	118	13	0	2	56	269	619	895	4482
		CDD	0	0	0	8	69	232	317	261	103	4	0	0	994
108	RAMON 8 SW	HDD	885	693	585	365	146	20	1	5	72	297	637	878	4584
		CDD	0	0	0	8	63	198	279	232	85	3	0	0	868
109	RATON FILTER PLANT	HDD	1040	854	787	560	308	86	8	30	157	429	751	996	6006
		CDD	0	0	0	0	11	83	133	95	28	1	0	0	351
110	RATON KRTN RADIO	HDD	1096	887	791	559	320	99	18	42	183	478	821	1062	6356
		CDD	0	0	0	0	5	43	85	68	13	0	0	0	214
111	RED RIVER	HDD	1356	1122	1047	816	588	319	201	248	414	728	1062	1312	9213
		CDD	0	0	0	0	0	0	0	0	0	0	0	0	0
112	REDROCK 1 NNE	HDD	722	542	448	257	77	8	0	0	12	181	507	730	3484
		CDD	0	0	0	11	67	273	420	367	196	24	0	0	1358
114	ROSWELL AP	HDD	775	542	378	182	51	2	0	0	18	144	485	755	3332
		CDD	0	0	1	47	194	391	488	431	228	32	2	0	1814
115	ROY	HDD	995	774	670	442	206	52	7	14	95	371	702	973	5301
		CDD	0	0	0	3	28	146	225	182	56	1	0	0	641
116	RUIDOSO	HDD	940	781	722	524	322	108	53	74	193	467	734	933	5851
		CDD	0	0	0	0	6	37	38	28	6	0	0	0	115
117	SAN JON	HDD	851	636	481	259	81	6	0	1	27	188	546	822	3898
		CDD	0	0	0	27	123	327	436	377	181	16	0	0	1487
118	SANTA FE 2	HDD	1109	846	743	514	274	58	7	26	152	443	810	1091	6073
		CDD	0	0	0	0	14	86	154	112	47	1	0	0	414
119	SANTA ROSA	HDD	852	651	530	314	119	10	0	2	45	273	601	851	4248
		CDD	0	0	0	10	64	216	304	248	94	4	0	0	940




CLIMATOGRAPHY OF THE UNITED STATES NO. 81

NEW MEXICO

Page 20

No.	Station Name	Element	DEGREE DAYS (Total)												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
120	SHIPROCK	HDD	1064	781	609	390	164	28	1	3	64	339	722	1039	5204
		CDD	0	0	0	7	63	208	359	303	111	4	0	0	1055
121	SOCORRO	HDD	859	611	469	260	94	5	0	0	28	249	593	855	4023
		CDD	0	0	0	12	93	251	366	301	120	5	0	0	1148
122	SPRINGER	HDD	1066	829	711	487	241	49	3	10	112	408	767	1059	5742
		CDD	0	0	0	2	21	101	177	135	36	0	0	0	472
123	STANLEY 1 NNE	HDD	1103	850	745	519	267	57	3	19	133	451	790	1081	6018
		CDD	0	0	0	0	15	90	163	116	28	0	0	0	412
124	STAR LAKE	HDD	1220	911	795	575	321	76	4	20	157	511	870	1175	6635
		CDD	0	0	0	0	2	60	153	107	20	0	0	0	342
125	SUMNER LAKE	HDD	864	655	510	280	96	7	0	0	30	229	563	834	4068
		CDD	0	0	0	13	110	291	402	342	147	12	0	0	1317
126	TAOS	HDD	1235	951	821	590	345	93	8	29	163	491	864	1172	6762
		CDD	0	0	0	0	5	49	108	80	12	0	0	0	254
127	TATUM	HDD	816	621	487	263	84	7	0	3	53	213	543	792	3882
		CDD	0	0	0	25	120	290	372	323	158	19	2	0	1309
128	TIERRA AMARILLA 4 N	HDD	1375	1113	993	750	513	239	83	118	316	635	1002	1300	8437
		CDD	0	0	0	0	0	5	22	22	2	0	0	0	51
129	TRES PIEDRAS	HDD	1353	1108	984	737	493	204	75	123	302	624	988	1286	8277
		CDD	0	0	0	0	0	14	26	13	1	0	0	0	54
130	TRUTH OR CONSEQUENCES	HDD	726	509	385	192	52	1	0	0	9	145	473	736	3228
		CDD	0	0	2	32	167	402	471	392	220	32	1	0	1719
131	TUCUMCARI 4 NE	HDD	843	634	482	263	79	7	0	1	30	198	544	819	3900
		CDD	0	0	0	22	111	308	424	364	167	17	2	0	1415
132	TULAROSA	HDD	707	509	380	191	52	1	0	0	15	152	478	709	3194
		CDD	0	0	3	32	145	347	413	353	193	26	2	0	1514
134	VALMORA	HDD	1048	842	755	548	294	82	9	36	156	454	762	1021	6007
		CDD	0	0	0	0	8	64	125	95	19	0	0	0	311
136	WASTE ISOLTN PILOT PLT	HDD	665	463	301	124	29	0	0	0	8	85	391	636	2702
		CDD	0	0	7	77	259	480	548	499	276	73	5	0	2224
137	WHITE SANDS NATL MON	HDD	804	596	454	229	49	2	0	0	13	195	570	828	3740
		CDD	0	0	0	18	128	356	458	379	190	20	0	0	1549
138	WHITE SIGNAL	HDD	850	674	601	386	182	29	11	16	78	326	639	849	4641
		CDD	0	0	0	3	49	186	244	180	72	5	0	0	739
139	WINSTON	HDD	930	729	672	461	244	47	7	23	131	393	708	941	5286
		CDD	0	0	0	1	27	117	162	97	33	0	0	0	437
140	WOLF CANYON	HDD	1366	1135	1073	833	625	355	220	263	438	761	1085	1329	9483
		CDD	0	0	0	0	0	0	0	0	0	0	0	0	0
141	YESO 2 S	HDD	862	671	546	330	136	16	0	3	54	242	565	830	4255
		CDD	0	0	0	10	81	222	319	264	118	11	0	0	1025
142	ZUNI	HDD	1024	798	719	496	262	57	5	10	97	388	740	990	5586
		CDD	0	0	0	0	7	92	211	163	56	2	0	0	521




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 21

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
002	ABIQUIU DAM	HIGHEST MEAN	37.3	41.4	49.2	55.6	65.2	72.9	76.2	74.5	68.4	58.4	46.7	37.8	76.2
		MEDIAN	28.9	34.9	41.9	49.3	58.2	68.2	73.1	71.3	64.2	53.0	40.4	31.7	51.4
		LOWEST MEAN	21.8	29.2	37.7	44.0	55.5	64.1	70.7	69.0	61.8	46.8	34.3	21.9	21.8
		HIGHEST MEAN YEAR	1986	1995	1989	1989	1996	1990	1980	2000	1998	1979	1999	1980	1980
		LOWEST MEAN YEAR	1977	1985	1977	1975	1975	1983	1992	1993	1996	1984	2000	1976	1977
		MIN OBS TIME ADJUSTMENT	0.6	0.8	-0.1	0.0	-0.4	-0.3	-0.4	-0.5	-0.4	-0.4	0.3	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	45.9	52.4	59.0	65.7	76.9	83.5	83.2	81.4	77.3	65.1	54.8	46.8	83.5
		MEDIAN	41.7	46.2	52.9	60.5	68.9	78.0	80.1	77.6	71.0	62.4	50.5	41.9	61.1
		LOWEST MEAN	37.5	42.4	48.4	53.9	66.1	74.9	75.7	74.1	67.9	57.4	44.6	38.6	37.5
		HIGHEST MEAN YEAR	1980	1976	1974	2000	2000	1990	1980	1994	1998	1987	1999	1977	1990
		LOWEST MEAN YEAR	1992	1973	1973	1983	1992	1987	1976	1979	1991	1976	2000	1997	1992
		MIN OBS TIME ADJUSTMENT	-0.2	-0.1	-0.6	-0.4	-0.4	-0.4	-0.5	-0.4	-0.5	-0.7	-0.5	-0.4	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.2	0.3	0.2	0.1	0.0	-0.1	-0.1	-0.2	-0.1	0.1	
004	ALAMOGORDO	HIGHEST MEAN	45.9	52.4	59.0	65.7	76.9	83.5	83.2	81.4	77.3	65.1	54.8	46.8	83.5
		MEDIAN	41.7	46.2	52.9	60.5	68.9	78.0	80.1	77.6	71.0	62.4	50.5	41.9	61.1
		LOWEST MEAN	37.5	42.4	48.4	53.9	66.1	74.9	75.7	74.1	67.9	57.4	44.6	38.6	37.5
		HIGHEST MEAN YEAR	1980	1976	1974	2000	2000	1990	1980	1994	1998	1987	1999	1977	1990
		LOWEST MEAN YEAR	1992	1973	1973	1983	1992	1987	1976	1979	1991	1976	2000	1997	1992
		MIN OBS TIME ADJUSTMENT	-0.2	-0.1	-0.6	-0.4	-0.4	-0.4	-0.5	-0.4	-0.5	-0.7	-0.5	-0.4	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.2	0.3	0.2	0.1	0.0	-0.1	-0.1	-0.2	-0.1	0.1	
		HIGHEST MEAN	41.3	49.3	53.6	61.4	71.5	80.4	82.7	79.8	74.4	61.5	50.8	40.9	82.7
		MEDIAN	35.2	40.9	47.6	56.2	64.1	74.2	78.5	76.0	69.1	57.2	44.8	35.6	56.7
		LOWEST MEAN	29.8	35.9	43.2	49.9	60.5	72.4	74.7	72.7	65.9	51.6	39.4	31.9	29.8
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1996	1994	1980	1995	1998	1979	1995	1995	1980
		LOWEST MEAN YEAR	1977	1973	1977	1975	1978	1992	1986	1974	1985	1984	2000	1971	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
005	ALBUQUERQUE I	HIGHEST MEAN	41.3	49.3	53.6	61.4	71.5	80.4	82.7	79.8	74.4	61.5	50.8	40.9	82.7
		MEDIAN	35.2	40.9	47.6	56.2	64.1	74.2	78.5	76.0	69.1	57.2	44.8	35.6	56.7
		LOWEST MEAN	29.8	35.9	43.2	49.9	60.5	72.4	74.7	72.7	65.9	51.6	39.4	31.9	29.8
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1996	1994	1980	1995	1998	1979	1995	1995	1980
		LOWEST MEAN YEAR	1977	1973	1977	1975	1978	1992	1986	1974	1985	1984	2000	1971	1977
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		HIGHEST MEAN	43.2	49.2	54.8	61.6	71.8	80.0	80.6	79.3	74.5	61.5	51.0	43.2	80.6
		MEDIAN	39.1	43.5	50.0	56.8	64.8	74.1	77.8	74.8	68.6	58.5	46.8	38.8	58.0
		LOWEST MEAN	35.5	39.3	45.2	51.9	61.0	71.1	75.0	71.7	65.8	52.6	41.3	35.4	35.4
006	ALEMAN RANCH	HIGHEST MEAN	2000	1996	1972	1989	2000	1990	1980	1995	1998	1988	1995	1981	1980
		MEDIAN	43.2	49.2	54.8	61.6	71.8	80.0	80.6	79.3	74.5	61.5	51.0	43.2	80.6
		LOWEST MEAN	35.5	39.3	45.2	51.9	61.0	71.1	75.0	71.7	65.8	52.6	41.3	35.4	35.4
		HIGHEST MEAN YEAR	1973	1974	1977	1983	1975	1992	1975	1974	1974	1976	1972	1974	1974
		LOWEST MEAN YEAR	1973	1974	1977	1983	1975	1991	1986	1990	1976	1976	1976	1978	
		MIN OBS TIME ADJUSTMENT	-0.7	-0.7	-0.7	-0.5	-0.4	-0.3	-0.4	-0.3	-0.4	-0.5	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.6	-0.8	-0.9	-1.3	-0.7	-0.6	-0.7	-0.8	-0.8	-0.6	-0.7	-0.6	
		HIGHEST MEAN	40.0	44.4	49.5	58.0	68.3	78.1	80.8	79.1	72.7	58.2	49.3	41.2	80.8
		MEDIAN	32.7	36.5	43.6	52.7	60.8	70.9	75.2	73.8	65.6	55.3	42.3	33.7	53.4
		LOWEST MEAN	23.0	28.3	40.2	44.7	55.7	66.9	72.2	70.5	60.6	50.4	34.0	23.1	23.0
007	AMISTAD 5 SSW	HIGHEST MEAN	1986	2000	1972	1981	1996	1990	1980	2000	1998	1973	1999	1980	1980
		MEDIAN	32.7	36.5	43.6	52.7	60.8	70.9	75.2	73.8	65.6	55.3	42.3	33.7	53.4
		LOWEST MEAN	23.0	28.3	40.2	44.7	55.7	66.9	72.2	70.5	60.6	50.4	34.0	23.1	23.0
		HIGHEST MEAN YEAR	1979	1979	1984	1997	1983	1989	1972	1974	1974	1984	1972	1983	1979
		LOWEST MEAN YEAR	1979	1978	1984	1997	1983	1989	1972	1974	1974	1984	1972	1983	
		MIN OBS TIME ADJUSTMENT	1.5	1.9	1.3	0.0	0.0	0.0	-0.1	-0.2	0.6	0.6	0.6	1.6	
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.4	0.4	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.3	
		HIGHEST MEAN	48.3	52.2	58.2	64.0	75.2	81.5	81.9	81.3	76.4	64.9	56.6	46.2	81.9
		MEDIAN	42.0	46.3	51.6	58.7	67.0	75.7	78.7	76.2	71.5	61.5	49.3	42.6	60.3
		LOWEST MEAN	38.6	42.7	46.7	52.1	62.3	72.8	75.8	73.9	67.8	55.6	44.4	38.4	38.4
008	ANIMAS 3 ESE	HIGHEST MEAN	2000	2000	1972	1989	2000	1994	1994	1994	2000	1987	1999	1980	1994
		MEDIAN	48.3	52.2	58.2	64.0	75.2	81.5	81.9	81.3	76.4	64.9	56.6	46.2	81.9
		LOWEST MEAN	38.6	42.7	46.7	52.1	62.3	72.8	75.8	73.9	67.8	55.6	44.4	38.4	38.4
		HIGHEST MEAN YEAR	1992	1992	1972	1989	2000	1994	1994	1994	2000	1987	1999	1980	1994
		LOWEST MEAN YEAR	1992	1984	1977	1983	1975	1991	1986	1990	1976	1976	1976	1978	1978
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.5	-0.4	-0.3	-0.4	-0.4	-0.4	-0.6	-0.9	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.2	-1.4	-1.6	-1.1	-0.9	-1.0	-0.9	-1.1	-1.0	-1.0	-1.1	
		HIGHEST MEAN	41.3	47.2	53.8	59.3	72.6	79.8	81.4	79.2	73.3	61.2	49.9	41.4	81.4
		MEDIAN	36.7	40.0	47.4	55.0	64.0	73.8	76.6	74.6	67.5	57.2	45.7	36.7	56.1
		LOWEST MEAN	28.0	32.6	43.2	48.1	61.4	70.6	71.9	70.5	61.0	50.0	38.3	31.7	28.0
010	ARTESIA 6 S	HIGHEST MEAN	1999	2000	1974	1986	1996	1990	1980	2000	1998	1998	1999	1980	1980
		MEDIAN	33.7	39.4	46.8	53.5	64.0	72.2	74.7	73.4	64.0	52.6	40.1	34.0	33.7
		HIGHEST MEAN YEAR	1999	1995	1974	1986	1996	1990	1998	1994	1998	1998	1999	1994	1998
		LOWEST MEAN YEAR	1979	1973	1987	1983	1976	1979	1975	1971	1974	1976	1976	1997	1979
		MIN OBS TIME ADJUSTMENT	1.3	1.6	1.1	0.0	0.0	0.0	-0.1						




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 22

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
013	BEAVERHEAD R	HIGHEST MEAN	35.1	39.7	42.9	51.1	59.0	67.2	68.7	67.8	63.1	51.5	42.5	34.8	68.7
		MEDIAN	30.0	34.0	40.0	45.1	53.1	61.3	66.4	64.8	58.6	48.7	38.0	30.7	47.8
		LOWEST MEAN	26.1	29.6	34.2	38.8	49.1	58.2	64.1	62.4	55.7	43.8	31.9	26.9	26.1
		HIGHEST MEAN YEAR	1986	1996	1989	1989	2000	1994	1980	1994	1997	1987	1999	1980	1980
		LOWEST MEAN YEAR	1988	1974	1973	1973	1975	1991	1976	1979	1988	1976	1992	1974	1988
		MIN OBS TIME ADJUSTMENT	0.5	0.7	-0.1	0.0	-0.3	-0.2	-0.3	-0.2	-0.3	-0.4	0.3	0.4	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	42.5	46.7	52.3	60.0	71.8	80.3	82.5	79.5	73.2	60.9	50.1	43.8	82.5
		MEDIAN	36.3	40.5	47.2	55.6	63.8	73.6	77.4	75.7	68.4	57.6	45.6	36.5	56.3
		LOWEST MEAN	27.9	34.5	43.9	48.7	59.7	70.1	74.6	73.0	64.5	53.1	38.2	30.1	27.9
014	BELL RANCH	HIGHEST MEAN YEAR	1999	1999	1989	1981	1996	1990	1980	2000	1998	1977	1981	1980	1980
		LOWEST MEAN YEAR	1979	1989	1980	1973	1983	1983	1991	1971	1988	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.3	-1.0	-1.1	-0.9	-0.7	-0.5	-0.5	-0.5	-0.9	-1.1	-1.4	-1.5	
		MAX OBS TIME ADJUSTMENT	-1.9	-2.1	-2.5	-2.5	-2.0	-1.5	-1.3	-1.2	-2.2	-2.0	-2.3	-2.4	
		HIGHEST MEAN	40.2	46.5	51.1	57.6	69.3	77.0	77.5	76.9	70.7	59.5	49.5	40.1	77.5
		MEDIAN	35.4	39.7	46.4	52.9	61.2	71.0	73.8	72.1	65.2	55.2	42.6	34.7	54.4
		LOWEST MEAN	31.2	36.9	41.6	47.0	58.0	68.0	70.5	69.6	61.7	50.2	38.1	31.3	31.2
		HIGHEST MEAN YEAR	2000	1995	1972	1989	2000	1994	1980	1994	1998	1992	1999	1994	1980
		LOWEST MEAN YEAR	1987	1985	1991	1983	1975	1979	1991	1974	1988	1976	1979	1987	1987
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.6	-0.5	-0.4	-0.4	-0.4	-0.6	-0.6	-0.9	-0.9	
015	BINGHAM 2 NE	MAX OBS TIME ADJUSTMENT	-0.6	-0.9	-1.0	-1.5	-0.8	-0.7	-0.7	-0.5	-0.8	-0.8	-0.8	-0.7	
		HIGHEST MEAN	42.8	50.7	55.8	63.4	75.7	83.7	83.2	80.6	76.6	62.1	52.1	42.9	83.7
		MEDIAN	38.2	42.9	50.8	59.5	67.6	75.7	79.0	77.5	70.2	59.3	47.4	38.2	58.7
		LOWEST MEAN	32.8	39.2	47.1	52.8	62.2	72.3	73.2	73.1	63.0	52.3	40.8	32.3	32.3
		HIGHEST MEAN YEAR	1999	2000	1974	2000	1996	1990	1980	1995	1998	1998	1999	1994	1990
		LOWEST MEAN YEAR	1979	1978	1996	1983	1975	1979	1975	1974	1974	1976	1976	1989	1989
		MIN OBS TIME ADJUSTMENT	0.7	0.9	-0.1	-0.5	-0.4	-0.3	-0.4	-0.4	-0.3	-0.4	-0.6	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	-0.1	0.2	
		HIGHEST MEAN	41.9	48.9	57.9	61.9	71.6	78.6	81.5	79.6	74.8	62.1	52.1	41.2	81.5
		MEDIAN	37.2	42.5	49.8	56.5	65.1	73.4	77.3	76.0	68.5	58.5	46.1	36.8	57.6
018	BOSQUE DEL AP	LOWEST MEAN	33.5	38.1	43.3	49.2	60.5	70.2	74.5	72.5	63.5	53.0	40.2	30.9	30.9
		HIGHEST MEAN YEAR	1999	1996	1972	1989	2000	1990	2000	1995	1998	1988	1973	1980	2000
		LOWEST MEAN YEAR	1975	1974	1977	1973	1975	1992	1986	1975	1975	1976	1979	1992	1992
		MIN OBS TIME ADJUSTMENT	0.5	0.7	-0.1	0.0	-0.3	-0.2	-0.3	-0.4	-0.3	-0.4	0.2	0.4	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.2	-0.1	0.1	
		HIGHEST MEAN	41.6	47.3	52.7	59.1	71.8	79.0	80.5	77.5	71.9	59.9	50.7	43.7	80.5
		MEDIAN	36.1	39.9	47.1	55.3	62.8	72.1	75.9	73.1	66.5	56.8	45.0	36.7	55.7
		LOWEST MEAN	27.6	33.5	43.1	47.0	59.7	68.9	70.6	70.1	60.9	51.4	38.2	29.6	27.6
		HIGHEST MEAN YEAR	1986	2000	1974	1972	1996	1990	1980	1983	1998	1992	1999	1980	1980
		LOWEST MEAN YEAR	1979	1978	1987	1973	1973	1979	1975	1971	1974	1976	1972	1983	1979
021	CAMERON	MIN OBS TIME ADJUSTMENT	-1.1	-1.0	-1.0	-0.9	-0.7	-0.5	-0.4	-0.4	-0.8	-0.9	-1.1	-1.3	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.2	-1.1	-1.1	-1.1	-1.0	-0.7	-0.6	-1.1	-1.1	-0.7	-1.0	
		HIGHEST MEAN	40.0	43.6	48.2	55.1	66.2	72.2	71.4	68.9	66.2	54.6	47.2	42.0	72.2
		MEDIAN	35.1	37.7	43.6	50.2	57.9	66.2	67.9	66.0	60.0	52.0	42.5	36.1	51.1
		LOWEST MEAN	30.9	35.1	39.8	43.7	53.5	62.9	64.7	63.1	56.6	46.9	35.9	31.4	30.9
		HIGHEST MEAN YEAR	1999	2000	1972	1989	1996	1990	1994	1994	1998	1987	1999	1977	1990
		LOWEST MEAN YEAR	1992	1973	1987	1973	1983	1979	1975	1974	1974	1976	1972	1997	1992
		MIN OBS TIME ADJUSTMENT	-0.9	-0.8	-0.9	-0.6	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-1.0	-1.0	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.3	-1.6	-1.9	-1.3	-1.0	-1.0	-0.8	-1.4	-1.2	-1.2	-1.1	
		HIGHEST MEAN	48.5	55.6	59.6	67.5	78.2	85.2	86.2	83.5	78.9	65.7	57.4	50.0	86.2
024	CAPITAN	MEDIAN	43.6	47.2	54.9	62.8	71.2	79.3	82.0	80.0	73.3	63.4	52.3	43.6	62.6
		LOWEST MEAN	37.2	43.2	50.8	57.4	65.6	74.9	77.6	76.1	66.5	56.0	42.8	38.0	37.2
		HIGHEST MEAN YEAR	1999	2000	1974	1978	2000	1990	1998	1977	1998	1998	1999	1981	1998
		LOWEST MEAN YEAR	1992	1973	1987	1973	1983	1979	1975	1974	1974	1976	1972	1997	1992
		MIN OBS TIME ADJUSTMENT	-0.9	-0.8	-0.9	-0.6	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-1.0	-1.0	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.3	-1.6	-1.9	-1.3	-1.0	-1.0	-0.8	-1.4	-1.2	-1.2	-1.1	
		HIGHEST MEAN	48.6	55.4	60.8	70.6	79.3	85.7	85.9	84.6	80.2	66.2	56.5	50.0	85.9
		MEDIAN	42.4	46.9	54.6	63.2	71.2	79.3	81.4	79.4	72.5	62.9	50.9	43.8	61.9
		LOWEST MEAN	36.4	42.8	49.1	56.2	67.8	75.2	77.9	74.3	66.5	57.7	43.9	38.0	36.4
		HIGHEST MEAN YEAR	1999	2000	1974	1978	1996	1990	1998	1977	1977	1979	1999	1977	1998
026	CARLSBAD AP	LOWEST MEAN YEAR	1979	1985	1987	1983	1992	1987	1975	1971	1974	1976	1976	1989	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		HIGHEST MEAN	50.7	55.5	59.5	66.7	79.0	83.8	83.4	82.1	77.5	67.4	58.4	50.4	83.8
		MEDIAN	44.4	47.5	54.6	61.8	69.4	76.7	77.7	76.4	70.4	62.3	53.2	45.3	61.3
		LOWEST MEAN	36.0	41.7	49.3	55.2	65.5	71.4	71.4	71.1	62.8	56.1	45.2	38.8	36.0
		HIGHEST MEAN YEAR	2000	2000	1974	1986	1996	1994	1980	1999	1977	1979	1981	1981	1994
		LOWEST MEAN YEAR	1979	1978	1987	1997	1976	1986	1975	1971	1974	1976	1972	1989	1979
		MIN OBS TIME ADJUSTMENT	0.6	0.9	-0.1	-0.4	-0.4	-0.3	-0.4	-0.4	-0.3	-0.4	-0.5	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
027	CARLSBAD CAVE	HIGHEST MEAN	50.7	55.5	59.5	66.7	79.0	83.8	83.4	82.1	77.5	67.4	58.4	50.4	83.8
		MEDIAN	44.4	47.5	54.6	61.8	69.4	76.7	77.7	76.4	70.4	62.3	53.2	45.3	61.3
		LOWEST MEAN	36.0	41.7	49.3	55.2	65.5	71.4	71.4	71.1	62.8				




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 23

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
028	CARRIZOZO 1 S	HIGHEST MEAN	42.2	47.4	54.8	61.9	70.5	78.8	78.2	76.3	73.3	59.3	48.9	42.4	78.8
		MEDIAN	37.3	40.9	47.6	55.5	63.6	72.1	74.6	72.5	66.1	56.6	44.8	36.8	55.8
		LOWEST MEAN	32.4	37.6	42.8	47.7	58.7	68.7	71.7	69.7	63.5	50.8	37.7	33.0	32.4
		HIGHEST MEAN YEAR	1999	1996	1974	1989	1996	1990	1980	1995	1998	1998	1998	1977	1990
		LOWEST MEAN YEAR	1979	1985	1987	1983	1987	1979	1991	1979	1988	1976	2000	1997	1979
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.6	-0.5	-0.4	-0.4	-0.4	-0.5	-0.6	-0.9	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.6	-0.8	-1.0	-1.5	-0.8	-0.7	-0.7	-0.5	-1.0	-0.8	-0.7	-0.7	
		HIGHEST MEAN	30.8	36.5	41.3	48.5	57.3	64.6	69.0	66.6	61.4	50.6	39.8	34.8	69.0
		MEDIAN	22.1	27.5	35.6	43.6	51.3	60.5	65.2	63.5	57.2	47.2	34.0	24.2	44.2
		LOWEST MEAN	9.3	17.2	29.7	37.4	48.0	56.2	62.5	61.3	54.8	42.9	25.2	10.7	9.3
029	CERRO	HIGHEST MEAN YEAR	1986	1995	1972	1981	1996	1990	1980	2000	2000	1979	1973	1980	1980
		LOWEST MEAN YEAR	1984	1979	1984	1975	1995	1983	1986	1979	1993	1984	1992	1991	1984
		MIN OBS TIME ADJUSTMENT	-1.0	-0.8	-0.9	-0.8	-0.6	-0.5	-0.4	-0.5	-0.8	-0.9	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.4	-1.6	-1.7	-1.5	-1.2	-1.0	-0.9	-1.5	-1.1	-1.4	-1.3	
		HIGHEST MEAN	34.8	39.2	45.4	52.1	62.9	71.3	75.0	73.9	65.9	53.3	41.4	35.1	75.0
		MEDIAN	26.7	34.0	40.3	48.2	57.0	67.2	72.6	70.4	62.7	50.1	38.4	29.7	49.8
		LOWEST MEAN	21.6	29.6	36.9	43.2	53.7	62.4	69.2	68.7	59.1	46.8	31.6	19.0	19.0
		HIGHEST MEAN YEAR	1993	1995	1989	2000	1996	1974	1978	1995	1997	1972	1978	1980	1978
		LOWEST MEAN YEAR	1977	1974	1987	1973	1971	1983	1983	1987	1985	1984	1992	1990	1990
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.7	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-0.9	-0.9	
030	CHACO CANYON	MAX OBS TIME ADJUSTMENT	-0.9	-1.2	-1.4	-2.0	-1.2	-1.0	-0.8	-0.8	-1.2	-0.9	-1.1	-1.0	
		HIGHEST MEAN	34.8	39.2	45.4	52.1	62.9	71.3	75.0	73.9	65.9	53.3	41.4	35.1	75.0
		MEDIAN	26.7	34.0	40.3	48.2	57.0	67.2	72.6	70.4	62.7	50.1	38.4	29.7	49.8
		LOWEST MEAN	21.6	29.6	36.9	43.2	53.7	62.4	69.2	68.7	59.1	46.8	31.6	19.0	19.0
		HIGHEST MEAN YEAR	1993	1995	1989	2000	1996	1974	1978	1995	1997	1972	1978	1980	1978
		LOWEST MEAN YEAR	1977	1974	1987	1973	1971	1983	1983	1987	1985	1984	1992	1990	1990
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.7	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-0.9	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.2	-1.4	-2.0	-1.2	-1.0	-0.8	-0.8	-1.2	-0.9	-1.1	-1.0	
		HIGHEST MEAN	28.5	32.2	39.1	45.6	52.6	59.9	65.1	64.7	58.3	47.2	38.7	31.3	65.1
		MEDIAN	20.9	25.5	32.0	39.9	47.6	56.8	62.6	61.3	54.5	43.9	31.5	22.3	41.6
032	CHAMA	LOWEST MEAN	15.4	19.7	28.1	33.7	44.6	54.3	59.6	58.1	49.8	37.9	24.1	17.0	15.4
		HIGHEST MEAN YEAR	1981	2000	1972	2000	2000	1974	2000	2000	1998	1999	1999	1980	2000
		LOWEST MEAN YEAR	1979	1974	1980	1973	1995	1976	1992	1987	1986	1984	1992	1978	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-1.0	-0.9	-0.9	-0.6	-0.5	-0.4	-0.5	-0.8	-0.9	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.5	-1.6	-2.1	-2.6	-1.8	-1.4	-1.2	-1.2	-1.8	-1.6	-1.8	-1.8	
		HIGHEST MEAN	37.7	41.2	45.9	53.3	62.2	68.9	72.9	68.7	63.7	55.7	44.8	41.2	72.9
		MEDIAN	31.1	34.4	40.1	47.7	54.8	64.3	67.5	65.6	59.7	51.2	38.8	32.0	49.0
		LOWEST MEAN	25.2	28.9	36.2	38.1	51.9	60.7	65.1	61.7	56.9	44.0	30.7	25.9	25.2
		HIGHEST MEAN YEAR	1986	1976	1989	1981	1996	1990	1980	1980	2000	1979	1999	1980	1980
		LOWEST MEAN YEAR	1979	1982	1977	1973	1995	1995	1975	1981	1974	1984	1972	1983	1979
033	CIMARRON 4 SW	MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.8	-0.6	-0.5	-0.4	-0.5	-0.8	-0.9	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.5	-1.6	-1.7	-1.5	-1.2	-1.0	-1.0	-1.5	-1.1	-1.4	-1.3	
		HIGHEST MEAN	37.7	41.2	45.9	53.3	62.2	68.9	72.9	68.7	63.7	55.7	44.8	41.2	72.9
		MEDIAN	31.1	34.4	40.1	47.7	54.8	64.3	67.5	65.6	59.7	51.2	38.8	32.0	49.0
		LOWEST MEAN	25.2	28.9	36.2	38.1	51.9	60.7	65.1	61.7	56.9	44.0	30.7	25.9	25.2
		HIGHEST MEAN YEAR	1986	1976	1989	1981	1996	1990	1980	1980	2000	1979	1999	1980	1980
		LOWEST MEAN YEAR	1979	1982	1977	1973	1995	1995	1975	1981	1974	1984	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	-0.8	-0.9	-1.0	-0.8	-0.6	-0.5	-0.4	-0.5	-0.8	-0.9	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.0	-1.1	-1.0	-0.9	-0.8	-0.7	-0.5	-1.1	-0.9	-0.9	-0.8	
		HIGHEST MEAN	45.2	49.1	53.9	61.1	71.0	79.3	79.6	76.5	71.4	60.5	51.6	46.6	79.6
034	CIRCLE F RANC	MEDIAN	40.7	43.1	49.3	56.7	63.7	72.4	75.3	73.1	66.9	58.0	47.6	39.6	56.9
		LOWEST MEAN	34.6	38.9	45.5	50.1	59.0	69.4	72.2	69.6	61.5	51.9	41.1	35.5	34.6
		HIGHEST MEAN YEAR	1999	2000	1972	1989	1996	1990	1980	1995	1998	1992	1981	1980	1980
		LOWEST MEAN YEAR	1979	1978	1980	1973	1983	1979	1975	1971	1974	1976	1972	1997	1979
		MIN OBS TIME ADJUSTMENT	-0.9	-0.8	-0.9	-0.6	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-1.0	-1.0	
		MAX OBS TIME ADJUSTMENT	-0.7	-1.0	-1.1	-1.0	-0.9	-0.8	-0.7	-0.5	-1.1	-0.9	-0.9	-0.8	
		HIGHEST MEAN	41.7	44.8	49.7	57.9	66.1	75.7	78.9	76.6	69.5	57.0	49.3	43.2	78.9
		MEDIAN	34.2	37.6	43.5	51.9	59.9	69.6	73.8	71.7	64.4	54.9	42.6	35.3	53.1
		LOWEST MEAN	23.3	29.9	40.2	44.6	56.0	65.3	70.6	68.3	59.5	48.8	34.2	24.0	23.3
		HIGHEST MEAN YEAR	1986	2000	1986	1981	1996	1990	1980	1983	1998	1992	1999	1980	1980
035	CLAYTON MUNIC	LOWEST MEAN YEAR	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
		HIGHEST MEAN	41.6	47.3	51.3	57.3	65.9	74.3	77.6	75.9	70.4	58.1	48.6	42.2	77.6
		MEDIAN	37.8	41.0	46.3	52.8	60.4	69.6	74.2	72.1	66.1	55.7	43.9	37.4	55.0
		LOWEST MEAN	34.7	37.0	42.2	47.1	57.7	65.3	70.3	69.0	62.4	51.3	40.0	32.5	32.5
		HIGHEST MEAN YEAR	1981	1996	1972	1989	1984	1994	1980	1995	1997	1978	1995	1984	1980
		LOWEST MEAN YEAR	1992	1974	1977	1983	1975	1991	1987	1990	1988	1982	2000	1990	1990
		MIN OBS TIME ADJUSTMENT	-0.5	-0.5	-0.6	-0.5	-0.4	-0.3	-0.3	-0.3	-0.4	-0.4	-0.6	-0.6	-0.5
		MAX OBS TIME ADJUSTMENT	-0.2	-0.2	-0.3	-0.4	-0.2	-0.2	-0.2	-0.3	-0.3	-0.2	-0.3	-0.3	-0.2
037	CLINES CORNER	HIGHEST MEAN	37.3	40.6	44.4	50.8	63.0	72.1	72.2	70.3	64.4	54.3	44.9	39.1	72.2
		MEDIAN	30.0	33.8	38.9	45.6	54.9	64.6	68.6	67.0	60.1	50.6	38.4	31.6	48.5
		LOWEST MEAN	22.0	27.6	34.7	38.9	50.8	60.6	66.0	64.2</td					




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 24

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
039	CLOVIS	HIGHEST MEAN	42.9	49.1	55.4	61.7	72.8	80.9	82.5	79.0	75.0	62.5	52.7	45.1	82.5
		MEDIAN	38.2	42.4	48.8	57.0	65.1	73.6	77.7	75.4	68.6	58.5	47.7	39.2	57.5
		LOWEST MEAN	30.3	35.7	44.8	50.4	62.1	71.0	72.9	72.0	61.0	51.9	39.9	31.0	30.3
		HIGHEST MEAN YEAR	2000	2000	1972	1981	1996	1980	1980	2000	1998	1979	1999	1980	1980
		LOWEST MEAN YEAR	1979	1978	1987	1973	1976	1989	1975	1971	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.8	1.3	0.0	0.0	0.0	-0.1	-0.2	0.5	0.6	0.5	1.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.4	0.3	0.3	0.2	0.1	0.0	0.0	-0.1	0.0	0.3	
		HIGHEST MEAN	44.5	50.6	53.4	59.9	72.3	80.0	79.3	78.0	74.5	62.5	51.9	43.9	80.0
		MEDIAN	37.3	41.1	47.7	56.0	64.1	73.6	76.5	74.6	67.9	58.5	46.3	38.1	56.8
		LOWEST MEAN	30.9	34.0	44.0	49.1	60.2	68.3	72.9	71.1	62.7	52.5	38.5	29.3	29.3
		HIGHEST MEAN YEAR	1986	2000	1972	1978	1996	1990	1998	2000	1998	1998	1999	1980	1990
		LOWEST MEAN YEAR	1979	1978	1987	1973	1976	1979	1975	1971	1974	1976	1972	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.3	-1.1	-1.1	-0.7	-0.7	-0.5	-0.5	-0.5	-0.9	-1.0	-1.4	-1.6	
		MAX OBS TIME ADJUSTMENT	-1.9	-2.3	-2.5	-2.3	-2.0	-1.6	-1.3	-1.1	-2.1	-2.3	-1.7	-2.4	
040	CLOVIS 13 N	HIGHEST MEAN	44.5	50.6	53.4	59.9	72.3	80.0	79.3	78.0	74.5	62.5	51.9	43.9	80.0
		MEDIAN	37.3	41.1	47.7	56.0	64.1	73.6	76.5	74.6	67.9	58.5	46.3	38.1	56.8
		LOWEST MEAN	30.9	34.0	44.0	49.1	60.2	68.3	72.9	71.1	62.7	52.5	38.5	29.3	29.3
		HIGHEST MEAN YEAR	1986	2000	1972	1978	1996	1990	1998	2000	1998	1998	1999	1980	1990
		LOWEST MEAN YEAR	1979	1978	1987	1973	1976	1979	1975	1971	1974	1976	1972	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.3	-1.1	-1.1	-0.7	-0.7	-0.5	-0.5	-0.5	-0.9	-1.0	-1.4	-1.6	
		MAX OBS TIME ADJUSTMENT	-1.9	-2.3	-2.5	-2.3	-2.0	-1.6	-1.3	-1.1	-2.1	-2.3	-1.7	-2.4	
		HIGHEST MEAN	49.0	55.0	59.8	69.4	76.2	85.2	84.9	83.9	78.6	67.6	55.7	49.1	85.2
		MEDIAN	44.5	49.0	55.0	61.7	70.6	79.2	81.7	78.5	73.3	63.4	51.6	44.0	62.8
		LOWEST MEAN	39.3	45.0	49.3	54.7	66.1	75.4	77.5	75.1	69.4	55.8	45.0	39.8	39.3
		HIGHEST MEAN YEAR	1999	1996	1989	1989	2000	1994	1980	1994	1998	1987	1999	1981	1994
		LOWEST MEAN YEAR	1973	1973	1973	1983	1972	1973	1976	1990	1976	1976	1976	1976	1973
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.5	-0.4	-0.3	-0.4	-0.4	-0.4	-0.6	-0.9	-0.9	
		MAX OBS TIME ADJUSTMENT	-1.0	-1.2	-1.5	-1.6	-1.1	-0.9	-1.0	-0.9	-1.1	-1.0	-1.1	-1.2	
041	COLUMBUS	HIGHEST MEAN	49.0	55.0	59.8	69.4	76.2	85.2	84.9	83.9	78.6	67.6	55.7	49.1	85.2
		MEDIAN	44.5	49.0	55.0	61.7	70.6	79.2	81.7	78.5	73.3	63.4	51.6	44.0	62.8
		LOWEST MEAN	39.3	45.0	49.3	54.7	66.1	75.4	77.5	75.1	69.4	55.8	45.0	39.8	39.3
		HIGHEST MEAN YEAR	1999	1996	1989	1989	2000	1994	1980	1994	1998	1987	1999	1981	1994
		LOWEST MEAN YEAR	1973	1973	1973	1983	1972	1973	1976	1990	1976	1976	1976	1976	1973
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.5	-0.4	-0.3	-0.4	-0.4	-0.4	-0.6	-0.9	-0.9	
		MAX OBS TIME ADJUSTMENT	-1.0	-1.2	-1.5	-1.6	-1.1	-0.9	-1.0	-0.9	-1.1	-1.0	-1.1	-1.2	
		HIGHEST MEAN	43.1	49.3	54.3	61.2	73.3	81.9	84.4	81.9	76.4	62.6	53.7	43.8	84.4
		MEDIAN	36.8	40.8	48.2	57.2	65.5	75.0	79.3	77.3	69.4	60.0	46.3	37.7	58.0
		LOWEST MEAN	28.9	35.3	45.4	49.4	60.6	70.0	76.0	73.7	65.0	53.4	38.7	30.6	28.9
042	CONCHAS DAM	HIGHEST MEAN	2000	2000	1989	1992	1996	1990	1980	2000	1998	1979	1999	1980	1980
		MEDIAN	1979	1985	1984	1973	1983	1983	1975	1971	1974	1984	1972	1983	1979
		LOWEST MEAN	1979	1985	1984	1973	1983	1983	1975	1971	1974	1984	1972	1983	1979
		HIGHEST MEAN YEAR	1999	1996	1989	2000	1984	1994	1996	1995	1983	1988	1999	1980	1996
		LOWEST MEAN YEAR	1977	1974	1977	1973	1975	1979	1973	1979	1973	1984	1979	1974	1977
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.8	-0.7	-0.5	-0.3	-0.4	-0.4	-0.5	-0.6	-0.8	-0.7	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.7	-0.9	-1.5	-0.8	-0.7	-0.6	-0.5	-0.7	-0.5	-0.7	-0.5	
		HIGHEST MEAN	43.1	49.0	55.8	62.5	73.2	80.7	81.2	78.7	74.2	62.1	52.7	44.1	81.2
		MEDIAN	38.4	42.2	49.1	57.0	65.3	73.9	77.1	74.8	67.8	58.8	47.2	38.9	57.5
		LOWEST MEAN	32.7	36.0	44.9	51.1	62.5	71.4	71.6	71.1	62.6	52.0	40.9	33.0	32.7
043	CORRALES	HIGHEST MEAN	1999	2000	1974	1989	1996	1990	1980	2000	1977	1998	1999	1980	1980
		MEDIAN	1977	1974	1977	1973	1975	1979	1973	1979	1973	1984	1979	1974	1977
		LOWEST MEAN	1979	1985	1984	1997	1999	1983	1973	1983	1973	1984	1979	1974	1977
		HIGHEST MEAN YEAR	1999	1995	1989	1989	1996	1996	1994	1995	1998	1988	1991	1980	1996
		LOWEST MEAN YEAR	1979	1974	1977	1973	1975	1979	1973	1979	1973	1984	1979	1974	1977
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.8	-0.7	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-0.9	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.7	-0.9	-1.4	-0.8	-0.7	-0.6	-0.5	-0.7	-0.5	-0.7	-0.6	
		HIGHEST MEAN	31.4	36.7	42.4	50.8	56.5	66.0	69.3	69.6	61.3	50.2	40.6	35.3	69.6
		MEDIAN	25.8	30.9	37.4	45.0	52.4	61.0	66.9	65.8	58.6	46.7	35.7	27.6	46.0
		LOWEST MEAN	18.0	26.3	32.4	37.6	49.3	57.8	64.7	62.5	55.0	40.8	28.8	22.5	18.0
044	CROSSROADS 2	HIGHEST MEAN	1986	1995	1989	1989	1996	1996	1994	1995	1998	1988	1991	1980	1995
		MEDIAN	1979	1974	1977	1973	1999	1998	1986	1990	1986	1984	1972	1974	1979
		LOWEST MEAN	1979	1985	1988	1989	1996	1990	1980	2000	1983	1998	1995	1980	1980
		HIGHEST MEAN YEAR	1999	2000	1974	1989	1996	1994	1993	1995	1998	1988	1991	1980	1995
		LOWEST MEAN YEAR	1979	1974	1977	1973	1983	1979	1975	1974	1985	1984	1979	1992	1992
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.7	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-0.9	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.2	-1.4	-2.0	-1.3	-1.0	-0.9	-0.8	-1.2	-0.9	-1.1	-1.0	
		HIGHEST MEAN	38.1	42.5	47.4	55.0	66.0	72.3	74.2	73.4	67.6	54.6	45.7	36.6	74.2
		MEDIAN	31.3	35.6	41.8	49.4	57.8	66.8	71.1	68.7	62.3	51.8	39.4	32.1	50.9
		LOWEST MEAN	26.9	31.2	36.6	42.2	54.0	64.3	68.8	66.2	58.8	46.7	34.5	26.5	26.5
046	CUBERO	HIGHEST MEAN	1999	1995	1989	1989	1996	1994	1993	1995	1998	1988	1991	1980	1993
		MEDIAN	1979	1974	1977	1973	1983	1979	1975	1974	1985	1984	1979	1992	1993
		LOWEST MEAN	1979	1974	1977	1973	1983	1979	1975	1974	1985	1984	1979	1992	1992
		HIGHEST MEAN YEAR	1999	1995	1989	1989	1996	1994	1993	1995	1998	1988	1991	1980	1993
		LOWEST MEAN YEAR	1979	1974	1977	1973	1983	1979							




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 25

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
049	DULCE	HIGHEST MEAN	31.5	36.8	41.2	48.0	56.3	63.8	69.3	69.3	61.3	50.5	38.8	34.4	69.3
		MEDIAN	24.5	29.7	37.2	43.4	51.2	58.9	65.8	64.4	57.8	46.8	34.6	26.2	45.1
		LOWEST MEAN	16.5	21.1	32.3	37.8	47.0	55.0	61.7	60.6	53.1	42.5	28.7	17.8	16.5
		HIGHEST MEAN YEAR	1986	1995	1999	1987	2000	1996	1998	1995	1998	1972	1999	1980	1998
		LOWEST MEAN YEAR	1984	1979	1979	1973	1971	1983	1982	1975	1975	1984	1979	1978	1984
		MIN OBS TIME ADJUSTMENT	-0.9	-0.9	-0.8	-0.8	-0.5	-0.4	-0.4	-0.4	-0.7	-0.8	-1.1	-1.0	
		MAX OBS TIME ADJUSTMENT	-1.4	-1.4	-1.9	-2.3	-1.6	-1.3	-1.1	-1.1	-1.6	-1.4	-1.6	-1.6	
		HIGHEST MEAN	27.7	34.1	36.5	42.7	52.3	59.3	62.3	61.1	55.2	45.2	35.5	32.2	62.3
		MEDIAN	19.0	23.3	31.1	38.6	46.7	55.1	59.8	58.7	51.8	42.1	31.3	21.7	39.8
		LOWEST MEAN	12.4	15.4	23.6	31.2	42.9	52.4	57.2	54.4	48.4	37.9	23.7	9.2	9.2
		HIGHEST MEAN YEAR	1999	1995	1986	1989	1996	1981	1980	1995	1997	1972	1995	1980	1980
		LOWEST MEAN YEAR	1992	1974	1987	1973	1975	1983	1995	1974	1971	1984	1992	1976	1976
		MIN OBS TIME ADJUSTMENT	1.2	1.5	1.2	0.0	0.0	0.0	-0.1	-0.2	0.4	0.4	1.0	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.0	0.2	
050	EAGLE NEST	HIGHEST MEAN	27.7	34.1	36.5	42.7	52.3	59.3	62.3	61.1	55.2	45.2	35.5	32.2	62.3
		MEDIAN	19.0	23.3	31.1	38.6	46.7	55.1	59.8	58.7	51.8	42.1	31.3	21.7	39.8
		LOWEST MEAN	12.4	15.4	23.6	31.2	42.9	52.4	57.2	54.4	48.4	37.9	23.7	9.2	9.2
		HIGHEST MEAN YEAR	1999	1995	1986	1989	1996	1981	1980	1995	1997	1972	1995	1980	1980
		LOWEST MEAN YEAR	1992	1974	1987	1973	1975	1983	1995	1974	1971	1984	1992	1976	1976
		MIN OBS TIME ADJUSTMENT	1.2	1.5	1.2	0.0	0.0	0.0	-0.1	-0.2	0.4	0.4	1.0	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.4	0.3	0.2	0.1	0.0	-0.1	0.0	0.0	0.2	
		HIGHEST MEAN	36.8	39.3	44.7	50.2	57.8	67.6	70.7	69.5	63.6	51.9	41.3	37.7	70.7
		MEDIAN	28.8	33.0	39.1	46.0	53.3	62.8	68.3	66.1	59.8	49.1	37.4	30.3	47.8
		LOWEST MEAN	23.4	26.8	34.2	40.9	50.7	59.6	64.8	63.6	55.9	43.4	30.5	24.0	23.4
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1984	1974	1980	1995	1998	1978	1999	1980	1980
		LOWEST MEAN YEAR	1977	1985	1987	1973	1995	1991	1992	1990	1996	1984	1992	1990	1977
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.7	-0.5	-0.3	-0.3	-0.4	-0.5	-0.6	-0.9	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.1	-1.4	-1.8	-1.2	-0.9	-0.8	-0.9	-1.0	-0.8	-1.1	-1.0	
051	EL MORRO NATL	HIGHEST MEAN	39.3	41.3	45.5	54.7	62.7	68.8	72.0	72.0	67.1	55.4	45.6	39.5	72.0
		MEDIAN	29.0	33.8	40.6	47.9	55.7	64.8	69.8	68.3	62.2	51.6	39.2	30.8	49.6
		LOWEST MEAN	22.9	30.6	36.0	42.2	52.0	60.9	67.3	65.9	59.2	45.1	32.9	25.3	22.9
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1984	1974	1980	1995	1998	1978	1999	1980	1980
		LOWEST MEAN YEAR	1988	1975	1977	1973	1995	1995	1992	1990	1996	1984	1992	1990	1988
		MIN OBS TIME ADJUSTMENT	-1.0	-0.8	-0.9	-0.8	-0.6	-0.4	-0.4	-0.4	-0.7	-0.8	-1.1	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.0	-1.4	-1.6	-2.3	-1.4	-1.1	-1.0	-0.9	-1.5	-1.1	-1.4	-1.2	
		HIGHEST MEAN	30.4	36.8	40.5	49.0	55.7	64.3	70.0	68.6	62.2	50.3	38.7	34.3	70.0
		MEDIAN	22.8	29.7	36.8	42.8	51.2	61.1	66.8	65.3	57.6	46.4	34.8	26.0	45.2
		LOWEST MEAN	16.8	19.8	32.1	38.2	48.3	56.7	64.1	62.1	54.0	42.3	29.4	20.7	16.8
052	EL RITO	HIGHEST MEAN	39.3	41.3	45.5	54.7	62.7	68.8	72.0	72.0	67.1	55.4	45.6	39.5	72.0
		MEDIAN	29.0	33.8	40.6	47.9	55.7	64.8	69.8	68.3	62.2	51.6	39.2	30.8	49.6
		LOWEST MEAN	22.9	30.6	36.0	42.2	52.0	60.9	67.3	65.9	59.2	45.1	32.9	25.3	22.9
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1996	1971	2000	2000	1990	1992	1999	1980	2000
		LOWEST MEAN YEAR	1988	1975	1977	1973	1995	1995	1986	1976	1986	1984	2000	1992	1988
		MIN OBS TIME ADJUSTMENT	-1.0	-0.8	-0.9	-0.8	-0.6	-0.4	-0.4	-0.4	-0.7	-0.8	-1.1	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.0	-1.4	-1.6	-2.3	-1.4	-1.1	-1.0	-0.9	-1.5	-1.1	-1.4	-1.2	
		HIGHEST MEAN	30.4	36.8	40.5	49.0	55.7	64.3	70.0	68.6	62.2	50.3	38.7	34.3	70.0
		MEDIAN	22.8	29.7	36.8	42.8	51.2	61.1	66.8	65.3	57.6	46.4	34.8	26.0	45.2
		LOWEST MEAN	16.8	19.8	32.1	38.2	48.3	56.7	64.1	62.1	54.0	42.3	29.4	20.7	16.8
053	EL VADO DAM	HIGHEST MEAN	30.4	36.8	40.5	49.0	55.7	64.3	70.0	68.6	62.2	50.3	38.7	34.3	70.0
		MEDIAN	22.8	29.7	36.8	42.8	51.2	61.1	66.8	65.3	57.6	46.4	34.8	26.0	45.2
		LOWEST MEAN	16.8	19.8	32.1	38.2	48.3	56.7	64.1	62.1	54.0	42.3	29.4	20.7	16.8
		HIGHEST MEAN YEAR	1999	1995	1972	1989	1996	2000	1998	1995	1998	1987	1978	1980	1998
		LOWEST MEAN YEAR	1973	1974	1977	1973	1975	1975	1995	1974	1985	1984	2000	1978	1973
		MIN OBS TIME ADJUSTMENT	0.5	0.8	-0.1	0.0	-0.4	-0.3	-0.3	-0.5	-0.3	-0.4	0.3	0.4	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
		HIGHEST MEAN	46.7	50.5	57.2	66.1	75.4	83.1	83.6	80.7	78.2	64.6	53.8	45.0	83.6
		MEDIAN	39.9	44.4	51.8	58.7	68.1	77.7	80.2	77.0	71.4	61.1	48.4	39.5	60.0
		LOWEST MEAN	34.8	39.2	45.9	52.9	64.8	73.9	76.4	74.2	67.8	55.9	42.9	36.1	34.8
054	ELEPHANT BUTT	HIGHEST MEAN	2000	1996	1972	1989	1996	1994	1980	1994	1998	1988	1999	1977	1980
		MEDIAN	1973	1974	1973	1973	1975	1975	1995	1974	1985	1976	1976	1974	1973
		LOWEST MEAN	0.5	0.7	-0.1	0.0	-0.3	-0.2	-0.3	-0.2	-0.3	-0.4	0.2	0.4	
		HIGHEST MEAN YEAR	1973	1974	1973	1973	1975	1975	1986	1974	1975	1976	1976	1974	1974
		LOWEST MEAN YEAR	-0.8	-1.1	-1.2	-1.1	-1.0	-0.9	-0.7	-0.6	-1.3	-0.9	-0.6	-0.9	
		MIN OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.2	-0.8	-0.7	
		MAX OBS TIME ADJUSTMENT	-0.7	-0.9	-1.0	-1.4	-0.8	-0.7	-0.8	-0.5	-1.0	-0.7	-0.8	-0.7	
		HIGHEST MEAN	41.9	45.3	51.0	55.9	66.6	72.5	73.3	70.2	66.2	57.1	48.3	42.6	73.3
		MEDIAN	37.2	39.7	45.2	51.9	59.3	66.7	69.1	67.4	61.7	53.1	43.9	37.1	52.8
		LOWEST MEAN	32.6	35.3	41.3	45.8	54.4	63.9	65.6	64.6	58.5	47.4	36.4	32.5	32.5
055	ELIDA	HIGHEST MEAN	1999	2000	1974	1972	1996	1980	1980	1977	1983	1979	1998	1977	1980
		MEDIAN	1979	1978	1987	1973	1973	1992	1991	1971	1974	1976	1972	1983	1979
		LOWEST MEAN	-1.0	-0.9	-1.0	-0.7	-0.6	-0.5	-0.4	-0.4	-0.6	-0.8	-1.0	-1.2	
		HIGHEST MEAN YEAR	1979	1978	1987	1973	1973	1992	1991	1971	1974	1976	1972	1983	1979
		LOWEST MEAN YEAR	-0.8	-1.1	-1.2	-1.1	-1.0	-0.9	-0.7	-0.6	-1.3	-0.9	-0.6	-0.9	</td




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 26

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
059	FAYWOOD	HIGHEST MEAN	46.0	50.4	56.0	62.6	70.4	78.2	80.6	78.0	72.1	62.4	53.4	45.7	80.6
		MEDIAN	41.2	44.4	49.6	55.9	63.8	72.8	76.1	74.2	69.1	58.8	47.7	40.9	58.1
		LOWEST MEAN	37.5	41.1	43.7	47.9	61.5	67.8	72.8	70.1	66.2	53.8	43.0	37.8	37.5
		HIGHEST MEAN YEAR	2000	1996	1972	1989	2000	1994	1980	1977	2000	1988	1999	1977	1980
		LOWEST MEAN YEAR	1979	1973	1977	1983	1991	1983	1991	1990	1996	1976	2000	1997	1979
		MIN OBS TIME ADJUSTMENT	-0.7	-0.7	-0.7	-0.5	-0.4	-0.3	-0.4	-0.3	-0.4	-0.5	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.6	-0.8	-0.9	-1.3	-0.7	-0.6	-0.7	-0.7	-0.8	-0.6	-0.7	-0.6	
		HIGHEST MEAN	38.0	40.1	44.6	52.1	59.5	68.0	71.4	70.7	65.3	54.0	43.8	37.2	71.4
		MEDIAN	30.1	34.9	39.8	46.5	54.8	63.7	68.5	66.2	60.5	49.8	38.0	30.7	48.5
		LOWEST MEAN	24.7	28.8	34.8	40.6	50.2	60.7	66.0	63.9	56.8	44.2	32.2	25.3	24.7
		HIGHEST MEAN YEAR	1986	1995	1999	1989	1996	1974	1996	1995	1998	1988	1999	1980	1996
		LOWEST MEAN YEAR	1973	1985	1973	1983	1971	1991	1987	1974	1985	1984	1992	1990	1973
		MIN OBS TIME ADJUSTMENT	-0.8	-0.6	-0.7	-0.5	-0.4	-0.3	-0.3	-0.4	-0.5	-0.6	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.1	-1.3	-1.6	-1.1	-0.9	-0.9	-0.9	-1.0	-0.8	-1.0	-0.9	
		HIGHEST MEAN	43.7	48.8	57.4	63.1	71.2	81.9	81.6	80.2	75.0	63.9	52.6	46.3	81.9
		MEDIAN	39.9	43.8	49.8	56.6	65.0	74.3	78.4	75.7	70.1	59.7	47.9	39.6	58.6
		LOWEST MEAN	35.9	39.2	44.5	49.6	60.4	71.1	74.6	72.0	67.2	54.1	42.6	35.8	35.8
		HIGHEST MEAN YEAR	2000	1996	1989	1989	1996	1990	1980	1994	1983	1987	1999	1981	1990
		LOWEST MEAN YEAR	1973	1974	1977	1973	1975	1973	1976	1974	1975	1976	1976	1976	1976
		MIN OBS TIME ADJUSTMENT	0.5	0.7	-0.1	0.0	-0.3	-0.2	-0.3	-0.2	-0.3	-0.4	0.3	0.4	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.2	0.0	0.1	
		HIGHEST MEAN	45.0	47.8	52.7	60.0	68.1	76.6	76.9	74.0	70.9	61.6	52.2	43.5	76.9
		MEDIAN	39.0	42.3	46.9	53.0	61.4	70.7	72.9	70.9	66.3	57.0	45.7	39.1	55.6
		LOWEST MEAN	34.8	38.1	41.3	47.0	57.9	67.6	69.9	68.0	62.9	52.1	39.7	35.6	34.8
		HIGHEST MEAN YEAR	1986	1996	1972	1989	2000	1994	1978	1995	2000	1988	1999	1981	1978
		LOWEST MEAN YEAR	1973	1973	1973	1983	1971	1991	1991	1990	1972	1976	1972	1997	1973
		MIN OBS TIME ADJUSTMENT	-0.7	-0.7	-0.7	-0.5	-0.4	-0.3	-0.4	-0.3	-0.4	-0.5	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.6	-0.8	-0.9	-1.3	-0.7	-0.6	-0.7	-0.7	-0.8	-0.6	-0.7	-0.6	
		HIGHEST MEAN	37.2	42.3	49.2	55.6	65.6	72.9	78.7	76.3	70.1	56.5	44.8	37.1	78.7
		MEDIAN	30.7	36.4	43.6	51.3	59.4	69.1	75.0	73.0	64.9	53.7	40.1	31.5	52.4
		LOWEST MEAN	24.3	30.6	39.7	45.9	51.6	64.6	71.0	66.1	61.7	48.4	34.4	22.5	22.5
		HIGHEST MEAN YEAR	1999	1996	1999	1992	2000	2000	1996	1995	1998	1979	1973	1999	1996
		LOWEST MEAN YEAR	1973	1974	1987	1973	1975	1973	1993	1975	1993	1984	1979	1990	1990
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.7	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-1.0	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.2	-1.4	-2.0	-1.3	-1.0	-0.9	-1.1	-1.2	-0.9	-1.0	-1.0	
		HIGHEST MEAN	45.8	50.9	57.1	65.4	73.8	83.1	82.5	83.1	76.9	65.3	55.1	45.3	83.1
		MEDIAN	41.9	45.7	51.3	58.3	67.1	76.4	79.8	77.7	71.5	61.2	48.8	41.1	60.1
		LOWEST MEAN	37.4	40.5	46.1	51.5	62.3	73.2	76.7	73.8	68.2	55.7	43.8	37.4	37.4
		HIGHEST MEAN YEAR	1999	1996	1989	1989	2000	1994	1980	1994	1998	1988	1999	1980	1994
		LOWEST MEAN YEAR	1973	1974	1987	1973	1975	1973	1986	1990	1975	1976	2000	1988	1973
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.5	-0.4	-0.3	-0.4	-0.4	-0.6	-0.7	-1.0	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.2	-1.4	-1.6	-1.1	-0.9	-1.0	-0.9	-1.1	-1.0	-1.1	-1.0	
		HIGHEST MEAN	45.8	50.9	57.1	65.4	73.8	83.1	82.5	83.1	76.9	65.3	55.1	45.3	83.1
		MEDIAN	41.9	45.7	51.3	58.3	67.1	76.4	79.8	77.7	71.5	61.2	48.8	41.1	60.1
		LOWEST MEAN	37.4	40.5	46.1	51.5	62.3	73.2	76.7	73.8	68.2	55.7	43.8	37.4	37.4
		HIGHEST MEAN YEAR	1999	1996	1989	1989	2000	1994	1980	1994	1998	1988	1999	1980	1994
		LOWEST MEAN YEAR	1973	1974	1973	1975	1975	1979	1986	1990	1975	1976	2000	1988	1973
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.5	-0.4	-0.3	-0.4	-0.4	-0.6	-0.7	-1.0	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.2	-1.4	-1.6	-1.1	-0.9	-1.0	-0.9	-1.5	-1.1	-1.4	-1.2	
		HIGHEST MEAN	33.9	39.0	43.9	50.5	59.0	68.2	72.4	71.3	65.1	52.5	40.3	35.8	72.4
		MEDIAN	27.1	33.0	38.6	45.2	53.5	63.6	70.0	67.8	60.8	48.6	36.9	28.4	47.8
		LOWEST MEAN	21.7	28.3	34.3	38.4	49.5	60.8	67.1	65.8	56.6	44.0	31.0	19.6	19.6
		HIGHEST MEAN YEAR	1993	1995	1972	1989	1984	1980	2000	1994	1997	1988	1999	1980	2000
		LOWEST MEAN YEAR	1977	1974	1977	1983	1975	1992	1992	1987	1985	1982	2000	1990	1990
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		HIGHEST MEAN	36.7	37.7	41.4	47.1	56.6	63.4	65.4	61.9	57.9	49.5	42.2	39.3	65.4
		MEDIAN	30.4	30.5	35.8	41.1	48.3	56.8	60.3	59.0	53.7	45.0	36.5	30.7	44.2
		LOWEST MEAN	22.0	25.7	30.0	34.2	43.6	52.7	55.3	54.5	48.0	40.9	28.8	24.2	22.0
		HIGHEST MEAN YEAR	1986	1995	1972	1981	1996	1980	1980	1977	2000	1979	1999	1980	1980
		LOWEST MEAN YEAR	1988	1990	1988	1973	1993	1987	1988	1987	1988	1984	1992	1987	1988
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.8	-0.6	-0.5	-0.4	-0.4	-0.7	-0.8	-1.1	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.0	-1.4	-1.6	-1.7	-1.5	-1.1	-1.0	-0.9	-1.5	-1.1	-1.4	-1.2	
		HIGHEST MEAN	41.0	45.1	48.3	55.0	61.9	69.8	72.3	72.0	67.0	56.8	46.9	39.9	72.3
		MEDIAN	36.5	39.4	44.4	49.9	57.1	65.3	70.1	68.6	63.0	53.3	43.2	36.5	52.4
		LOWEST MEAN	32.7	35.4	39.2	45.2	53.9	62.1	67.9	65.8	60.5	49.3	38.0	32.5	32.5
		HIGHEST MEAN YEAR	1993	1996	1972	1989	2000	1990	1971	1994	1983	1988	1995	1994	1971
		LOWEST MEAN YEAR	1979	1974	1977	1975	1971	1982	1976	1974	1988	1976	1992	1974	1974
		MIN OBS TIME ADJUSTMENT	-0.7	-0.7	-0.7	-0.5	-0.4	-0.3	-0.4	-0.3	-0.4	-0.5	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.6	-0.8	-0.9	-1.3	-0.7	-0.6	-0.7	-0.7	-0.8	-0.6	-0.6	-0.6	
		HIGHEST MEAN	40.4	44.9	51.2	58.4	68.2	75.4	75.8	73.3	69.1	58.8	49.4	42.3	75.8
		MEDIAN	35.0	39.0	44.6	51.5	59.7	69.0	71.7	69.9	64.1	55.0	42.5	35.3	53.3
		LOWEST MEAN	30.2	35.6	40.3	44.7	56.0	65.2	69.0	67.2	61.0	49.8	36.6	29.9	29.9
		HIGHEST MEAN YEAR	2000	1995	1972	1989	1996	1990	1980	1995	1997	1988	1999	1	




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 27

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
073	GRANTS MILAN	HIGHEST MEAN	37.0	42.3	47.5	54.9	63.9	71.6	74.3	73.4	67.2	55.0	44.6	37.6	74.3
		MEDIAN	30.3	35.7	42.0	48.8	57.8	67.1	71.7	69.3	63.2	51.9	39.9	32.2	50.8
		LOWEST MEAN	25.0	31.2	37.2	43.0	53.4	63.9	69.3	67.3	58.2	46.8	34.4	24.8	24.8
		HIGHEST MEAN YEAR	1986	1995	1989	1992	1996	1990	1996	1995	1997	1988	1995	1977	1996
		LOWEST MEAN YEAR	1977	1994	1977	1973	1975	1983	1987	1993	1975	1984	2000	1990	1990
		MIN OBS TIME ADJUSTMENT	0.5	0.7	-0.1	0.0	-0.3	-0.2	-0.3	-0.2	-0.3	-0.4	0.3	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	-0.1	0.1	
		HIGHEST MEAN	47.0	52.7	57.0	65.1	73.2	83.1	82.5	81.0	76.5	64.4	54.1	48.5	83.1
		MEDIAN	42.7	46.1	51.6	58.7	66.8	76.0	78.7	76.5	71.8	61.4	49.6	42.4	60.2
		LOWEST MEAN	38.4	41.6	47.4	52.1	62.3	73.2	76.0	73.5	68.8	56.0	44.9	39.1	38.4
		HIGHEST MEAN YEAR	1971	1996	1989	1989	1996	1990	1980	1994	1997	1987	1995	1980	1990
		LOWEST MEAN YEAR	1992	1974	1987	1973	1975	1991	1986	1974	1976	1976	1972	1997	1992
		MIN OBS TIME ADJUSTMENT	-0.7	-0.7	-0.7	-0.5	-0.4	-0.3	-0.4	-0.3	-0.4	-0.5	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.6	-0.8	-0.9	-1.2	-0.7	-0.6	-0.7	-0.7	-0.8	-0.6	-0.7	-0.7	
		HIGHEST MEAN	33.5	37.6	41.4	49.4	57.8	66.8	68.3	66.7	62.0	52.1	42.5	38.1	68.3
		MEDIAN	29.5	32.3	37.9	44.1	52.0	61.3	65.3	63.5	58.1	48.1	37.2	29.9	46.8
		LOWEST MEAN	25.4	28.1	33.5	37.2	47.5	57.7	63.6	61.8	55.2	41.4	32.3	25.3	25.3
		HIGHEST MEAN YEAR	1986	1996	1989	1989	2000	1990	1972	1994	1997	1979	1999	1980	1972
		LOWEST MEAN YEAR	1976	1975	1977	1973	1971	1983	1992	1984	1985	1984	2000	1971	1971
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.5	-0.4	-0.3	-0.3	-0.4	-0.5	-0.6	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.1	-1.4	-1.6	-1.1	-0.9	-0.9	-0.9	-1.0	-0.8	-1.0	-0.9	
		HIGHEST MEAN	47.8	54.6	61.6	67.8	77.9	84.8	86.0	82.0	77.5	66.6	56.4	48.9	86.0
		MEDIAN	43.5	47.9	54.2	62.7	70.2	77.5	80.4	78.1	72.3	63.3	51.5	43.5	62.1
		LOWEST MEAN	36.6	42.5	48.7	57.0	66.6	73.7	74.8	72.9	66.0	56.9	44.9	37.6	36.6
		HIGHEST MEAN YEAR	1986	1976	1974	1986	2000	1990	1998	1999	1998	1979	1981	1977	1998
		LOWEST MEAN YEAR	1985	1978	1987	1983	1976	1979	1976	1971	1974	1976	2000	1983	1985
		MIN OBS TIME ADJUSTMENT	-1.2	-1.1	-1.1	-0.7	-0.6	-0.5	-0.4	-0.4	-0.7	-0.9	-1.2	-1.4	
		MAX OBS TIME ADJUSTMENT	-1.5	-1.9	-2.1	-1.7	-1.6	-1.3	-1.1	-0.8	-1.6	-1.6	-1.0	-1.6	
		HIGHEST MEAN	48.6	56.6	62.3	69.2	78.4	85.2	85.6	84.7	79.8	68.3	57.3	50.3	85.6
		MEDIAN	43.8	49.3	56.7	64.8	72.1	79.8	82.3	80.2	73.7	64.5	53.2	45.6	63.8
		LOWEST MEAN	37.7	44.4	51.7	59.0	68.6	76.1	77.3	76.2	66.5	58.2	45.2	40.0	37.7
		HIGHEST MEAN YEAR	2000	2000	1974	1972	1996	1990	1998	1977	1977	1998	1999	1981	1998
		LOWEST MEAN YEAR	1979	1973	1996	1973	1992	1979	1975	1971	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-1.0	-1.0	-0.7	-0.6	-0.5	-0.4	-0.4	-0.6	-0.8	-1.0	-1.2	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.1	-1.2	-1.1	-1.0	-0.9	-0.8	-0.6	-1.2	-0.9	-0.6	-0.9	
		HIGHEST MEAN	43.1	49.1	54.2	61.1	70.8	80.5	81.9	80.6	75.4	61.9	51.8	44.3	81.9
		MEDIAN	38.8	43.0	49.9	57.0	65.3	74.2	78.5	75.9	69.5	59.2	47.2	38.9	58.1
		LOWEST MEAN	34.8	38.6	44.0	51.5	61.2	70.6	76.2	72.3	66.7	54.7	40.6	35.0	34.8
		HIGHEST MEAN YEAR	1999	1996	1972	2000	2000	1994	1978	1994	1998	1988	1999	1977	1978
		LOWEST MEAN YEAR	1992	1974	1977	1973	1975	1992	1976	1974	1974	1976	1979	1976	1992
		MIN OBS TIME ADJUSTMENT	0.5	0.7	-0.1	0.0	-0.3	-0.2	-0.3	-0.2	-0.3	-0.4	0.3	0.4	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.2	-0.1	0.1	
		HIGHEST MEAN	31.5	33.9	39.9	46.2	55.7	62.6	66.1	63.9	59.1	49.2	41.3	33.6	66.1
		MEDIAN	24.7	26.2	33.4	40.5	49.2	58.6	62.8	60.9	54.2	45.3	33.3	25.5	43.0
		LOWEST MEAN	16.3	22.6	26.9	32.4	45.8	55.0	60.8	58.7	51.3	38.1	25.3	19.9	16.3
		HIGHEST MEAN YEAR	1986	2000	1989	1981	1996	1990	1980	1983	1998	1988	1999	1980	1980
		LOWEST MEAN YEAR	1979	1985	1987	1973	1995	1995	1992	1981	1973	1984	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	1.4	1.6	1.2	0.0	0.0	0.0	-0.1	-0.2	0.6	0.5	1.2	1.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.4	0.3	0.2	0.1	0.0	0.0	0.0	0.1	0.3	
		HIGHEST MEAN	39.8	43.3	47.2	52.6	63.9	70.0	71.5	70.8	65.6	54.5	48.6	40.2	71.5
		MEDIAN	32.0	35.5	40.6	48.0	55.0	64.2	68.2	66.5	60.3	51.7	39.7	32.7	49.8
		LOWEST MEAN	24.6	31.3	36.6	37.9	51.4	61.2	65.6	63.2	56.2	44.6	31.6	27.9	24.6
		HIGHEST MEAN YEAR	2000	2000	1989	2000	1996	1990	1980	2000	2000	1995	1999	1980	1980
		LOWEST MEAN YEAR	1979	1982	1973	1973	1983	1983	1972	1971	1974	1984	1972	1974	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.8	-1.0	-0.9	-0.6	-0.5	-0.5	-0.5	-0.8	-1.0	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-0.4	-0.1	-0.6	-0.8	-0.3	-0.2	-0.3	-0.3	-0.5	-0.8	-0.5	-0.5	
		HIGHEST MEAN	35.9	39.7	44.9	50.9	60.8	68.5	71.9	69.2	63.2	52.2	42.5	38.1	71.9
		MEDIAN	29.2	33.7	39.4	46.5	53.9	64.0	68.1	66.5	59.7	49.1	39.1	29.4	48.2
		LOWEST MEAN	24.8	31.0	36.5	40.2	51.4	61.8	66.4	63.2	56.7	43.8	31.6	23.9	23.9
		HIGHEST MEAN YEAR	1999	1995	1972	1981	1996	1990	1980	1983	1983	1979	1981	1980	1980
		LOWEST MEAN YEAR	1979	1989	1977	1973	1983	1983	1975	1990	1974	1976	1972	1997	1997
		MIN OBS TIME ADJUSTMENT	0.6	0.8	-0.1	-0.6	-0.4	-0.3	-0.4	-0.5	-0.4	-0.4	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	32.3	35.6	43.6	50.7	59.8	70.8	71.8	70.8	62.9	53.8	41.1	34.0	71.8
		MEDIAN	24.9	29.9	35.6	42.0	51.8	62.5	67.9	66.3	58.8	48.1	34.7	27.3	46.3
		LOWEST MEAN	17.9	20.5	30.0	36.0	46.9	58.4	65.2	63.9	54.7	42.0	28.6	20.6	17.9
		HIGHEST MEAN YEAR	1986	1995	1989	1989	1996	2000	1994	1994	1998	1992	1999	1980	1994
		LOWEST MEAN YEAR	1979	1975	1975	1973	1975	1983	1986	1999	1985	1984	1979	1978	1979
		MIN OBS TIME ADJUSTMENT	1.0	1.3	1.0	1.1	0.1	0.1	-0.1	-0.2	0.3	0.2	0.8	0.9	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 28

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
085	LORDSBURG 4 S	HIGHEST MEAN	45.9	51.5	57.2	64.7	74.2	84.0	84.2	84.4	77.8	65.7	54.0	46.5	84.4
		MEDIAN	42.3	46.0	51.2	58.4	67.5	77.2	81.0	78.7	72.6	61.6	49.1	42.4	60.7
		LOWEST MEAN	38.3	41.2	46.1	52.2	63.3	72.9	78.2	75.1	69.8	57.9	44.1	38.0	38.0
		HIGHEST MEAN YEAR	1993	1996	1972	2000	2000	1994	1980	1994	1997	1988	1995	1977	1994
		LOWEST MEAN YEAR	1973	1974	1973	1983	1977	1991	1986	1990	1975	1976	2000	1978	1978
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.5	-0.4	-0.3	-0.4	-0.4	-0.4	-0.6	-0.9	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.2	-1.4	-1.6	-1.1	-0.9	-0.9	-0.9	-1.1	-1.0	-1.0	-1.0	
		HIGHEST MEAN	36.2	39.1	45.2	52.7	62.9	69.7	70.3	68.8	64.4	53.5	43.8	37.4	70.3
		MEDIAN	27.8	31.4	38.1	45.7	53.8	64.0	67.3	65.1	59.0	48.2	37.0	29.6	47.4
		LOWEST MEAN	21.4	27.9	33.0	39.2	49.8	60.9	64.7	63.0	55.6	42.5	30.3	23.8	21.4
086	LOS ALAMOS	HIGHEST MEAN	1986	1995	1972	1989	1996	1990	1980	2000	1998	1988	1999	1980	1980
		LOWEST MEAN	1979	1985	1973	1983	1983	1995	1991	1993	1996	1984	1972	1992	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		HIGHEST MEAN	39.9	46.9	49.9	58.4	68.3	75.9	79.2	77.6	72.2	58.7	47.7	39.2	79.2
		MEDIAN	33.4	39.4	46.6	53.0	62.2	71.3	76.1	74.5	66.7	55.8	42.6	34.1	54.9
		LOWEST MEAN	29.0	34.4	41.3	47.1	58.4	67.7	73.3	71.2	63.7	51.6	37.6	29.6	29.0
		HIGHEST MEAN YEAR	1993	1995	1999	1989	1996	1994	1996	1995	1998	1992	1995	1995	1996
		LOWEST MEAN YEAR	1977	1974	1977	1973	1975	1975	1976	1976	1975	1976	1976	1974	1977
		MIN OBS TIME ADJUSTMENT	1.0	1.2	1.0	1.1	0.1	0.1	-0.1	-0.2	0.2	0.2	0.7	0.8	
087	LOS LUNAS 3 S	MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	-0.1	0.1	
		HIGHEST MEAN	35.5	40.0	42.4	47.6	56.5	63.2	67.8	65.7	62.2	51.4	40.7	35.6	67.8
		MEDIAN	30.2	33.6	38.3	43.5	50.9	59.2	64.7	62.9	57.0	47.6	37.1	30.6	46.3
		LOWEST MEAN	27.2	30.0	33.3	39.1	48.0	55.3	61.9	60.4	54.5	43.8	32.0	25.9	25.9
		HIGHEST MEAN YEAR	1986	1996	1972	1989	2000	1990	1996	1986	1997	1988	1999	1977	1996
		LOWEST MEAN YEAR	1979	1979	1977	1983	1977	1982	1987	1989	1988	1982	1979	1990	1990
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.7	-0.5	-0.4	-0.3	-0.3	-0.4	-0.4	-0.5	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.1	-1.3	-1.5	-1.1	-0.9	-0.9	-0.9	-1.1	-1.0	-1.0	-0.9	
		HIGHEST MEAN	34.6	38.5	44.5	53.2	62.1	70.5	72.2	70.8	65.7	53.0	42.6	35.1	72.2
		MEDIAN	25.7	31.3	38.8	46.4	54.5	65.1	69.3	66.3	60.4	48.8	36.4	28.2	47.5
089	LYBROOK	LOWEST MEAN	19.8	23.6	33.5	38.8	50.4	60.4	66.7	65.4	55.7	42.7	29.8	21.0	19.8
		HIGHEST MEAN YEAR	1986	1995	1989	1989	1996	1980	1994	1995	1998	1988	1999	1980	1994
		LOWEST MEAN YEAR	1979	1974	1973	1973	1973	1983	1973	1972	1973	1984	2000	1990	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		HIGHEST MEAN	40.2	45.1	51.8	59.0	67.3	75.3	76.1	72.9	69.8	60.2	48.2	41.2	76.1
		MEDIAN	34.9	39.0	45.3	51.3	60.9	68.8	72.1	69.6	64.8	54.6	43.2	36.4	53.5
		LOWEST MEAN	28.7	35.7	39.8	45.5	56.0	65.4	69.4	66.5	60.0	49.8	37.9	30.7	28.7
		HIGHEST MEAN YEAR	1980	1996	1989	1989	1989	1990	1980	1995	1998	1992	1995	1977	1980
		LOWEST MEAN YEAR	1973	1974	1973	1973	1975	1972	1975	1974	1974	1971	2000	1990	1973
090	MAGDALENA	MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.5	-0.4	-0.3	-0.4	-0.4	-0.5	-0.6	-0.8	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.2	-1.4	-1.7	-1.1	-0.9	-0.9	-0.9	-1.0	-1.0	-1.0	-1.0	
		HIGHEST MEAN	46.4	54.2	57.4	66.6	77.1	84.1	84.7	82.0	78.8	65.9	57.1	46.2	84.7
		MEDIAN	40.6	44.8	52.7	61.0	68.8	76.9	79.3	77.5	70.9	61.9	49.5	41.4	60.3
		LOWEST MEAN	34.8	40.5	47.7	53.3	64.9	73.4	74.5	72.7	64.2	55.0	43.5	35.5	34.8
		HIGHEST MEAN YEAR	1999	2000	1974	2000	1996	1990	1998	1999	2000	1998	1999	1994	1998
		LOWEST MEAN YEAR	1979	1973	1987	1983	1975	1992	1975	1971	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.6	-0.6	-0.4	-0.4	-0.4	-0.5	-0.7	-1.0	-1.1	
		MAX OBS TIME ADJUSTMENT	-0.8	-1.1	-1.2	-1.0	-0.9	-0.8	-0.7	-0.5	-1.1	-0.8	-0.6	-0.8	
		HIGHEST MEAN	35.8	39.9	47.1	53.8	62.1	68.5	74.0	71.4	65.7	52.8	45.2	39.5	74.0
091	MALJAMAR 4 SE	MEDIAN	29.0	32.9	40.3	47.0	55.3	64.1	69.1	67.3	61.0	50.8	38.8	30.1	48.7
		LOWEST MEAN	20.6	28.8	34.8	38.4	51.4	60.6	66.8	64.5	57.3	45.1	27.5	22.7	20.6
		HIGHEST MEAN YEAR	1986	1995	1989	1981	1996	1981	1980	1982	1998	1988	1981	1980	1980
		LOWEST MEAN YEAR	1979	1985	1984	1973	1983	1982	1990	1990	1971	1984	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.2	-0.6	-0.5	-0.4	-0.4	-0.5	-0.4	-0.5	0.5	0.6	
		MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.3	0.3	0.2	0.1	0.0	0.0	-0.1	0.0	0.2	
		HIGHEST MEAN	42.2	46.0	51.1	60.0	69.4	78.5	80.6	79.0	73.0	59.8	51.0	42.7	80.6
		MEDIAN	35.4	39.3	45.9	54.2	62.0	71.5	75.8	74.1	66.6	56.3	44.7	36.5	54.9
		LOWEST MEAN	26.1	31.0	42.5	46.9	59.7	67.4	72.4	70.4	61.5	50.3	37.0	26.4	26.1
		HIGHEST MEAN YEAR	1986	2000	1974	1981	1996	1990	1980	2000	1998	1991	1999	1980	1980
093	MC CARTY RANC	LOWEST MEAN YEAR	1979	1978	1996	1997	1983	1989	1975	1974	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	0.8	1.1	-0.2	-0.7	-0.5	-0.4	-0.4	-0.5	-0.4	-0.5	-0.6	0.7	
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.3	0.3	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.3	
		HIGHEST MEAN	31.8	34.2	41.5	45.1	54.5	62.2	65.4	64.4	59.2	49.4	40.1	33.5	65.4
		MEDIAN	23.5	26.7	32.9	39.8	47.9	57.5	62.9	61.2	55.2	44.5	33.1	25.5	42.6
		LOWEST MEAN	18.2	21.6	28.6	33.6	45.2	54.8	60.6	58.5	50.4	39.7	24.8	21.1	18.2
		HIGHEST MEAN YEAR	1986	1996	1972	1992	2000	1994	1996	1995	1998	1988	1999	1980	1996
		LOWEST MEAN YEAR	1979	1985	1977	1973	1975	1995	1986	1990	1985	1984	2000	1992	1979
		MIN OBS TIME ADJUSTMENT	0.4	0.7	-0.1	0.0	-0.3	-0.2	-0.3	-0.2	-0.3	-0.4	0.2	0.3	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	-0.1	0.1	
094	MCGAFFEY 5 SE	MIN OBS TIME ADJUSTMENT	0.4	0.7	-0.1	0.0	-0.3	-0.2	-0.3	-0.2	-0.3	-0.4	0.2	0.3	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	-0.1	0.1	




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 29

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
095	MOSQUERO 1 NE	HIGHEST MEAN	40.7	44.4	50.1	57.6	67.9	76.3	79.3	75.8	70.3	57.7	47.6	43.6	79.3
		MEDIAN	33.4	37.7	44.4	52.6	60.2	70.2	73.6	71.1	64.3	54.7	42.4	34.0	53.4
		LOWEST MEAN	23.3	32.0	41.3	45.3	57.4	66.9	71.1	68.9	60.7	49.3	33.9	25.2	23.3
		HIGHEST MEAN YEAR	1986	2000	1972	1981	1974	1990	1980	2000	1998	1992	1981	1980	1980
		LOWEST MEAN YEAR	1979	1989	1996	1973	1983	1983	1991	1990	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-1.1	-0.9	-0.7	-0.5	-0.5	-0.5	-0.9	-1.0	-1.3	-1.4	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.7	-1.8	-1.9	-1.6	-1.2	-1.1	-1.0	-1.7	-1.3	-1.7	-1.6	
		HIGHEST MEAN	44.2	49.1	53.7	62.3	73.2	80.5	83.2	80.1	73.7	61.7	51.7	46.3	83.2
		MEDIAN	38.5	41.5	48.4	56.6	64.3	73.9	77.9	75.3	68.6	58.4	46.7	37.7	57.2
		LOWEST MEAN	30.4	36.2	44.9	49.0	61.0	70.5	74.1	71.4	65.0	53.1	39.4	32.3	30.4
096	NEWKIRK	HIGHEST MEAN YEAR	1986	2000	1974	1981	1996	1990	1980	1995	1983	1979	1973	1980	1980
		LOWEST MEAN YEAR	1979	1989	1998	1973	1983	1992	1991	1971	1991	1976	1972	1997	1979
		MIN OBS TIME ADJUSTMENT	-1.2	-1.0	-1.1	-0.9	-0.7	-0.5	-0.4	-0.5	-0.8	-1.0	-1.3	-1.4	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.7	-1.8	-1.9	-1.6	-1.3	-1.0	-0.9	-1.7	-1.3	-1.6	-1.6	
		HIGHEST MEAN	35.1	39.1	44.7	47.8	59.3	64.8	68.2	65.7	60.4	49.8	42.4	36.4	68.2
		MEDIAN	29.3	31.9	37.6	44.9	52.1	60.5	64.6	62.7	56.9	47.5	37.3	30.3	46.3
		LOWEST MEAN	23.4	28.6	31.7	36.3	48.7	56.5	62.0	60.0	54.1	41.6	29.6	21.6	21.6
		HIGHEST MEAN YEAR	1986	1976	1974	1992	1996	1994	1980	1995	1998	1977	1973	1980	1980
		LOWEST MEAN YEAR	1979	1983	1987	1983	1983	1992	1991	1990	1987	1984	1972	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.8	-0.6	-0.5	-0.4	-0.5	-0.8	-0.9	-1.1	-1.2	
097	OCATE 2 NW	MAX OBS TIME ADJUSTMENT	-1.1	-1.5	-1.6	-1.7	-1.5	-1.2	-1.0	-0.9	-1.5	-1.1	-1.4	-1.3	
		HIGHEST MEAN	35.1	39.1	44.7	47.8	59.3	64.8	68.2	65.7	60.4	49.8	42.4	36.4	68.2
		MEDIAN	29.3	31.9	37.6	44.9	52.1	60.5	64.6	62.7	56.9	47.5	37.3	30.3	46.3
		LOWEST MEAN	23.4	28.6	31.7	36.3	48.7	56.5	62.0	60.0	54.1	41.6	29.6	21.6	21.6
		HIGHEST MEAN YEAR	1986	1976	1974	1992	1996	1994	1980	1995	1998	1977	1973	1980	1980
		LOWEST MEAN YEAR	1979	1983	1987	1983	1983	1992	1991	1990	1987	1984	1972	1983	1983
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.8	-0.6	-0.5	-0.4	-0.5	-0.8	-0.9	-1.1	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.5	-1.6	-1.7	-1.5	-1.2	-1.0	-0.9	-1.5	-1.1	-1.4	-1.3	
		HIGHEST MEAN	35.3	41.1	47.0	54.9	62.5	71.5	74.0	72.4	66.9	56.3	46.3	38.2	74.0
		MEDIAN	28.5	33.5	40.7	47.6	56.6	67.0	71.9	69.1	62.8	51.4	38.0	30.5	50.0
099	OTIS	LOWEST MEAN	21.6	27.6	35.0	41.0	53.2	63.8	68.7	66.8	58.8	45.1	32.2	23.3	21.6
		HIGHEST MEAN YEAR	1981	1995	1972	1989	1996	1994	1972	1995	1998	1988	1999	1980	1972
		LOWEST MEAN YEAR	1979	1974	1973	1973	1983	1983	1992	1999	1985	1984	2000	1990	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-0.9	-0.6	-0.5	-0.4	-0.4	-0.4	-0.5	-0.7	-1.0	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.5	-1.7	-1.5	-1.3	-1.0	-1.0	-0.8	-1.3	-1.2	-0.9	-1.3	
		HIGHEST MEAN	45.9	51.2	56.2	63.6	76.5	83.3	83.0	79.2	75.4	63.7	53.7	47.3	83.3
		MEDIAN	40.9	44.4	51.8	60.4	68.4	75.6	78.5	76.9	70.5	61.0	49.8	41.7	59.9
		LOWEST MEAN	35.4	40.6	46.9	53.5	63.9	70.0	73.2	71.4	62.3	54.0	43.1	37.0	35.4
		HIGHEST MEAN YEAR	1999	2000	1974	1986	1996	1990	1980	1977	1998	1998	1999	1977	1990
		LOWEST MEAN YEAR	1979	1973	1987	1983	1973	1973	1975	1971	1974	1976	1976	1983	1979
100	PEARL	MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.6	-0.6	-0.4	-0.4	-0.4	-0.6	-0.7	-0.9	-1.1	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.6	-0.7	-0.6	-0.6	-0.5	-0.5	-0.3	-0.8	-0.6	-0.4	-0.6	
		HIGHEST MEAN	37.1	41.7	46.2	53.1	65.3	70.4	73.5	69.9	65.0	54.3	45.8	39.3	73.5
		MEDIAN	31.0	34.8	39.6	46.7	54.9	64.7	68.8	66.6	60.5	50.8	39.3	31.8	49.3
		LOWEST MEAN	24.3	29.7	34.8	40.5	50.3	62.1	63.5	62.6	56.1	44.6	33.3	25.4	24.3
		HIGHEST MEAN YEAR	1999	2000	1972	1981	1996	1990	1980	1995	2000	1979	1995	1980	1980
		LOWEST MEAN YEAR	1979	1979	1991	1973	1990	1991	1990	1971	1991	1984	1991	1974	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.8	-1.0	-0.8	-0.6	-0.4	-0.4	-0.5	-0.7	-0.9	-1.1	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.5	-1.7	-2.2	-2.2	-1.7	-1.3	-1.2	-1.1	-1.8	-1.6	-1.8	-1.8	
		HIGHEST MEAN	37.4	42.1	47.0	53.4	64.5	74.4	76.1	73.5	67.5	56.2	46.0	40.2	76.1
101	PECOS NATIONA	MEDIAN	32.1	35.2	41.8	49.3	57.9	67.6	71.6	69.6	62.8	53.3	41.6	31.9	51.4
		LOWEST MEAN	24.1	31.9	38.3	42.7	54.0	64.5	68.9	67.4	59.8	48.2	34.8	26.0	24.1
		HIGHEST MEAN YEAR	1986	1995	1972	1981	1996	1990	1980	1995	1983	1987	1995	1980	1980
		LOWEST MEAN YEAR	1992	1979	1991	1973	1990	1991	1990	1971	1991	1984	1991	1974	1979
		MIN OBS TIME ADJUSTMENT	1.1	1.4	1.1	1.2	0.1	0.1	-0.1	-0.2	0.3	0.4	0.9	1.1	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.4	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	35.7	39.3	46.5	53.7	62.8	70.1	70.1	67.4	62.7	54.5	44.6	36.0	70.1
		MEDIAN	31.2	33.6	39.4	47.0	54.4	64.9	66.6	64.8	59.7	49.6	37.9	30.9	48.5
		LOWEST MEAN	26.2	29.5	34.9	41.1	51.7	62.8	64.6	62.7	56.4	44.7	30.8	26.7	26.2
		HIGHEST MEAN YEAR	2000	2000	1972	1989	1996	1990	1980	2000	1998	1988	1995	1980	1990
103	PIETOWN 19 NE	LOWEST MEAN YEAR	1992	1998	1973	1983	1995	1983	1990	1990	1985	1971	1992	1997	1992
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.7	-0.5	-0.4	-0.3	-0.3	-0.3	-0.5	-0.5	-0.8	-0.7	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.7	-0.9	-1.3	-0.7	-0.6	-0.7	-0.7	-0.6	-0.5	-0.6	-0.6	
		HIGHEST MEAN	35.7	39.3	46.5	53.7	62.8	70.1	70.1	67.4	62.7	54.5	44.6	36.0	70.1
		MEDIAN	31.2	33.6	39.4	47.0	54.4	64.9	66.6	64.8	59.7	49.6	37.9	30.9	48.5
		LOWEST MEAN	26.2	29.5	34.9	41.1	51.7	62.8	64.6	62.7	56.4	44.7	30.8	26.7	26.2
		HIGHEST MEAN YEAR	2000	2000	1972	1989	1996	1990	1980	2000	1998	1988	1995	1980	1990
		LOWEST MEAN YEAR	1992	1998	1973	1983	1995	1983	1990	1990	1985	1971	1992	1997	1992
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.7	-0.5	-0.4	-0.3	-0.3	-0.3	-0.5	-0.5	-0.8	-0.7	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.7	-0.9	-1.3	-0.7	-0.6	-0.7	-0.7	-0.6	-0.5	-0.6	-0.6	
104	PORTALES	HIGHEST MEAN	43.6	50.1	55.6	62.2	74.0	81.9	81.6	79.6	74.3	62.3	51.5	45.1	81.9
		MEDIAN	39.2	42.4	50.1	58.6	65.9	74.7	77.8	75.7	69.5	59.5	47.4	38.7	58.2
		LOWEST MEAN	33.2	37.8	46.4	51.5	63.4	71.8	74.3	72.5					




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 30

No.	Station Name	Element	NORMALS STATISTICS																																																																																																																																																																																
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL																																																																																																																																																																				
107	RAGLAND 3 SSW	HIGHEST MEAN	40.7	46.7	52.4	59.0	70.6	79.1	80.5	76.9	71.5	60.2	50.3	44.4	80.5																																																																																																																																																																				
		MEDIAN	35.8	39.4	46.6	54.8	62.6	72.1	75.5	73.0	66.0	56.2	44.7	36.3	55.2																																																																																																																																																																				
		LOWEST MEAN	26.7	33.4	42.8	48.4	59.7	69.3	71.7	70.1	62.0	52.1	38.1	29.2	26.7																																																																																																																																																																				
		HIGHEST MEAN YEAR	1986	2000	1974	1978	1996	1990	1980	2000	1998	1979	1981	1980	1980																																																																																																																																																																				
		LOWEST MEAN YEAR	1979	1978	1998	1997	1983	1979	1975	1971	1974	1976	1972	1983	1979																																																																																																																																																																				
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.8	-0.6	-0.5	-0.4	-0.4	-0.8	-0.8	-1.1	-1.3																																																																																																																																																																					
		MAX OBS TIME ADJUSTMENT	-0.7	-1.1	-1.3	-1.1	-1.1	-0.9	-0.7	-0.6	-1.1	-1.0	-0.6	-0.9																																																																																																																																																																					
		HIGHEST MEAN	43.5	46.6	51.3	58.0	71.2	77.0	78.5	75.5	70.1	58.6	50.4	44.6	78.5																																																																																																																																																																				
		MEDIAN	36.6	40.0	46.2	53.6	62.0	70.4	73.7	72.1	64.8	56.0	43.9	36.0	54.7																																																																																																																																																																				
		LOWEST MEAN	31.7	35.1	41.8	46.0	57.7	66.6	70.6	69.4	61.8	49.9	36.5	32.1	31.7																																																																																																																																																																				
108	RAMON 8 SW	HIGHEST MEAN	1999	2000	1972	1992	1996	1990	1980	2000	1983	1992	1995	1977	1980																																																																																																																																																																				
		LOWEST MEAN	1979	1997	1987	1973	1983	1979	1975	1990	1975	1976	1972	1997	1979																																																																																																																																																																				
		MIN OBS TIME ADJUSTMENT	-0.4	-0.4	-0.4	-0.3	-0.3	-0.2	-0.2	-0.2	-0.3	-0.3	-0.4	-0.4																																																																																																																																																																					
		MAX OBS TIME ADJUSTMENT	-0.1	-0.1	-0.1	-0.1	-0.1	0.0	-0.1	-0.1	-0.1	-0.1	-0.1	-0.1																																																																																																																																																																					
		HIGHEST MEAN	38.7	40.9	46.0	52.1	62.2	70.9	73.7	70.8	65.6	54.1	48.3	40.9	73.7																																																																																																																																																																				
		MEDIAN	31.5	33.6	39.2	46.3	54.6	64.8	69.0	67.1	60.3	51.8	39.8	33.0	49.4																																																																																																																																																																				
		LOWEST MEAN	22.0	29.1	35.3	38.9	50.8	59.7	66.5	64.6	56.7	43.2	31.6	25.1	22.0																																																																																																																																																																				
		HIGHEST MEAN YEAR	1986	1995	1989	1981	1996	1990	1980	2000	1998	1992	1999	1980	1980																																																																																																																																																																				
		LOWEST MEAN YEAR	1979	1985	1984	1973	1995	1983	1972	1974	1974	1984	1972	1983	1979																																																																																																																																																																				
		MIN OBS TIME ADJUSTMENT	1.4	1.6	1.2	0.0	0.0	0.0	-0.1	-0.2	0.6	0.5	1.2	1.4																																																																																																																																																																					
109	RATON FILTER	MAX OBS TIME ADJUSTMENT	0.3	0.4	0.3	0.4	0.3	0.3	0.1	0.0	0.0	0.0	0.1	0.3																																																																																																																																																																					
		HIGHEST MEAN	35.9	38.5	45.9	51.2	61.5	66.7	71.4	69.1	63.3	52.5	43.4	40.2	71.4																																																																																																																																																																				
		MEDIAN	30.3	33.2	39.7	46.9	54.2	63.0	67.4	65.8	58.7	49.8	38.0	30.4	47.7																																																																																																																																																																				
		LOWEST MEAN	22.3	27.5	35.2	39.8	51.1	58.9	64.9	63.1	56.1	44.5	30.2	26.3	22.3																																																																																																																																																																				
		HIGHEST MEAN YEAR	1986	1995	1989	1981	1996	1981	1980	1983	1983	1979	1999	1980	1980																																																																																																																																																																				
		LOWEST MEAN YEAR	1979	1978	1988	1973	1983	1983	1995	1974	1974	1984	1972	1983	1979																																																																																																																																																																				
		MIN OBS TIME ADJUSTMENT	-1.3	-1.2	-1.1	-0.9	-0.7	-0.5	-0.5	-0.5	-0.9	-1.0	-1.4	-1.5																																																																																																																																																																					
		MAX OBS TIME ADJUSTMENT	-1.9	-2.0	-2.4	-2.4	-2.0	-1.6	-1.3	-1.3	-2.2	-1.9	-2.3	-2.3																																																																																																																																																																					
		HIGHEST MEAN	27.9	32.0	36.1	42.6	52.2	57.9	60.8	59.5	54.6	44.2	35.8	30.8	60.8																																																																																																																																																																				
		MEDIAN	21.2	24.5	31.1	38.0	45.5	54.0	58.3	57.3	51.2	41.6	29.9	22.1	39.6																																																																																																																																																																				
111	RED RIVER	LOWEST MEAN	15.9	20.7	26.8	30.1	42.8	50.8	56.2	53.5	48.9	38.2	22.7	17.2	15.9																																																																																																																																																																				
		HIGHEST MEAN YEAR	1999	1995	1972	2000	1996	1994	1980	1995	1997	1987	1999	1980	1980																																																																																																																																																																				
		LOWEST MEAN YEAR	1979	1975	1987	1973	1983	1983	1975	1974	1985	1984	1979	1974	1979																																																																																																																																																																				
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-0.9	-0.8	-0.6	-0.5	-0.4	-0.5	-0.8	-0.9	-1.1	-1.2																																																																																																																																																																					
		MAX OBS TIME ADJUSTMENT	-1.1	-1.5	-1.6	-1.7	-1.5	-1.2	-1.0	-1.0	-1.5	-1.1	-1.4	-1.3																																																																																																																																																																					
		HIGHEST MEAN	45.1	50.5	55.6	61.4	69.1	77.7	82.6	79.3	75.8	65.2	52.4	45.4	82.6																																																																																																																																																																				
		MEDIAN	41.4	45.5	50.2	57.3	64.7	73.9	78.3	77.2	70.7	59.7	48.3	41.8	59.1																																																																																																																																																																				
		LOWEST MEAN	39.0	40.9	46.2	51.4	60.8	69.7	76.0	72.7	67.8	56.2	43.7	37.1	37.1																																																																																																																																																																				
		HIGHEST MEAN YEAR	1993	1996	1972	1981	1984	1994	1980	1995	1997	1987	1999	1980	1980																																																																																																																																																																				
		LOWEST MEAN YEAR	1973	1974	1977	1983	1971	1991	1986	1990	1986	1976	1992	1974	1974																																																																																																																																																																				
112	REDROCK 1 NNE	MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.7	-0.5	-0.4	-0.3	-0.4	-0.3	-0.4	-0.5	-0.8	-0.8																																																																																																																																																																					
		MAX OBS TIME ADJUSTMENT	-0.6	-0.8	-0.9	-1.2	-0.7	-0.6	-0.7	-0.7	-0.8	-0.6	-0.7	-0.6																																																																																																																																																																					
		HIGHEST MEAN	45.3	53.1	57.7	66.0	79.0	84.0	85.4	83.2	77.5	64.4	53.9	47.0	85.4																																																																																																																																																																				
		MEDIAN	39.9	44.8	52.8	60.8	68.9	77.3	80.7	78.5	71.7	61.4	49.5	40.4	60.7																																																																																																																																																																				
		LOWEST MEAN	34.7	41.4	48.0	54.5	65.6	74.4	77.0	75.4	65.4	56.5	42.9	33.4	33.4																																																																																																																																																																				
		HIGHEST MEAN YEAR	1999	1976	1974	1978	1996	1990	1980	1977	1998	1977	1981	1977	1980																																																																																																																																																																				
		LOWEST MEAN YEAR	1979	1989	1998	1973	1983	1989	1991	1974	1974	1976	1976	1997	1997																																																																																																																																																																				
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0																																																																																																																																																																					
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0																																																																																																																																																																					
		HIGHEST MEAN	38.3	43.8	49.6	57.7	67.0	74.6	78.1	74.4	67.5	56.7	47.2	41.9	78.1																																																																																																																																																																				
114	ROSWELL AP	MEDIAN	33.3	37.1	43.0	51.2	58.6	67.9	71.8	70.6	63.1	53.7	41.6	33.8	52.0																																																																																																																																																																				
		LOWEST MEAN	24.1	31.4	40.0	42.3	54.3	63.4	68.2	67.2	60.1	48.1	33.7	26.0	24.1																																																																																																																																																																				
		HIGHEST MEAN YEAR	1986	2000	1974	1981	1996	1990	1980	2000	1983	1995	1989	1980	1980																																																																																																																																																																				
		LOWEST MEAN YEAR	1979	1989	1998	1973	1983	1989	1991	1986	1974	1984	1972	1983	1979																																																																																																																																																																				
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.9	-0.6	-0.5	-0.4	-0.5	-0.8	-0.9	-1.2	-1.2																																																																																																																																																																					
		MAX OBS TIME ADJUSTMENT	-0.7	-1.1	-1.1	-1.1	-1.1	-0.8	-0.7	-0.7	-1.1	-0.7	-1.0	-0.9																																																																																																																																																																					
		HIGHEST MEAN	38.0	35.0	43.0	51.2	58.6	67.9	71.8	70.6	63.1	53.7	41.6	33.8	52.0																																																																																																																																																																				
		MEDIAN	31.7	34.0	38.0	41.8	50.2	59.2	61.5	60.6	56.0	45.8	33.9	29.1	29.1																																																																																																																																																																				
		LOWEST MEAN	2000	1996	1989	2000	1996	1980	2000	1977	1998	1987	1973	1977	1980																																																																																																																																																																				
		HIGHEST MEAN YEAR	1997	1974	1973	1983	1975	1983	1991	1990	1991	1976	2000	1997	1997																																																																																																																																																																				
115	ROY	LOWEST MEAN YEAR	1979	1989	1998	1973	1983	1989	1991	1986	1974	1984	1972	1983	1979	MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.9	-0.6	-0.5	-0.4	-0.5	-0.8	-0.9	-1.2	-1.2		MAX OBS TIME ADJUSTMENT	-0.7	-1.1	-1.1	-1.1	-1.1	-0.8	-0.7	-0.7	-1.1	-0.7	-1.0	-0.9		HIGHEST MEAN	38.4	41.9	46.0	52.1	61.4	67.9	67.4	66.5	62.1	53.8	44.6	41.2	67.9	MEDIAN	34.6	36.8	41.4	47.7	54.3	62.1	64.5	63.4	58.8	49.8	41.2	35.0	49.0	LOWEST MEAN	31.7	34.0	38.0	41.8	50.2	59.2	61.5	60.6	56.0	45.8	33.9	29.1	29.1	HIGHEST MEAN YEAR	2000	1996	1989	2000	1996	1980	2000	1977	1998	1987	1973	1977	1980	LOWEST MEAN YEAR	1997	1974	1973	1983	1975	1983	1991	1990	1991	1976	2000	1997	1997	MIN OBS TIME ADJUSTMENT	-0.9	-0.8	-0.9	-0.6	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-1.0	-1.1		MAX OBS TIME ADJUSTMENT	-1.5	-1.7	-2.0	-2.0	-1.6	-1.2	-1.2	-1.0	-1.5	-1.6	-1.6	-1.7		116	RUIDOSO	HIGHEST MEAN	43.7	50.7	55.6	63.0	74.3	83.3	85.2	82.2	75.4	62.1	53.5	45.5	85.2	MEDIAN	37.7	42.0	49.2	57.2	65.5	75.2	79.4	76.9	70.1	59.4	47.1	38.9	57.9	LOWEST MEAN	31.7	35.2	45.8	49.8	61.8	71.8	74.9</td
		LOWEST MEAN YEAR	1979	1989	1998	1973	1983	1989	1991	1986	1974	1984	1972	1983	1979																																																																																																																																																																				
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.9	-0.6	-0.5	-0.4	-0.5	-0.8	-0.9	-1.2	-1.2																																																																																																																																																																					
		MAX OBS TIME ADJUSTMENT	-0.7	-1.1	-1.1	-1.1	-1.1	-0.8	-0.7	-0.7	-1.1	-0.7	-1.0	-0.9																																																																																																																																																																					
		HIGHEST MEAN	38.4	41.9	46.0	52.1	61.4	67.9	67.4	66.5	62.1	53.8	44.6	41.2	67.9																																																																																																																																																																				
		MEDIAN	34.6	36.8	41.4	47.7	54.3	62.1	64.5	63.4	58.8	49.8	41.2	35.0	49.0																																																																																																																																																																				
		LOWEST MEAN	31.7	34.0	38.0	41.8	50.2	59.2	61.5	60.6	56.0	45.8	33.9	29.1	29.1																																																																																																																																																																				
		HIGHEST MEAN YEAR	2000	1996	1989	2000	1996	1980	2000	1977	1998	1987	1973	1977	1980																																																																																																																																																																				
		LOWEST MEAN YEAR	1997	1974	1973	1983	1975	1983	1991	1990	1991	1976	2000	1997	1997																																																																																																																																																																				
		MIN OBS TIME ADJUSTMENT	-0.9	-0.8	-0.9	-0.6	-0.5	-0.4	-0.4	-0.4	-0.6	-0.7	-1.0	-1.1																																																																																																																																																																					
		MAX OBS TIME ADJUSTMENT	-1.5	-1.7	-2.0	-2.0	-1.6	-1.2	-1.2	-1.0	-1.5	-1.6	-1.6	-1.7																																																																																																																																																																					
116	RUIDOSO	HIGHEST MEAN	43.7	50.7	55.6	63.0	74.3	83.3	85.2	82.2	75.4	62.1	53.5	45.5	85.2																																																																																																																																																																				
		MEDIAN	37.7	42.0	49.2	57.2	65.5	75.2	79.4	76.9	70.1	59.4	47.1	38.9	57.9																																																																																																																																																																				
		LOWEST MEAN	31.7	35.2	45.8	49.8	61.8	71.8	74.9</td																																																																																																																																																																										




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 31

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
118	SANTA FE 2	HIGHEST MEAN	38.1	41.0	46.6	52.9	63.4	70.6	73.8	71.4	67.8	54.0	44.2	37.2	73.8
		MEDIAN	29.0	34.5	41.1	48.4	56.2	65.8	69.5	67.4	61.4	51.1	38.2	29.7	49.4
		LOWEST MEAN	22.2	29.1	36.3	41.3	53.1	62.4	66.9	64.4	57.1	45.4	30.4	23.7	22.2
		HIGHEST MEAN YEAR	1986	1995	1972	1989	1996	1990	1980	1995	1989	1977	1999	1980	1980
		LOWEST MEAN YEAR	1979	1974	1973	1973	1983	1983	1975	1974	1975	1984	1972	1974	1979
		MIN OBS TIME ADJUSTMENT	-0.7	-0.7	-0.8	-0.8	-0.5	-0.4	-0.4	-0.4	-0.6	-0.6	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.4	-0.5	-0.5	-1.0	-0.5	-0.4	-0.4	-0.3	-0.5	-0.4	-0.5	-0.4	
		HIGHEST MEAN	43.4	47.8	52.6	59.6	70.3	77.5	78.6	76.8	71.2	59.7	50.5	44.8	78.6
		MEDIAN	37.6	40.9	47.9	55.0	62.4	71.6	74.9	72.7	66.1	56.4	44.7	37.2	55.7
		LOWEST MEAN	31.0	38.2	43.9	47.6	59.1	68.2	71.4	69.6	62.3	51.0	37.7	31.0	31.0
		HIGHEST MEAN YEAR	1999	2000	1974	2000	1996	1990	1980	1995	1983	1992	1995	1980	1980
		LOWEST MEAN YEAR	1979	1989	1987	1973	1983	1979	1975	1971	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.8	-0.6	-0.4	-0.4	-0.4	-0.7	-0.9	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.6	-1.8	-1.7	-1.5	-1.2	-1.0	-0.9	-1.5	-1.2	-1.5	-1.4	
119	SANTA ROSA	HIGHEST MEAN	43.4	47.8	52.6	59.6	70.3	77.5	78.6	76.8	71.2	59.7	50.5	44.8	78.6
		MEDIAN	37.6	40.9	47.9	55.0	62.4	71.6	74.9	72.7	66.1	56.4	44.7	37.2	55.7
		LOWEST MEAN	31.0	38.2	43.9	47.6	59.1	68.2	71.4	69.6	62.3	51.0	37.7	31.0	31.0
		HIGHEST MEAN YEAR	1999	2000	1974	2000	1996	1990	1980	1995	1983	1992	1995	1980	1980
		LOWEST MEAN YEAR	1979	1989	1987	1973	1983	1979	1975	1971	1974	1976	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.8	-0.6	-0.4	-0.4	-0.4	-0.7	-0.9	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.6	-1.8	-1.7	-1.5	-1.2	-1.0	-0.9	-1.5	-1.2	-1.5	-1.4	
		HIGHEST MEAN	36.4	44.6	51.5	59.7	67.4	76.5	81.4	79.6	71.7	59.5	45.3	37.0	81.4
		MEDIAN	31.1	37.3	45.4	52.1	61.3	70.7	76.4	74.7	67.0	54.4	41.3	32.0	53.3
		LOWEST MEAN	20.6	27.2	39.9	45.3	53.3	65.2	71.4	70.1	62.2	49.9	35.4	24.7	20.6
		HIGHEST MEAN YEAR	1978	1995	1989	1989	1996	1994	1998	1994	1998	1988	1995	1980	1998
		LOWEST MEAN YEAR	1973	1974	1977	1985	1975	1975	1987	1976	1976	1976	2000	1990	1973
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.7	-0.5	-0.4	-0.3	-0.4	-0.6	-0.7	-0.9	-0.9	
		MAX OBS TIME ADJUSTMENT	-1.2	-1.4	-1.8	-2.1	-1.5	-1.2	-1.0	-1.1	-1.4	-1.2	-1.3	-1.4	
120	SHIPROCK	HIGHEST MEAN	42.1	48.3	55.0	62.7	71.7	77.5	80.0	78.2	72.9	60.5	49.6	42.7	80.0
		MEDIAN	36.9	42.7	49.9	56.9	64.5	73.0	76.8	74.4	67.8	57.2	45.2	37.1	56.9
		LOWEST MEAN	33.3	38.5	45.3	51.3	61.4	69.5	74.5	71.4	65.7	53.6	39.9	33.6	33.3
		HIGHEST MEAN YEAR	1999	1995	1974	1989	1996	1994	1994	1995	1998	1988	1995	1980	1994
		LOWEST MEAN YEAR	1992	1974	1977	1973	1975	1973	1986	1979	1988	1984	2000	1992	1992
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.7	-0.5	-0.4	-0.3	-0.4	-0.3	-0.5	-0.5	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.6	-0.8	-0.9	-1.3	-0.8	-0.6	-0.7	-0.5	-0.7	-0.6	-0.7	-0.6	
		HIGHEST MEAN	37.2	41.3	47.6	53.8	64.4	71.5	75.6	71.9	66.7	54.6	44.6	40.2	75.6
		MEDIAN	30.5	34.8	42.2	49.1	57.3	66.6	70.3	68.8	62.4	52.2	40.6	30.5	50.3
		LOWEST MEAN	22.4	31.0	38.7	40.1	53.7	63.1	68.3	66.5	59.6	47.2	30.1	22.8	22.4
121	SOCORRO	HIGHEST MEAN	42.1	48.3	55.0	62.7	71.7	77.5	80.0	78.2	72.9	60.5	49.6	42.7	80.0
		MEDIAN	36.9	42.7	49.9	56.9	64.5	73.0	76.8	74.4	67.8	57.2	45.2	37.1	56.9
		LOWEST MEAN	33.3	38.5	45.3	51.3	61.4	69.5	74.5	71.4	65.7	53.6	39.9	33.6	33.3
		HIGHEST MEAN YEAR	1999	1995	1974	1989	1996	1994	1994	1995	1998	1988	1995	1980	1994
		LOWEST MEAN YEAR	1992	1974	1977	1973	1975	1973	1986	1979	1988	1984	2000	1992	1992
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.7	-0.5	-0.4	-0.3	-0.4	-0.3	-0.5	-0.5	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.6	-0.8	-0.9	-1.3	-0.8	-0.6	-0.7	-0.5	-0.7	-0.6	-0.7	-0.6	
		HIGHEST MEAN	37.2	41.3	47.6	53.8	64.4	71.5	75.6	71.9	66.7	54.6	44.6	40.2	75.6
		MEDIAN	30.5	34.8	42.2	49.1	57.3	66.6	70.3	68.8	62.4	52.2	40.6	30.5	50.3
		LOWEST MEAN	22.4	31.0	38.7	40.1	53.7	63.1	68.3	66.5	59.6	47.2	30.1	22.8	22.4
122	SPRINGER	HIGHEST MEAN	37.2	41.3	47.6	53.8	64.4	71.5	75.6	71.9	66.7	54.6	44.6	40.2	75.6
		MEDIAN	30.5	34.8	42.2	49.1	57.3	66.6	70.3	68.8	62.4	52.2	40.6	30.5	50.3
		LOWEST MEAN	22.4	31.0	38.7	40.1	53.7	63.1	68.3	66.5	59.6	47.2	30.1	22.8	22.4
		HIGHEST MEAN YEAR	1999	1999	1989	1989	2000	1990	1980	1983	1998	1988	1998	1980	1980
		LOWEST MEAN YEAR	1979	1989	1988	1983	1980	1995	1990	1990	1975	1984	1972	1978	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.8	-0.6	-0.5	-0.4	-0.4	-0.6	-0.7	-1.0	-1.2	
		MAX OBS TIME ADJUSTMENT	-0.7	-1.1	-1.0	-1.1	-1.1	-0.8	-0.7	-0.7	-1.1	-1.3	-1.6	-1.5	
		HIGHEST MEAN	34.7	42.0	46.9	51.9	64.3	70.7	73.1	72.0	65.3	53.5	44.0	37.1	73.1
		MEDIAN	28.8	34.0	41.0	48.1	56.4	65.8	70.1	68.0	61.5	50.9	39.1	30.0	49.3
		LOWEST MEAN	22.5	29.5	36.6	40.8	53.3	62.8	68.0	65.6	58.0	45.3	31.3	21.5	21.5
123	STANLEY 1 NNE	HIGHEST MEAN	34.7	42.0	46.9	51.9	64.3	70.7	73.1	72.0	65.3	53.5	44.0	37.1	73.1
		MEDIAN	28.8	34.0	41.0	48.1	56.4	65.8	70.1	68.0	61.5	50.9	39.1	30.0	49.3
		LOWEST MEAN	22.5	29.5	36.6	40.8	53.3	62.8	68.0	65.6	58.0	45.3	31.3	21.5	21.5
		HIGHEST MEAN YEAR	2000	1995	1972	2000	1996	1990	1980	1994	1998	1992	1999	1980	1980
		LOWEST MEAN YEAR	1979	1974	1977	1973	1983	1979	1991	1990	1988	1984	1992	1992	1992
		MIN OBS TIME ADJUSTMENT	0.5	0.8	-0.1	0.0	-0.4	-0.3	-0.4	-0.4	-0.3	-0.4	0.5	0.6	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	33.3	39.2	43.8	50.6	60.3	68.0	72.1	71.3	64.2	52.2	39.8	34.7	72.1
		MEDIAN	25.5	32.4	38.6	46.1	54.5	64.0	69.7	67.7	60.5	48.7	36.3	27.3	47.6
		LOWEST MEAN	18.5	27.7	36.2	40.4	51.7	61.7	67.4	65.0	57.4	43.7	30.4	18.5	18.5
124	STAR LAKE	HIGHEST MEAN	33.3	39.2	43.8	50.6	60.3	68.0	72.1	71.3	64.2	52.2	39.8	34.7	72.1
		MEDIAN	25.5	32.4	38.6	46.1	54.5	64.0	69.7	67.7	60.5	48.7	36.3	27.3	47.6
		LOWEST MEAN	18.5	27.7	36.2	40.4	51.7	61.7	67.4	65.0	57.4	43.7	30.4	18.5	18.5
		HIGHEST MEAN YEAR	1986	1995	1989	1989	1996	1974	1972	1995	1998	1979	1981	1980	1972
		LOWEST MEAN YEAR	1977	1979	1981	1983	1985	1995							




CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 32

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
128	TIERRA AMARIL	HIGHEST MEAN	27.9	33.1	38.6	45.4	53.2	60.8	65.6	65.9	58.5	48.4	37.9	31.5	65.9
		MEDIAN	21.2	25.6	33.2	40.2	48.7	56.4	62.9	61.8	54.8	44.3	31.5	22.6	41.9
		LOWEST MEAN	14.5	18.9	28.5	34.8	44.0	54.9	60.5	58.9	50.5	40.2	26.5	17.2	14.5
		HIGHEST MEAN YEAR	1999	1995	1972	2000	1996	1990	1996	2000	1998	1988	1999	1980	2000
		LOWEST MEAN YEAR	1979	1974	1975	1973	1971	1975	1992	1974	1971	1984	2000	1990	1979
		MIN OBS TIME ADJUSTMENT	0.6	0.8	-0.1	0.0	-0.4	-0.3	-0.3	-0.5	-0.4	-0.4	0.4	0.4	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.2	
		HIGHEST MEAN	30.6	31.3	38.2	46.0	54.5	63.6	68.1	64.4	58.8	49.0	37.7	34.0	68.1
		MEDIAN	21.0	25.4	33.4	41.1	48.6	58.3	63.5	61.4	54.8	45.2	32.0	23.7	42.2
		LOWEST MEAN	14.0	20.1	27.9	34.7	44.9	55.0	60.6	57.8	51.8	37.2	25.8	16.7	14.0
129	TRES PIEDRAS	HIGHEST MEAN YEAR	1981	1995	1972	1992	1996	1990	1980	1995	1998	1979	1981	1980	1980
		LOWEST MEAN YEAR	1979	1979	1980	1980	1975	1995	1986	1974	1986	1984	1972	1990	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.8	-0.9	-0.8	-0.6	-0.5	-0.4	-0.5	-0.7	-0.8	-1.1	-1.1	
		MAX OBS TIME ADJUSTMENT	-1.0	-1.4	-1.6	-1.7	-1.5	-1.1	-1.0	-0.9	-1.5	-1.1	-1.4	-1.3	
		HIGHEST MEAN	46.1	53.7	57.9	65.4	76.2	83.5	83.8	82.8	77.3	64.2	54.4	46.3	83.8
		MEDIAN	41.6	46.2	53.0	59.6	67.8	77.8	80.6	77.6	71.5	61.8	49.5	41.0	60.8
		LOWEST MEAN	37.1	43.4	47.8	54.0	64.9	75.4	76.5	74.6	68.9	56.7	43.5	37.0	37.0
		HIGHEST MEAN YEAR	2000	1996	1972	1989	1996	1994	1994	1994	1998	1988	1999	1977	1994
		LOWEST MEAN YEAR	1988	1985	1987	1973	1987	1987	1986	1974	1988	1976	1976	1987	1987
		MIN OBS TIME ADJUSTMENT	0.5	0.7	-0.1	0.0	-0.3	-0.2	-0.3	-0.2	-0.3	-0.4	0.2	0.4	
130	TRUTH OR CONS	MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.2	-0.1	0.1	
		HIGHEST MEAN	44.0	49.5	54.9	63.1	73.4	82.3	82.7	82.6	75.2	62.4	53.8	46.1	82.7
		MEDIAN	38.5	42.0	49.6	56.9	65.3	74.6	78.7	76.6	69.2	59.4	47.2	39.2	58.0
		LOWEST MEAN	28.5	36.6	45.2	50.5	61.9	70.4	74.7	72.3	64.2	54.2	39.1	29.9	28.5
		HIGHEST MEAN YEAR	1986	2000	1974	1981	1996	1990	1980	2000	2000	1979	1999	1980	1980
		LOWEST MEAN YEAR	1979	1978	1987	1997	1983	1983	1975	1971	1974	1984	1972	1983	1979
		MIN OBS TIME ADJUSTMENT	0.7	1.0	-0.2	-0.7	-0.5	-0.4	-0.4	-0.5	-0.4	-0.5	0.6	0.7	
		MAX OBS TIME ADJUSTMENT	0.4	0.4	0.3	0.3	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.3	
		HIGHEST MEAN	46.4	52.3	57.7	65.2	73.9	81.1	81.8	80.3	76.3	64.3	54.8	46.5	81.8
		MEDIAN	42.5	46.6	52.4	60.1	67.3	76.0	78.4	76.6	70.5	61.3	49.6	42.1	60.2
131	TUCUMCARI 4 N	LOWEST MEAN	38.0	43.0	47.9	53.1	64.3	72.7	75.0	73.0	67.7	56.1	41.3	38.5	38.0
		HIGHEST MEAN YEAR	1999	1996	1974	2000	2000	1994	1980	1995	1998	1988	1999	1980	1980
		LOWEST MEAN YEAR	1992	1973	1987	1983	1987	1979	1976	1990	1987	1976	1976	1987	1992
		MIN OBS TIME ADJUSTMENT	-0.8	-0.8	-0.8	-0.6	-0.5	-0.4	-0.4	-0.3	-0.5	-0.6	-0.9	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.6	-0.9	-1.0	-1.4	-0.8	-0.7	-0.7	-0.5	-0.9	-0.7	-0.8	-0.7	
		HIGHEST MEAN	37.4	40.2	45.6	51.7	62.5	69.6	72.7	70.2	64.6	53.7	44.7	39.7	72.7
		MEDIAN	31.7	34.4	40.5	47.5	55.5	64.3	68.7	67.0	60.2	50.8	39.7	31.6	49.6
		LOWEST MEAN	24.6	30.7	37.0	39.4	52.4	60.1	65.2	63.0	56.0	44.8	32.1	25.8	24.6
		HIGHEST MEAN YEAR	1986	1995	1989	1989	1996	1990	1980	1995	1983	1979	1999	1980	1980
		LOWEST MEAN YEAR	1979	1975	1998	1973	1983	1983	1972	1974	1974	1984	1972	1974	1979
132	VALMORA	MIN OBS TIME ADJUSTMENT	0.6	0.8	-0.2	-0.6	-0.4	-0.3	-0.4	-0.5	-0.4	-0.4	0.4	0.5	
		MAX OBS TIME ADJUSTMENT	0.3	0.3	0.3	0.3	0.3	0.2	0.1	0.0	0.0	-0.1	0.0	0.2	
		HIGHEST MEAN	48.0	54.5	60.8	69.2	81.2	89.0	87.0	86.4	79.0	68.8	56.7	49.7	89.0
		MEDIAN	43.5	47.8	54.7	63.6	71.6	80.4	82.8	81.3	73.4	64.6	52.7	44.2	63.6
		LOWEST MEAN	37.2	43.4	50.2	57.4	67.6	77.8	79.1	77.6	68.7	58.6	45.1	38.7	37.2
		HIGHEST MEAN YEAR	1999	1976	1974	1989	1996	1990	1980	1994	1998	1992	1999	1977	1990
		LOWEST MEAN YEAR	1979	1978	1987	1973	1987	1988	1976	1990	1974	1976	1976	1983	1979
		MIN OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		MAX OBS TIME ADJUSTMENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		HIGHEST MEAN	43.0	49.5	54.3	62.2	73.8	82.3	82.6	81.6	76.4	62.8	50.3	42.5	82.6
133	WHITE SANDS N	MEDIAN	38.8	43.5	50.5	58.0	67.3	76.6	79.6	77.1	70.6	59.4	46.0	38.2	59.0
		LOWEST MEAN	35.9	38.6	45.5	52.9	63.3	72.9	76.9	73.8	68.0	54.4	39.7	34.3	34.3
		HIGHEST MEAN YEAR	1980	1996	1972	1989	2000	1994	1994	1994	1998	1987	1998	1977	1994
		LOWEST MEAN YEAR	1976	1974	1977	1983	1983	1983	1975	1990	1979	1976	1979	1987	1987
		MIN OBS TIME ADJUSTMENT	0.6	0.8	-0.1	0.0	-0.3	-0.2	-0.4	-0.4	-0.3	-0.4	0.3	0.5	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.2	0.0	0.2	
		HIGHEST MEAN	43.7	45.6	52.3	59.3	67.6	76.3	77.4	74.5	69.1	59.5	48.2	43.8	77.4
		MEDIAN	37.7	41.3	45.3	52.1	60.4	69.8	72.6	70.8	65.0	54.6	43.8	37.9	54.4
		LOWEST MEAN	32.7	35.6	39.7	46.1	57.0	63.4	66.3	63.3	59.8	50.8	37.7	33.6	32.7
		HIGHEST MEAN YEAR	1993	1996	1993	1989	1996	1994	1978	1973	1983	1979	1981	1980	1978
134	WHITE SIGNAL	LOWEST MEAN YEAR	1992	1990	1991	1983	1975	1991	1991	1990	1991	1996	1996	1997	1992
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.8	-0.5	-0.4	-0.3	-0.4	-0.4	-0.4	-0.6	-0.8	-0.9	
		MAX OBS TIME ADJUSTMENT	-0.9	-1.2	-1.4	-1.6	-1.1	-0.9	-0.9	-0.9	-1.1	-1.0	-1.0	-1.0	
		HIGHEST MEAN	39.3	44.9	48.5	54.3	66.6	72.1	74.0	71.1	66.3	55.1	46.4	43.8	74.0
		MEDIAN	34.9	38.6	43.5	49.4	58.1	66.9	69.8	67.1	61.5	52.4	41.7	34.2	51.8
		LOWEST MEAN	29.5	33.9	36.3	42.8	52.6	63.9	67.4	64.5	57.4	47.3	36.3	30.2	29.5
		HIGHEST MEAN YEAR	2000	1984	1989	2000	1996	1994	1980	1994	1983	1972	1995	1980	1980
		LOWEST MEAN YEAR	1989	1974	1977	1983	1979	1979	1976	1990	1988	1976	2000	1982	1989
		MIN OBS TIME ADJUSTMENT	1.0	1.2	0.9	0.9	0.1	0.1	-0.1	0.3	0.2	0.2	0.7	0.8	
		MAX OBS TIME ADJUSTMENT	0.2	0.3	0.3	0.3	0.3	0.2	0.1	0.0	-0.1	-0.1	0.0	0.1	
135	WINSTON	HIGHEST MEAN	39.3	44.9	48.5	54.3	66.6	72.1	74.0	71.1	66.3	55.1	46.4	43.8	74.0
		MEDIAN	34.9	38.6	43.5	49.4	58.1	66.9	69.8	67.1	61.5	52.4	41.7	34.2	51.8
		LOWEST MEAN	29.5	33.9	36.3	42.8	52.6	63.9	67.4	6					



CLIMATOGRAPHY OF THE UNITED STATES NO. 81
Monthly Normals of Temperature, Precipitation, and Heating and Cooling Degree Days
1971-2000

NEW MEXICO

Page 33

No.	Station Name	Element	NORMALS STATISTICS												
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
140	WOLF CANYON	HIGHEST MEAN	28.5	30.9	35.3	43.2	50.8	56.8	60.4	59.7	54.8	43.6	35.0	29.5	60.4
		MEDIAN	20.3	24.0	30.3	38.1	44.3	53.2	57.8	56.2	50.4	40.8	29.1	21.8	38.9
		LOWEST MEAN	15.0	20.1	25.5	31.2	41.8	49.9	55.4	53.6	47.7	35.2	23.0	17.5	15.0
		HIGHEST MEAN YEAR	1986	1996	1972	1989	1996	1996	1996	1994	1998	1988	1995	1980	1996
		LOWEST MEAN YEAR	1979	1974	1977	1983	1971	1975	1999	1991	1971	1984	1972	1974	1979
		MIN OBS TIME ADJUSTMENT	-0.7	-0.6	-0.8	-0.7	-0.5	-0.4	-0.4	-0.4	-0.6	-0.6	-0.8	-0.8	
		MAX OBS TIME ADJUSTMENT	-0.5	-0.8	-0.8	-1.5	-0.8	-0.6	-0.6	-0.5	-0.8	-0.5	-0.7	-0.6	
		HIGHEST MEAN	43.2	47.8	52.4	60.4	72.6	77.9	79.8	77.0	71.9	60.9	52.1	45.7	79.8
		MEDIAN	37.9	40.5	47.6	54.7	62.5	71.3	75.6	73.4	66.8	57.7	46.3	37.5	55.9
		LOWEST MEAN	29.9	35.7	43.3	46.8	58.8	67.0	71.2	69.0	61.5	52.2	39.3	33.1	29.9
141	YESO 2 S	HIGHEST MEAN YEAR	1986	1999	1989	1972	1996	1990	1980	1995	1983	1979	1995	1977	1980
		LOWEST MEAN YEAR	1979	1978	1987	1973	1975	1979	1976	1974	1974	1976	2000	1983	1979
		MIN OBS TIME ADJUSTMENT	-1.0	-0.9	-1.0	-0.7	-0.6	-0.4	-0.4	-0.4	-0.7	-0.8	-1.2	-1.2	
		MAX OBS TIME ADJUSTMENT	-1.1	-1.6	-1.8	-1.6	-1.4	-1.2	-1.0	-0.9	-1.4	-1.5	-1.5	-1.4	
		HIGHEST MEAN	38.3	42.1	48.3	53.8	61.2	71.2	74.6	74.1	68.0	56.5	46.4	43.1	74.6
		MEDIAN	31.2	36.4	41.6	49.1	56.7	66.0	71.6	69.9	63.6	52.9	40.3	33.0	51.2
		LOWEST MEAN	27.1	31.8	35.8	43.6	52.7	62.6	67.4	67.2	59.3	46.0	34.9	26.8	26.8
		HIGHEST MEAN YEAR	1986	1995	1972	1989	2000	1974	1972	1995	1997	1979	1999	1980	1972
		LOWEST MEAN YEAR	1977	1975	1973	1983	1975	1998	1987	1987	1985	1984	1992	1990	1990
		MIN OBS TIME ADJUSTMENT	-0.8	-0.7	-0.7	-0.6	-0.4	-0.3	-0.3	-0.4	-0.5	-0.6	-0.9	-0.9	
		MAX OBS TIME ADJUSTMENT	-1.3	-1.4	-1.7	-1.9	-1.4	-1.1	-0.9	-0.9	-1.1	-1.1	-1.4	-1.4	